Author Index to Volume 25

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 25, 1987. The Edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

Abbey, K. J. See Trumbo, D. L., 229L
Abe, K. See Itoh, Y., 745C, 1383C, 2871C
Abe, Y.
—; Kaijou, A.; Shintani, N.; Nagao, Y.; Misono, T.: Preparation of Polysiloxanes from Silicic Acid. IX. Partially Silylated Silicic Acid and Its Spinnability, 1671C
Abhiraman, A. S.
—; Kim, Y. W.; Wagener, K. B.: Evolution of Structure and Properties in Fiber Formation from a Thermoplastic Polyester-Polyester Segmented Copolymer, 205P
Achar, B. N.
—; Fohlen, G. M.; Parker, J. A.; Keshavayya, J.: Organic Semiconductors—Metal Phthalocyanine Sheet Polymers, 443C
Adamski, R. P.
—; Anderson, J. L.: Configurational Effects on Polystyrene Rejection from Microporous Membranes, 765P
Adolph, H. G.
—; Goldwasser, J. M.; Koppes, W. M.: Synthesis of Polyformals from Nitro- and Fluorodiols. Substituent and Chainlength Effects, 805C
Adzuma, S. See Ohtani, B., 383L
Agarwal, P. K.
—; Duvdevani, I.; Peiffer, D. G.; Lundberg, R. D.: Polymer Blend Complexes Based on Coordination Chemistry, 839P
—; Garner, R. T.; Graessley, W. W.: Counterion and Solvent Effects on the Dilute Solution Viscosity of Polystyrene Ionomers, 2095P
Ahmed, S. U. See Mathias, L. J., 2711C
Ahn, T.-O. See Lee, D.-H., 1457C
Akhter, Md. A.
—; Pramanik, P.; Biswas, M.: Synthesis and Electrical and Optoelectronic Properties of Poly[(*N*-benzyldiphenylamino) methane], 339P
Akiyama, F. See Kim, S.-J., 1641C
Akopian, E. L. See Enikolopian, N. S., 1203P
Aleksiuk, G. P. See Łapienis, G., 1729C
Al-Hassan, K. A.
—; El-Bayoumi, M. A.: Large Edge-Excitation Red Shift for a Merocyanine Dye In Poly(vinyl Alcohol) Polymer Matrix, 495P
Alon, M. See Lerner, F., 181C
Al-Salah, H. A.
—; Frisch, K. C.; Xiao, H. X.; McLean, J. A., Jr.: Polyurethane Anionomers. I. Structure Properties of Polyurethane Anionomers, 2127C
Alston, W. B. See Johnston, J. C., 2175C
Ambrose, R. J.
Review of *Polymer Surfaces and Interfaces*, W. J. Feast and H. S. Munro, Eds., 509L
Ambrosino, S.
—; Khallala, T.; Seurin, M. J.; Ten Bosch, A.; Fried, F.; Maissa, P.; Sixou, P.: Mixtures of Two Mesomorphic Cellulosic Polymers, 351L
Amemiya, Y. See Nagura, M., 2567P
Anderson, J. L. See Adamski, R. P., 765P
Ando, I. See Takenake, M., 2165P
Ando, T. See Kubota, S., 2241C
Andrady, A. L.
—; Llorente, M. A.: Elasticity of Model Poly(oxypropylene) Networks, 195P
—; Llorente, M. A.; Saiz, E.: Stress-optical Properties of Poly(oxypropylene) Networks, 1935P
Andreis, M.
—; Rakvin, B.; Veksh, Z.: Double-modulation and Conventional ESR Spectra of Spin-labeled Crosslinked Polystyrene, 1709P
Andrzejewska, E.
—; Żuk, A.; Krzyminiewski, R. Pietrzak, J.: Polymerization of 1,3,5-Trithiane in the Solid State Initiated by UV-Irradiation. II. Investigation of the Initiation Process, 3363C
Ang, T. See Chien, J. C. W., 919C, 1011C
Angeli, S. R. See Lei, G. Y., 607C
Aoki, H.
—; Suzuki, T.: Dielectric Properties of Thermooxidized Poly(Vinyl Formal), 369P
Arai, K. See Hasegawa, M., 3117C, 3231C; Konno, M., 223C
Arakawa, K.
Oxygen Consumption and Gas Evolution by Radiation-Induced Oxidation in Ethylene-Propylene-Diene Terpolymers, 1713C
Arct, J. See Weir, N. A., 191C
Argyropoulos, D. S.
—; Berry, R. M.; Bolker, H. I.: Polymerization Beyond the Gel Point. I. The Molecular Weight of Sol as a Function of the Extent of Reaction, 1191P
Arita, Y. See Tomoi, M., 2455C
Arnaud, R. See Lacoste, J., 2799C
Arnold, F. E. See Tan, L.-S., 3159C
Arora, K. S.
—; Turro, N. J.: Photophysical Investigations of Interpolymer Interactions in Solutions of a Pyrene Substituted Poly(acrylic acid), Poly(vinyl amine), Poly(1-aminoacrylic acid), and Poly(1-acetylaminoacrylic acid), 243P
—; Turro, N. J.: Polyelectrolyte Effects on the Quenching of Pyrene Fluorescence in Solutions of a Pyrene Substituted Poly(acrylic acid), 259C
Asahi, T. See Miyaji, H., 159P
Asai, K. See Miyaji, H., 159P; Takahashi, Y., 153L
Ashikaga, K.
—; Ito, S.; Yamamoto, M.; Nishijima, Y.; Wada, Y.: High Sensitive Photopolymers Containing Dibenz[b,f]azepine Group, 223L
Atreyi, M.
—; Scaria, P. V.; Rao, M. V. R.: Conformational Transition and Induced Circular Dichroism on Dye Binding to Poly-(L-Ornithine), 249L
Attard, G. S.
—; Moura-Ramos, J. J.; Williams, G.: Molecular Dynamics of a Smectic Liquid-crystalline Side-chain Polymer. The Dielectric Properties of Aligned and Nonaligned Material Studied Over a Wide Range of Frequency and Temperature, 1099P
Audouin-Jirackova, L.
—; Verdu, J.: Chemiluminescence of Hydrocarbon Polymers, 1205C
Auric, P.
—; Bidan, G.: Mössbauer Spectroscopy of Fe^{2+}-complexed Poly(*N*-propylpyrrole-sulfonate), 2239P
Avramova, N. See Fakirov, S., 1331P
Axelson, D. E. See Leung, W. M., 1825C
Ayama, K. See Kiyotsukuri, T., 1591C
Azócar, J. See Chirinos-Padrón, A. J., 2469C

Bagryansky, V. A.
—; Tolkatchev, V. A.: Isotopic Effects in H-Atom Abstraction from Matrix Models by Methyl Radicals in Poly(methyl Methacrylate). Determination of the Scale of Relative Reagent Motions, 581C
Bailey, W. J. See Pan, C.-Y., 243L

Bakalik, D. P.
—; Kowalski, D. J.: The Reaction of Polyacrylamide, Formaldehyde, and Sodium Bisulfite, 433C
Balakrishnan, T. See Devarajan, R., 3183C
Balik, C. M.
—; Said, M. A.; Carlson, J. D.: High-Energy Ion Implantation of Polymers: Poly(ethylene Terephthalate), 817P
Balke, S. T.
—; Suwanda, D.; Lew, R.: A Kinetic Model for the Degradation of Polypropylene, 313L
Ballauff, M.
Compatibility of Coils and Rods Bearing Flexible Side Chains, 739P
Ballistreri, A.
—; Garozzo, D.; Maravigna, P.; Montaudo, G.; Giuffrida, M.: Thermal Decomposition Processes in Aromatic-Aliphatic Polyamides Investigated by Mass Spectrometry, 1049C
—; Garozzo, D.; Montaudo, G.; Giuffrida, M.: Effect of *N*-Methyl Substitution on the Thermal Decomposition Processes in Aliphatic–Aromatic Polyamides, 2351C
Bánhegyi, G.
—; Rho, M.-K.; Chien, J. C. W.; Karasz, F. E.: Relaxation Properties of Some Segmented Polyurethane-$CaCO_3$ Composites. A Dielectric Study, 57P
Banks, E.
Review of "Inorganic Reactions and Methods, Volume 15—Electron-Transfer and Electrochemical Reactions, Photochemical and Other Energized Reactions," J. J. Zuckerman, Ed., 303L
Barlow, J. W. See Chiou, J. S., 1459P
Barone, C. See Paci, M., 1595P
Barrall II, E. M. See Cantow, M. J. R., 603P
Barry, D.
—; Delatycki, O.: Static Fatigue Fracture of Polyethylene: A Morphological Analysis, 883P
Bary, F. A.
Review of *High Resolution NMR Spectroscopy of Synthetic Polymers in Bulk*, Richard A. Komoroski, Ed., 426L
Bass, R. G. See Connell, J. W., 2531C
—; Cooper, E.; Hergenrother, P. M.; Connell, J. W.: Poly(enonsulfides) from the Addition of Aromatic Dithiols to Aromatic Dipropynones, 2395C
Batich, C.
—; Yahiaoui, A.: Surface Modification. I. Graft Polymerization of Acrylamide onto Low-Density Polyethylene by Ce^{4+}-Induced Initiation, 3479C
Beckman, E.
—; Porter, R. S.: Crystallization of Bisphenol A Polycarbonate Induced by Supercritical Carbon Dioxide, 1511P
Beeson, J. J. See Lin, Y. C., 1981P
Bellama, J. M. See Manders, W. F., 3469C
Bellenger, V.
—; Verdu, J.; Morel, E.: Effect of Structure on Glass Transition Temperature of Amine Crosslinked Epoxies, 1219P
Bendler, J. T. See Legrand, D. G., 1149P
Benguigui, L.
—; Yacubowicz, J.; Narkis, M.: On the Percolative Behavior of Carbon Black Cross-Linked Polyethylene Systems, 127P
Benmouna, M.
—; Duval, M.; Borsali, R.: Dynamics of a Single Copolymer Chain, 1839P
Berger, L. L.
—; Buckley, D. J.; Kramer, E. J.; Brown, H. R.; Bubeck, R. A.: Low-angle Electron Diffraction from High Temperature Polystyrene Crazes, 1679P
Berry, G. C.
Terminal Retardation Times and Weights for the Rouse Model for a Crosslinked Network, 2203P
—; Casassa, E. F.; Liu, P.-Y.: Polystyrene in Cyclopentane: Dilute Solution Properties from the Upper Critical to the Lower Critical Solution Temperature, 673P
—, See Hager, B. L., 387P; Lin, Y. C., 1981P
Berry, R. M. See Argyropuolos, D. S., 1191P
Bertini, V.
—; Pocci, M.; Picci, N.; Lucchesini, F.; Falbo, A.; De Munno, A.: Synthesis of Tailor-made Copolymers Containing 1,3-Benzodioxole Systems for Selective Flocculation of Minerals, 2665C
Bevington, J. C.
—; Breuer, S. W.; Heseltine, E. N. J.; Huckerby, T. N.; Varma, S. C.: Reactions of the 2-Cyano-2-Propyl Radical with Vinyl Acetate and Other Monomers: A Study of Head-Addition, 1085C
Bhateja, S. K. See Pae, K. D. P., 717P
Bhattacharyya, K. K. See Sagu, M. L., 3423C
Bhattacherjee, S. See Datta, A. K., 1177C
Bidan, G. See Auric, P., 2239P
Biermann, C. J.
—; Narayan, R.: Crosslinking of Cellulose Acetate with Phosphorus Pentoxide, 89L
Bigger, S. W. See Ghiggino, K. P., 1619C
—; Delatycki. O.: New Approach to the Measurement of Polymer Photooxidation, 3311C
Biswas, M. See Akhter, Md. A., 339P; Mohanty, B., 187L
Bober, H. L.
—; Cuculo, J. A.; Tucker, P. A.: Effects of Ammonia/Ammonium Thiocyanate on Cotton Fabric, 2025C
Boerio, F. J. See Roth, P. G., 1923P
Bogdanovich, V. A. See Lipatov, Yu. S., 43P
Boggess, R. K.
—; Taylor, L. T.: Characterization of Cobalt-Modified Polyimides, 685C
Bohdanecký, M. See Dañhelka, J., 1801P
Bolker, H. I. See Argyropuolos, D. S., 1191P
Borodinsky, L. See King, R. B., 2165C
Borsali, R. See Benmouna, M., 1839P
Bortolus, P. See Faucitano, A., 1517C
Bottino, F. See Pappalardo, S., 1793C
Boussand, J. See Lacoste, J., 2799C
Boutevin, B.
—; Pietrasanta, Y.; Youssef, B.: Synthesis of Block Cotelomers Involving a Perfluorinated Chain and a Hydrophilic Chain. III. Synthesis and Use of Florinated Telogens with a Trichloromethyl End Group, 3025C
Bovey, F. A.
Review of *Carbon-13 NMR Spectroscopy, High-Resolution Methods and Applications in Organic Chemistry and Biochemistry*, Eberhard Breitmaier and Wolfgang Voelter, 426L
Review of "Proton and Carbon NMR Spectra of Polymers, Volume 3," Quang-Tho Pham, Roger Petiaud, Hughes Waton, and Marie-France Llauro, 193L
Bowmer, T. N. See Tonelli, A. E., 1153P
Brady, R. F. Jr.
—; Simon, F. E.: Anionic Polymerization with Expansion in Volume, 231C
Brandon, M. See Van De Mark, M. R., 327L
Brekner, M.-J.
—; Feger, C.: Curing Studies of a Polyimide Precursor, 2005C
—; Feger, C.: Curing Studies of a Polyimide Precursor. II. Polyamic Acid, 2479C
Breuer, S. W. See Bevington, J. C., 1085C
Brinckman, F. E. See Manders, W. F., 3469C
Brown, H. R. See Berger, L. L., 1679P; Russell, T. P., 1129P
—; Kramer, E. J.; Bubeck, R. A.: Studies of Craze Fibril Deformation During Fatigue in Polystyrene, 1765P
Brunn, P. O.
Diffusion in Concentrated Solutions: Encapsulated FENE Dumbbell Model Results, 2085P

Bubeck, R. A. See Berger, L. L., 1679P; Brown, H. R., 1765P
Bubel, O. N. See Ivashkevich, O. A., 407L
Buckley, D. J. See Berger, L. L., 1679P
Buckley, L. I.
—; Roylance, D. K.; Wnek, G. E.: Influence of Dopant Ion and Synthesis Variables on Mechanical Properties of Polypyrrole Films, 2179P
Bulkin, B. J. See Do, C. H., 2301C, 2409C
Burkhardt, C. W.
—; McCarthy, K. J.; Parazak, D. P.: Solution Properties of Poly(dimethyldiallylammonium Chloride), 209L
Butler, G. B. See Mallakpour, S. E., 2781C
Butler, J. S. See Gordon III, B., 2139C
Buttafava, A. See Faucitano, A., 1517C
Byrdina, N. A. See Ivanchev, S. S., 47C

Calabrese, J. See Klabunde, U., 1989C
Camberlin, Y. See Michaud, P., 1717C
Cansell, F.
—; Siove, A.; Fontanille, M.: Ethylene–Propylene Copolymerization Initiated with Solubilized Ziegler–Natta Macromolecular Complexes. I. Determination of Kinetic Parameters, 675C
Cantow, M. J. R.
—; Barrall II, E. M.; Wolf, B. A.; Geerissen, H.: Temperature and Pressure Dependence of the Viscosities of Perfluoropolyether Fluids, 603P
Capasso, R.
—; Roviello, A.; Sirigu, A.; Iannelli, P.: Molecular Orientation in Liquid Fibers of Nematic Polymers, 2431P
Carlini, C.
—; Ciardelli, F.; Rolla, P. A.; Tombari, E.: A New Microwave Dielectric Method for Studying Photoinitiated Chain Radical Polymerization Processes, 1253P
Carlisi, B. See Giammona, G., 2813C
Carlson, G. M. See Trumbo, D. L., 229L
Carlson, J. D. See Balik, C. M., 817P
Carre, A. See Zaghzi, N., 2393P
Casassa, E. F. See Berry, G. C., 673P
Castellano, A.
—; Lekchiri, A.; Morcellet, J.; Morcellet, M.: Spectroscopic Study of the Interaction of Poly(ε-*N*-Methacryloyl-L-Lysine) with Copper(II), 1419C
Cato, S. J. See Katritzky, A. R., 311C
Caux, X.
—; Coulon, G.; Escaig, B.: Influence of Chemical Structure on Nonelastic Mechanical Properties in Polystyryl-Pyridine Resins, 2189P
Cavaille, J. Y.
—; Jourdan, C.; Perez, J.; Monnerie, L.; Johari, G. P.: Time-Temperature Superposition and Dynamic Mechanical Behavior of Atactic Polystyrene, 1235P
—; Perez, J.; Jourdan, C.; Johari, G. P.: Dynamic Mechanical Behavior of Poly(vinyl-methyl ether)-poly(styrene) Blends, 1847P
Cavanaugh, D. B.
A Study of the Acoustic Mode Structure of Oriented Poly(ethylene), 791P
Čefelin, P. See Janout, V., 3489C
Cha, Y.-S. See Tsunooka, M., 3173C
Chainey, M.
—; Hearn, J.; Wilkinson, M. C.: Kinetics of the Surfactant-Free Emulsion Polymerization of Styrene: Application of Quantitative Theories to the Post Nucleation Stage, 505C
Chan, C.-M.
—; Venkatraman, S.: Crosslinking of Poly(arylene ether ketones). II. Crystallization Kinetics, 1655P
Chan, H. S. O. See Khor, E., 471L
Chang, M.-C.
—; Chen, S.-A.: Kinetics and Mechanism of Urethane Reactions: Phenyl Isocyanate–Alcohol Systems, 2543C
Charlesworth, J. M.
The Relative Reactivity of Primary and Secondary Amine Hydrogens during the Bulk Polymerization of Aromatic Amines with Glycidyl Ethers, 731C
Chattopadhyaya, S. See Ghosh, U., 215C
Chaudhari, S. N. K.
—; Gounden, K. C.; Srinivasan, G.; Ekkundi, V. S.: High Resolution ^{13}C-NMR Spectroscopy of Sodium Carboxy Methyl Cellulose, 337C
Chaudhuri, A. K. See Saha, S. K., 519C
Chen, C. C. See Overberger, C. G., 373C, 389C
Chen, C. R.
—; Knight, R. L.; Pollock, L.: Temperature Dependence of ESR Spectra of Methyl Methacrylate Radicals from 77 K to 300 K, 127C
Chen, D.-S.
—; Jones, F. N.: Graft Copolymers of *para*-Hydroxybenzoic Acid (PHB). I. A General Method for Grafting Mesogenic Oligo-PHB to Oligomers, 1109C
Chen, F.-L. See Chen, S.-A., 533C
Chen, S.-A. See Chang, M.-C., 2543C; Lee, M.-S., 37L
—; Chen, F.-L.: Kinetics of Polyesterification III: Solid-State Polymerization of Polyethylene Terephthalate, 533C
—; Lee, T.-S.: Fibrilar Morphology of the Electrochemically Polymerized Polyaniline in Tetrafluoroboric Acid Aqueous Solution, 455L
Chen, S. H. See Sun, C. K. J., 1473P
Cheng, D. M. See Kuntz, I., 3127C
Cheng, H. N.
—; Lee, G. H.: Two-dimensional NMR Characterization of Propylene Copolymers, 2355P
Chern, C.-S.
—; Poehlein, G. W.: Polymerization in Nonuniform Latex Particles: Distribution of Free Radicals, 617C
Chern, R. T.
Review of "Integration of Fundamental Polymer Science and Technology," L. A. Kleintjens and P. J. Lemstra, Eds., 141L
Review of "Progress in Colloid and Polymer Science, Frontiers in Polymer Science." H.-G. Kilian, A. Weiss, and W. Wilkes, Eds., 45L
Chien, J. C. W. See Bánhegyi, G., 57P; Diab, M. A., 945C; Ramakrishnan, S., 1433C
—; Ang, T.: Magnesium Chloride Supported High Mileage Catalysts for Olefin (Decene-*1*) Polymerization XIV. Propagation and Chain Transfer, 919C
—; Ang, T.: Magnesium Chloride Supported High Mileage Catalysts for Olefin (Decene-*1*) Polymerization XV. Termination and Energetics, 1011C
—; Hu, Y.: Magnesium Chloride Supported High-Mileage Catalysts for Olefin Polymerization. XVII. Effect of Lewis Base on Propylene Polymerization, 2847C
—; Hu, Y.: Magnesium Chloride Supported High-Mileage Catalysts for Olefin Polymerizations. XVIII. Effect of Hydrogen and Lewis Bases, 2881C
Chiou, J. S.
—; Barlow, J. W.; Paul, D. R.: Miscibility of Bisphenol-A Polycarbonate with Poly(methyl methacrylate), 1459P
—; Paul, D. R.: Gas Transport in a Thermotropic Liquid-crystalline Polyester, 1699P
Chirinos-Padrón, A. J.
—; Azócar, J.; Muñoz-Escalona, A.; Fuentes, A. M.: Degradation and Stabilization of High Molecular Weight Polyethylene in Solution, 2469C
Cho, H.-N.
—; Choi, S.-K.: Polymerization of Acenaphthylene by Transition Metal Catalysts, 15C
—; Choi, S.-K.: Polymerization of *N*-

Vinylcarbazole by Transition Metal Salts, 1769C
Cho, I. See Lee, J.-Y., 3089C
—; Whang, K.-M.; Park, J.-G.: Optical Resolution of DL-Lysine by Polymers with L-Lysine Pendant Group, 19L
—; Kim, W.-T.: Polymerization Systems Driven by Aromatization Energy: Anionic Polymerization of 4-Allylidene-2,6-Dimethyl-2,5-Cyclohexadien-1-One and Spiro [2,5]-octadienone Derivatives, 2791C
—; Lee, M.-H.: Exploratory Ring-Opening Polymerization. XIV. Synthesis of 2-Vinylthiepane-1,1-dioxide and Its Ring-Opening Polymerization, 309L
Choi, E.-J. See Jin, J.-I., 241C; Kwon, S.-K., 1781C
Choi, K.-Y. See Kwon, S.-K., 1781C
Choi, S.-K. See Cho, H.-N., 15C, 1769C; Gal, Y.-S., 2323C; Kwon, S.-K., 1781C;
—; Kwon, S.-K.; Yi, M.-H.: Fluoride Ion-Induced Polycondensation of Bis(4-bromoacetyl Phenyl)methane with Dibasic Acids, 2021C
Chow, T. S.
Fundamental Relationship between the Nonequilibrium Glassy State and Yield Stress of Amorphous Polymers, 137P
Choy, C. L. See Leung, W. P., 2059P
—; Leung, W. P.; Ng, Y. K.: Thermal Diffusivity of Polymer Films by the Flash Radiometry Method, 1779P
Chung, I. J. See Kim, H. Y., 2039P
Ciardelli, F. See Carlini, C., 1253P
Ciferri, A. See Krigbaum, W. R., 653C, 1043P
Cimmino, S. See Silvestre, C., 2531P
Clark, D. T.
—; Hutton, D. R.: Surface Modification by Plasma Techniques. I. The Interactions of a Hydrogen Plasma with Fluoropolymer Surfaces, 2643C
Clarson, S. J. See Fyvie, T. J., 2503C
Clas, S.-D.
—; McFaddin, D. C.; Russell, K. E.: Dynamic Mechanical Properties of Homogeneous Copolymers of Ethylene and 1-Alkenes, 1057P
—; McFaddin, D. C.; Russell, K. E.; Scammell-Bullock, M. V.; Peat, I. R.: Melting Points of Homogeneous Random Copolymers of Ethylene and 1-Alkenes, 3105C
Clough, S. B. See Neculescu, C., 201L
Cohen, C. See Foley, G., 2027P
Cohen, D. S.
—; Goodhart, C.: Sorption of a Finite Amount of Swellling Solvent in a Glassy Polymer, 611P
Cohen, Y.
—; Thomas, E. L.: On the Modeling of Small-angle X-ray Scattering from Systems of Oriented Fibrils, 1607P
Cohen-Addad, J. P.
—; Schmit, C.: Polyethylene. Kinetics of Crosslink Formation as Observed in a Semilocal Space-Scale Using NMR, 487L
Comincioli, V. See Faucitano, A., 1517C
Conio, G. See Krigbaum, W. R., 1043P
Conlon, D. A. See Crivello, J. V., 3222C
Connell, J. W. See Bass, R. G., 2395C
—; Bass, R. G.; Sinsky, M. S.; Waldbauer, R. O.; Hergenrother, P. M.: Polypyrazoles from Aromatic Dipropynones and Aromatic Dihydrazines, 2531C
Conradi, A. See Kricheldorf, H. R., 489C
Cooper, E. See Bass, R. G., 2395C
Corn, S. See Strobel, M., 1295C
Cotts, P. See Volksen, W., 2487P
Coulon, G. See Caux, X., 2189P
Coutinho, F. M. B. See Gomes, A. S., 237L
Cowie, J. M. G.
—; McEwen, I. J.: Polymer–Cosolvent Systems. X. Polystyrene Dissolved in Mixtures of Diethyl Ether and Nitromethane, 1501P
Crissman, J. M.
—; McKenna, G. B.: Relating Creep and Creep Rupture in PMMA Using a Reduced Variable Approach, 1667P
Crist, B. See Finerman, T., 2283P
—; Tanzer, J. D.; Graessley, W. W.: Small-Angle Neutron Scattering of a Model Crystallizable Polymer: Crystallization and Size-Mismatch Effects, 545P
Crivello, J. V.
—; Lee, J. L.; Conlon, D. A.: Synthesis and Characterization of Photosensitive Polyimides, 3293C
Cuculo, J. A. See Bober, H. L., 2025C; Ihm, D. W., 619P, 2331P
Czanderna, A. W. See Webb, J. D., 3395C

Daňhelka, J.
—; Netopilík, M.; Bohdanecký, M.: Solution Properties and Chain Conformation Characteristics of Cellulose Tricarbanilate, 1801P
Das, C. K. See Datta, A. K., 1177C
Datta, A. K.
—; Bhattacherjee, S.; Das, C. K.: Effect of Crosslinking on the Structure-Property Relation of Crosslinkable Polyethylene and Crosslinked Butyl Blends, 1177C
Davies, G. R. See Nanayakkara, S. J., 1113P
de Abajo, J. See Riande, E., 2403P
Decker, C.
Synthesis of Conductive Polymers by Laser Irradiation of Chlorinated PVC, 5L
—; Moussa, K.: Radical Trapping in Photopolymerized Acrylic Networks, 739C
Dekmezian, A. H. See Kuntz, I., 3127C
de la Campa, G. See Riande, E., 2403P
Delassus, P. T. See Howell, B. A., 1697C
Delatycki, O. See Barry, D., 883P; Bigger, S. W., 3311C
Del Carmen Gonzalez, M.
—; Zamora, F.; Guzman, G. M.: Degradation of a Graft Copolymer: Methyl Methacrylate-Amylose, 431L
De Munno, A. See Bertini, V., 2665C
Dernst, C. See Frey, W., 3143C
De Souza Gomes, A. See Soares, B. G., 1105C
—; Soares, B. G.: Poly(α-methylstyrene-b-styrene) by a Cationic Mechanism, 353C
Devarajan, R.
—; Balakrishnan, T.; Santappa, M.: A Few Characterization Studies on Some Poly(methyl aryloxymethacrylates), 3183C
Diab, M. A.
—; Hseih, T.; Lillya, C. P.; Chien, J. C. W.: Acidolysis of Poly(4-methyl-1,3-dioxolane), 945C
Diaz, F. R.
—; Tagle, L. H.; Gargallo, L.; Radic, D.; González, J. B.: Synthesis and Structural Data of Nylon 1,4, 1445C
—; Tagle, L. H.; Gargallo, L.; Radic, D.; González, J. B.: Poly(tetrachloro-*p*-Phenyleneselenide) Synthesis, 1449C
DiBenedetto, A. T.
Prediction of the Glass Transition Temperature of Polymers: A Model Based on the Principle of Corresponding States, 1949P
Diehl, W. R.
Review of "How to Make Injection Molds," G. Menges, P. Mohren, 305L
Dimonie, V. L. See Merkel, M. P., 1219C, 1755C; Shaffer, O. L., 2595C
Do, C. H.
—; Pearce, E. M.; Bulkin, B. J.; Reimschuessel, H. K.: FT-IR Spectroscopic Study on the Photo-and Photooxidative Degradation of Nylons, 2301C
—; Pearce, E. M.; Bulkin, B. J.; Reimschuessel, H. K.: FT-IR Spectroscopic Study on the Thermal and Thermal Oxidative Degradation of Nylons, 2409C
Doi, Y. See Kiniwa, H., 2953C
Doicheva, J. B. See Velichkova, R. S., 1569C

Domb, A. J.
—; Langer, R.: Polyanhydrides. I. Preparation of High Molecular Weight Polyanhydrides, 3373C
Donaruma, L. G.
Review of *Advances in Polymer Science* 79 *Biopolymers/Non-Exclusion HPCL*, J. D. Andrade, V. Hlady, T. E. Lipatova, N. A. Plate, L. I. Valuev, P. Klosinski, S. Penczek, and G. Glockner, 399
Review of "The Roots of Molecular Medicine—A Tribute to Linus Pauling," Richard P. Huemer, 140L
Review of *Topics in Current Chemistry* 136- *Biomimetic and Bioorganic Chemistry III*, F. M. Menger, M. Badertschor, M. Welti, P. Portmann, E. Pretsch, K. Tanizawa, Y. Kanaoka, and G. Schmidt, 360L
Donners, W. A. B.
The Effect of Emulsifier-Polymer Complex Formation on Particle Nucleation in Emulsion Polymerization, 29L
Dorfmüller, Th. See Onabajo, A., 749P
Dotcheva, D.
—; Tsvetanov, CH.; Lochmann, L.: Electroconductivity Study of Active Centers of Polar Vinyl Monomers in the Anionic Polymerization, 3005C
Dreyfuss, M. P.
—; Nevius, M. R.; Manninen, P. R.: Head-To-Head Vinyl Halide Copolymers: Solvent Participation in Halogen Addition to Unsaturated Polymers, 99L
Duke, C. B.
Review of "Metal-Filled Polymers—Properties and Applications," Swapan K. Bhattacharya, Ed., 263L
Dully, J. H.
—; Wodarczyk, F. J.; Ratto, J. J.: Preparation of Thin Films by Plasma Polymerization of Iodomethane, 1187C
Dumais, J. J. See Hedrick, J. L., 2289C
Dunlap, P. N.
—; Wang, C.-H.; Leal, L. G.: An Experimental Study of Dilute Polyelectrolyte Solutions in Strong Flows, 2211P
Duval, M. See Benmouna, M., 1839P
Duvdevani, I. See Agarwal, P. K., 839P

Eckstein, E. C. See Van De Mark, M. R., 327L
Edwards, B. J. See McHugh, A. J., 953P
Eirich, F. R.
Review of "Degradation of Dental Polymers," Jean-Francois Roulet, 303L
Review of *Engineering Rheology*, Roger I. Tanner, 461L
Review of "Principles of Colloid and Surface Chemistry, Second Edition, Revised and Expanded," Paul C. Hiemenz, 194L
Eisenberg, A. See Simmons, A., 2221C; Tannenbaum, R., 663P
Ekkundi, V. S. See Chaudhari, S. N. K., 337C
El-Aasser, M. S. See Merkel, M. P., 1219C, 1755C; Shaffer, O. L., 2595C
Elayaperumal, P. See Neculescu, C., 201L
El-Bayoumi, M. A. See Al-Hassan, K. A., 495P
Elliott, D. L. See McCormick, C. L., 1329C
Endo, T. See Tsubokawa, N., 935C
—; Maruoka, S.; Yokozawa, T.: Preparation and Polymerization of Spiroorthocarbonate Containing Distyryl Structure, 2925C
—; Watanabe, M.; Suga, K.; Yokozawa, T.: Radical Ring-opening Polymerization Behavior of Vinylcyclopropane Derivatives Bearing an Ester Group, 3039C
England, C. See Pacansky, J., 901P
Enikolopian, N. S.
—; Akopian, E. L.; Styrikovitch, N. M.; Ketchekian, A. S.; Nikolskii, V. C.: Effect of Molecular Weight Distribution and Structure of LDPE on its Deformation Behavior in a High-temperature Region, 1203P
Enmanji, K.
Proton, Phosphorous and Carbon Nuclear Magnetic Relaxation Studies on the Interaction of Poly(Riboardenylic Acid) with Cu^{2+}, 883C
Ernst, B.
—; Navard, P.; Haudin J. M.: Die-Swell in Hydroxypropylcellulose Solutions, 79L
Ernst, R. D. See Freeman, J. W., 2063C
Eromosele, I. C.
—; Pepper, D. C.: Anionic Polymerization of Butyl Isocyanate (BIC) by NaCN, 3499C
Escaig, B. See Caux, X., 2189P
Evans, K. E.
A Scaling Analysis of the Fracture Mechanisms in Glassy Polymers, 353P

Factor, A.
—; Lynch, J. C.; Greenberg, F. H.: The Synthesis, Characterization, and Weathering Behavior of Polycarbonates Derived from 3,3'-Dihydroxydiphenyl Ether, 3413C
Fakirov, S.
—; Avramova, N.: Chemical Healing in Partially Cross-Linked Polyamides, 1331P
Falbo, A. See Bertini, V., 2665C
Farona, M. F.
Review of "Structure and Bonding 62," F. A. Cotton, R. A. Walton, G. Schmid, G. Gliemann, And H. Yersin, Eds., 46L
Faucitano, A.
—; Buttafava, A.; Martinotti, F.; Bortolus, P.; Comincioli, V.: ESR Study of the Molecular Dynamic of Peroxyradicals in the Post-Irradiation Oxidation of Isotactic Polypropylene, 1517C
Faust, R.
—; Kennedy, J. P.: Living Carbocationic Polymerization. IV. Living Polymerization of Isobutylene, 1847C
Feger, C. See Brekner, M.-J., 2005C, 2479C
Feldman, D.
Review of *α-Aminoacid-N-Carboxyanhydrides and Related Heterocycles Syntheses, Properties, Peptide Synthesis, Polymerization*, Hans R. Kricheldorf, 462L
Review of *Biotechnology—A Comprehensive Treatise in 8 Volumes—Volume 8*, W. Schonborn, Ed., 403L
Review of *Catalysis Science and Technology, Volume 8*, John R. Anderson and Michel Boudart, Eds., 509L
Review of *Characterization of Plastics by Physical Methods*, G. Kampf, 425L
Review of *Decorating Plastics*, J. M. Margolis, Ed., 404L
Review of *Distillation Tray Fundamentals*., M. J. Lockett, 360L
Review of "Multicomponent Polymer Materials," D. H. Paul and L. H. Sperling, Eds., 193L
Review of *Polymer Characterization by Liquid Chromatography*, G. Glockner, 399L
Review of *Polyvinyl Chloride Stabilization*, J. Wypych, 423L
Review of *Renewable-Resource Materials, New Polymer Sources*, C. E. Carraher, Jr. and L. H. Sperling, 400L
Review of *Simple Methods for Identification of Plastics, 2nd edition*, D. Braun, 425L
Review of "Structural Adhesives—Chemistry and Technology," S. H. Hartshorn, Ed., 233L
Review of *Surfactants in Consumer Products, Theory, Technology and Application*, J. Falbe, Ed., 461L
Review of *Thermo Forming*, James L. Throne, 403L
Finerman, T.
—; Crist, B.: Polydispersity Effects in Polymer

Self-diffusion Measured by Small-angle Neutron Scattering, 2283P
Finocchiaro, P. See Pappalardo, S., 1793C
Fleming, G. K.
—; Koros, W. J.: Comments on Measurement of Gas-induced Polymer Dilation by Different Optical Methods, 2033P
Fleming, R. J. See Markiewicz, A., 1885P
Fleming, W. W. See Gobbi, G. C., 61L
Flenniken, C. L. See Tannenbaum, R., 1341P
Fleš, D. See Vuković, R., 327C
Florjańczyk, Z.
—; Kuran, W.; Sitkowska, J.; Ziółkowski, A.: Polymerization of Vinyl Chloride in the Presence of Modified Ziegler-Natta Catalysts Comprising Long Chain Organoaluminum Compounds, 343C
Fohlen, G. M. See Achar, B. N., 443C
Foley, G.
—; Cohen, C.: Diffusion in Polymer-Polymer Mixtures, 2027P
Fontanille, M. See Cansell, F., 675C
Ford, E. A. See Mirabella, Jr., F. M., 777P
Fornes, R. E. See Hu, H.-P., 1235C; Pawlowski, W. P., 2293P, 3355C
Freeman, J. W.
—; Wilson, D. R.; Ernst, R. D.; Smith, P. D.; Klendworth, D. D.; McDaniel, M. P.: Ethylene Polymerization Over Organochromium Catalysts: A Comparison Between Closed and Open Pentadienyl Ligands, 2063C
Frey, W.
—; Dernst, C.; Klesper, E.: Esterification Reactions on Syndiotactic Poly(methallylalcohol). IV. Homo- and Copolymers of *N*-Protected Methallyl-(L)-Histidinate, 3143C
—; Klesper, E.: Esterification Reactions on Syndiotactic Poly(2-Methally Alcohol). II. Esterification with Protected (L)-Aspartic and (L)-Glutamic Acids, 1409C
Fried, F. See Ambrosino, S., 351L
Frisch, H. L. See Fyvie, T. J., 2503C
Frisch, K. C. See Al-Salah, H. A., 2127C; Šehović, H., 2729C; Sendijarević, A., 151C
Froehling, P. E.
—; Pijpers, A. J.: Ruthenium Tetroxide as a Staining Agent for Transmission Electron Microscopy of Polyamide-Polyether Blends and Block Copolymers, 947P
Froelich, D. See Muller, R., 295P
Fuentes, A. M. See Chirinos-Padrón, A. J., 2469C
Fujii, T. See Nishikubo, T., 1339C
Fujimoto, T. See Takahashi, S.-I., 987C
Fujino, K. See Tada, H., 1745C, 3015C
Fujita, H. See Sato, T., 1P
Fukami, A. See Kubota, S., 2241C
Fukuda, K. See Takai, M., 121L
Fukutomi, T. See Ishizu, K., 23C, 131L, 169L, 287L, 1163C
—; Ishizu, K.; Shiraki, K.: Poly(vinyl Acetate) Macromonomer Prepared by Using Functional Azo-initiator, 175L
Funabashi, K. See Matsuda, M., 669C
Furukawa, J. See Kobayashi, E., 2077C
Fytas, G. See Onabajo, A., 749P
Fyvie, T. J.
—; Frisch, H. L.; Semlyen, J. A.; Clarson, S. J.; Mark, J. E.: Polymeric Catenanes from Crosslinked Poly(2,6-Dimethyl-1,4-Phenylene Oxide) and Cyclic Poly(dimethylsiloxane), 2503C

Gal, Y.-S.
—; Choi, S.-K.: Polymerization of 1-Phenyl-2-Trimethylsilylacetylene by Transition Metal Catalysts, 2323C
Galembeck, F. See Gomes De Barros, G., 2369C
Gancarz, I. See Quan, X., 641P
Gancheva, V. B. See Velichkova, R. S., 2561C
Gaponik, P. N. See Ivashkevich, O. A., 407L
Garcia, D.
Styrene-terminated Polysulfone Reactive Oligomers: Cure and Properties, 1581P
—; Serafini, T. T.: FTIR Studies of PMR-15 Polyimides, 2275P
Gardner, K. H. See McAlea, K. P., 651P
Gargallo, L. See Diaz, F. R., 1445C, 1449C
Garner, R. T. See Agarwal, P. K., 2095P
Garozzo, D. See Ballistreri, A., 1049C, 2351C
—; Giuffrida, M.; Montaudo, G.; Lenz, R. W.: Mass Spectrometric Characterization of Poly(ethylene Terephthalate-co-*p*-Oxybenzoate), 271C
Gaudiana, R. A. See Sinta, R., 11L
—; Minns, R. A.; Rogers, H. G.; Sinta, R.; Taylor, L. D.; Kalyanaraman, P.; McGowan, C.: Molecular Factors Affecting Solubility in Rigid-Rod Polyamides, 1249C
Gazicki, M. See Surendran, G., 1481C, 2089C
Geerissen, H. See Cantow, M. J. R., 603P
Ghiggino, K. P.
—; Scully, A. D.; Bigger, S. W.; Leaver, I. H.: Photophysics of a Sulfonated 2-Hydroxyphenylbenzotriazole UV Absorber in Solution and in Polymer Substrates, 1619C
Ghosh, U.
—; Chattopadhyaya, S.; Misra, T. N.: Spectroscopic Studies of Photochemical Reactions in Organic Solids: Photopolymerization of 1,4 bis[B-pyridyl(2)vinyl]benzene, 215C
Giammona, G.
—; Carlisi, B.; Palazzo, S.: Reaction of α,β-Poly(*N*-Hydroxyethyl)-DL-Aspartamide with Derivatives of Carboxylic Acids, 2813C
Gilbert, J. R. See Pae, K. D. P., 717P
Gilbert, R. D. See Hu, H.-P., 1235C; Pawlowski, W. P., 2293P, 3355C
Giuffrida, M. See Ballistreri, A., 1049C, 2351C; Garozzo, D., 271C
Glukhikh, V.
—; Graillat, C.; Pichot, C.: Inverse Emulsion Polymerization of Acrylamide. II. Synthesis and Characterization of Copolymers with Methacrylic Acid, 1127C
Gobbi, G. C.
—; Silvestri, R.; Russell, T. P.; Lyerla, J. R.; Fleming, W. W.; Nishi, T.: Intermolecular Polarization Transfer Study of Polymer Blend Compatibility, 61L
Godovsky, Yu. K. See Papkov, V. S., 1859P
Goldberg, E. P. See Tannenbaum, R., 1341P
Goldwasser, J. M. See Adolph, H. G., 805C
Gomes, A. S.
—; Coutinho, F. M. B.; Marinho, J. R. D.: Block Copolymerization. I. Synthesis of Block Copolymers of Poly(ethylene Oxide-b-Methyl Methacrylate) by the Ceric Ion Method Using 1,4-Dioxane as Solvent, 237L
Gomes De Barros, G.
—; Galembeck, F.: Polytetrafluoroethylene–Iron Oxide Composite. Interactions with Acrylic Acid and Vinyl Acetate, 2369C
Goñi, I. See Vázquez, M. B., 719C, 1309C
González, J. B. See Diaz, F. R., 1445C, 1449C
Goodhart, C. See Cohen, D. S., 611P
Gordon III, B.
—; Butler, J. S.; Harrison, I. R.: Rhodium(I) Catalyst Supported on Polymer Crystal Surfaces: Further Hydrogenation Studies, 2139C
Goto, M. See Tomoi, M., 77C
Gounden, K. C. See Chaudhari, S. N. K., 337C
Graessley, W. W. See Agarwal, P. K., 2095P; Crist, B., 545P
Graillat, C. See Glukhikh, V., 1127C
Grayson, M. A.
—; Pao, P. S.; Wolf, C. J.: Transport of Methylene Chloride in Poly(aryl-ether-ether-ketone) (PEEK), 935P
—; Wolf, C. J.: The Solubility and Diffusion of Water in Poly(Aryl-Ether-Ether-Ketone) (PEEK), 31P

Greenberg, A. R.
—; Kusy, R. P.: Evaluation of the Gibbs-DiMarzio Theory for the Case of Polyisobutylene, 435P
Greenberg, F. H. See Factor, A., 3413C
Greene, M. J. See King, R. B., 907C, 2165C
Grinshpun, V.
—; Rudin, A.: Comments on Methods for Evaluating SEC Column Performance, 437C
Grubb, D. T. See Russell, T. P., 1129P
Gu, Z.-W. See Pitt, C. G., 955C
Guillermina Burillo, S. See Maldar, N. N., 111L
Gupta, A. See Tsay, F.-D., 855P
Gurruchaga, M. See Vázquez, M. B., 719C, 1309C
Guzmán, G. M.. See Del Carmen Gonzalez, M., 431L; Vázquez, M. B., 719C, 1309C
Guzmán, J. See Riande, E., 2403P
—; Riande, E.: Equilibrium Copolymerization of Tetrahydrofuran-3-Methyltetrahydrofuran, 365C

Hager, B. L.
—; Berry, G. C.; Tsai, H.-H.: Moderately Concentrated Solutions of Polystyrene. II. Integrated-Intensity Light Scattering as a Function of Concentration, Temperature, and Molecular Weight, 387P
Hahn, B.
—; Percec, V.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. XXII. Vinylidene Fluoride-Trifluoroethylene Copolymers by Surface Modification of Polyvinylidene Fluoride, 783C
Hair, M. L. See Ober, C. K., 1395C
Haken, J. K.
—; Tan, L.: Thermal Degradation of Isomeric Poly(propyl Acrylate)s and Poly(butyl Acylate)s Using Pyrolysis Gas Chromatography-Mass Spectrometry, 1451C
Hamada, K.
—; Iijima, T.; McGregor, R.: Mobility of Anionic Spin Probes in Water-Containing Nylon 6 Film, 1299P
Hamada, M. See Kojima, T., 1481P
Hamano, T. See Masuda, T., 1353C
Han, C. D.
Review of "Interrelations Between Processing, Structure and Properties of Polymeric Materials," J. C. Seferis And P. S. Theocaris, Eds., 48L
—; Kim, J.: Rheological Technique for Determining the Order–Disorder Transition of Block Copolymers, 1741P
Han, P. See Mo, Z., 1829P
Hanabusa, K. See Ito, H., 413L
—; Higashida, K.; Tsutsumi, H.; Shirai, H.; Hayakawa, T.; Hojo, N.: Synthesis of Poly(β-alanine) on the Surface of the Functional Lamella, 345L
Haneda, K. See Kurokawa, Y., 369L
Hara, M.
—; Lee, A. H.; Wu, J.: Solution Properties of Ionomers. I. Counterion Effect, 1407P
Harada, S. See Kakimoto, M.-A., 2747C
Hardy, B. J. See Stern, S. A., 1263P
Hargreaves, K.
—; The Initiation of the Free Radical Polymerization of Vinyl Monomers by Hexakis(arylisocyano) Derivatives of Chromium (o), 3325C
Harmon, J. P.
—; Lee, S.; Li, J. C. M.: Methanol Transport in PMMA: The Effect of Mechanical Deformation, 3215C
Harrah, L. A.
—; Zeigler, J. M.: Photoluminescence Growth from Photolysed Poly(phenyl Methyl Silane), 205L
Harris, J. E.
—; Robeson, L. M.: Isomorphic Behavior of Poly(aryl ether ketone) Blends, 311P
Harris, J. M. See Paley, M. S., 2447C
Harrison, I. R. See Gordon III, B., 2139C
Hasebe, M. See Osada, Y., 481L
Hasegawa, M.
—; Arai, K.; Saito, S.: Uniform Encapsulation of Fine Inorganic Powder with Soapless Emulsion Polymerization, 3117C
—; Arai, K.; Saito, S.: Effect of Surfactant Adsorbed on Encapsulation of Fine Inorganic Powder with Soapless Emulsion Polymerization, 3231C
Hashimoto, T. See Sawamoto, M., 2717C
—; Sawamoto, M.; Higashimura, T.; Saito, N.: Selective Vinyl Cationic Polymerization of Monomers with Two Cationically Polymerizable Groups. I. *p*-Isopropenylphenyl Glycidyl Ether: An Epoxy-Functionalized α-Methylstyrene, 1073C
—; Sawamoto, M.; Higashimura, T.: Selective Vinyl Cationic Polymerization of Monomers with Two Cationically Polymerizable Groups. II. *p*-Vinylphenyl Glycidyl Ether: An Epoxy-Functionalized Styrene, 2827C
Hasuda, Y. See Sasaki, S., 377L
Hata, Y. See Kubota, H., 273L
Hatada, K. See Okamoto, Y., 297L
—; Ute, K.; Pappas, S. P.: E,Z Assignments of Isophorone Diisocyanate (IPDI) and Their Implications on the Relative Reactivity of the Isocyanate Groups, 477L
Haudin, J. M. See Ernst, B., 79L
Havens, S. J. See Hergenrother, P. M., 1093C
Hayakawa, T. See Hanabusa, K., 345L
Hayamizu, K. See Matsumura, K., 2149P
Hayase, S.
—; Onishi, Y.; Suzuki, S.; Wada, M.; Kurita, A.: Photopolymerization of Cyclohexane Oxide by Use of *o*-Nitrobenzyl Triphenylsilyl Ether/Aluminum Compund Catalyst. Dependence of Catalyst Activity on the Structure of the Silyl Ether, 753C
Hayashi, J. See Takai, M., 121L
Hazer, B.
Polymerization of Vinyl Monomers by a New Oligoperoxide: Oligo(Adipoyl-5-Peroxy-2,5-Dimethyl *n*-Hexyl Peroxide), 3349C
Hearn, J. See Chainey, M., 505C
Hedrick, J. L.
—; Dumais, J. J.; Jelinski, L. W.; Patsiga, R. A.; McGrath, J. E.: Synthesis and Characterization of Deuterated Poly(arylene ether sulfones), 2289C
Heeger, A. J. See Rughooputh, S. D. D. V., 1071P
Heilmann, S. M. See Katritzky, A. R., 311C, 3205C
Hendren, R. W. See Pitt, C. G., 955C
Hergenrother, P. M. See Bass, R. G., 2395C; Connell, J. W., 2531C
—; Wakelyn, N. T.; Havens, S. J.: Polyimides Containing Carbonyl and Ether Connecting Groups, 1093C
Hermes, R. E.
—; Mathias, L. J.: A New Chiral Peptide Analog: Synthesis and Characterization of Poly[4(S)-2-propyl-4-methoxycarbonyl-2-oxazoline], 161L
Hernandez, P. K. See Policastro, P. P., 2819C
Herring, F. G. See Jagannathan, N. R., 897C
Hershberger, J. W. See Miller, B. L., 219L
Herskovitz, T. See Klabunde, U., 1989C
Heseltine, E. N. J. See Bevington, J. C., 1085C
Higashida, K. See Hanabusa, K., 345L
Higashimura, T. See Hashimoto, T., 1073C, 2631C, 2827C; Masuda, T., 1353C; Niki, A., 1553C; Okano, Y., 1181C; Sawamoto, M., 2717C; Tajima, H., 2033C
Hiragi, H. See Nagura, M., 2567P
Hirai, H.
—; Takeuchi, K.; Komiyama, M.: Kinetic Study on the Photo-Induced Alternating Copolymerization of Methyl Methacrylate and Styrene Using Boron Trichloride, 181L
Hirao, H. See Inagaki, N., 1803C
Hirokawa, T. See Ohsaka, T., 395L
Hodgeson, J. A. See Surgi, M. R., 2207C

Hojo, N. See Hanabusa, K., 345L; Ito, H., 413L
Hongoh, Y. See Kanoh, S., 1603C
Hor, T. S. A. See Khor, E., 471L
Hori, Y. See Sakaguchi, M., 1431P
Hosaka, Y. See Kojima, T., 1481P
Hotta, S. See Rughooputh, S. D. D. V., 1071P
Howell, B. A.
Degradation of Vinylidene Chloride/Phenylacetylene (VDC/PA) Copolymers. Effect of Internal Unsaturation on Poly(vinylidene Chloride) Stability, 1681C
—; Delassus, P. T.: Degradation of Vinylidene Chloride/Methyl Acrylate/Phenylacetylene (VDC/MA/PA) Terpolymers. Effect of Internal Unsaturation on the Stability of Saran Copolymers, 1697C
Hoyle, C. E.
—; Kim, K.-J.: Effect of Crystallinity and Flexibility on the Photodegradation of Polyurethanes, 2631C
Hseih, T. See Diab, M. A., 945C
Hsich, H. S.
Review of *Dynamics of Polymeric Liquids, Second Edition, Volume 1: Fluid Mechanics*, R. Byron Bird, Robert C. Armstrong, and Ole Hassager, 511L
Review of *Dynamics of Polymeric Liquids, Second Edition Volume 2: Kinetic Theory*, R. Byron Bird, Charles F. Curtiss, Robert C. Armstrong, and Ole Hassager, 511L
Hsu, C. S. See Kuntz, I., 3127C
—; Percec, V.: Synthesis and Characterization of Liquid Crystalline Polysiloxanes Containing Benzyl Ether Mesogens, 2909C
—; Rodriguez-Parada, J. M.; Percec, V.: Liquid Crystalline Polymers Containing Heterocycloalkane Mesogens. 2. Side-Chain Liquid Crystalline Polysiloxanes Containing 2,5-Disubstituted-1,3-Dioxane Mesogens, 2425C
Hu, H.-P.
—; Gilbert, R. D.; Fornes, R. E.: Chemical Modification of Cured MY720/DDS Epoxy Resins Using Fluorinated Aromatic Compounds to Reduce Moisture Sensitivity, 1235C
Hu, S.-R. See Kyu, T., 89P
—; Kyu, T.; Stein, R. S.: Characterization and Properties of Polyethylene Blends I. Linear Low-Density Polyethylene with High-Density Polyethylene, 71P
Hu, Y. See Chien, J. C. W., 2847C, 2881C
Huang, B. See Mo, Z., 1829P
Huckerby, T. N. See Bevington, J. C., 1085C
Hutton, D. R. See Clark, D. T., 2643C

Iannelli, P. See Capasso, R., 2431P
Ichimura, K.
—; Komatsu, T.: Novel Method for Preparation of Photocrosslinkable Poly(vinyl Alcohol), 1475C
—; Nishio, Y.: Photocrosslinkable Polymers Having *p*-Phenylenediacrylate Group in the Side Chain: Argon Laser Photoresist, 1579C
—; Oohara, N.: Photosensitive Poly(methacrylates) Having Styrylpyridinium and Styrylquinolinium Groups, 3063C
Ihm, D. W.
—; Cuculo, J. A.: A Visualization Study of Polyethylene Terephthalate Flow Using a Pseudohyperbolic Die Geometry, 619P
—; Cuculo, J. A.: Properties of Poly(ethylene terephthalate) Extrudate Prepared by Hyperbolic Convergent Flow and High Pressure, 2331P
Iijima, T. See Hamada, K., 1299P
Iiskola, E. See Vähäsarja, E., 3241C
Iizuka, T. See Kochi, M., 441L; Nishikubo, T., 2931C
Ikeda, K. See Watanabe, J., 19P
Ikeda, T. See Inubushi, S., 137C, 1363C; Subramaniam, P., 1463C
Imai, T. See Nakao, Y., 293L
Imai, Y. See Kakimoto, M.-A., 2185C, 2747C; Oishi, Y., 2493C, 3387C; Shimizu, M.-A., 2385C
Immergut, E. H.
Review of "Advances in Polymer Science—81 (Catalytical and Radical Polymerization)," P. C. Barbe, J.-C. Brosse, G. Cecchin, D. Derouet, K. Dusek, F. Epaillar, T. Higashimura, J. Kratochvila, G. Legeay, M. Lesna, T. Masuda, J. Mejzlik, L. Noristi, and J. C. Soutif, 304L
Inagaki, H. See Takahashi, S.-I., 987C
Inagaki, N.
—; Hirao, H.: Plasma Polymers Containing Sulfonate Groups, 1803C
—; Tano, Y.: Plasma Polymers from Chloromethyltrimethylsilane and Their Modification with Sodium Azide, 1197C
—; Suzuki, K.: Highly Wettable Films Plasma-Polymerized from Ethylene Oxide, 1633C
Inglefield, P. T. See Ratto, J. A., 1419P
Ingram, P. See Pitt, C. G., 955C
Inoue, T. See Saito, H., 1629P
Inubushi, S.
—; Ikeda, T.; Tazuke, S.; Satoh, T.: Thermal Decomposition Behavior of Mono-aminimides and Their Application to Polymerization of Epoxide, 137C
—; Ikeda, T.; Tazuke, S.; Satoh, T.: Thermal Decomposition Behavior of Bis-aminimides and Their Application to Polymerization of Epoxide, 1363C
Inui, H. See Sato, T., 637C
Ioan, S. See Simionescu, B. C., 829P
Ishida, H. See Shirai, M., 145L
Ishigaki, A. See Kitano, T., 979C
Ishihara, T. See Yoshimura, T., 2631C
Ishikawa, H. See Tsukada, M., 1325P
Ishiwatari, T.
—; Yoshida, S.; Morita, M.; Seki, I.; Mitsuishi, M.: Theoretical Prediction of Minima in Association Constants for Complex Formation between Alkylviologens and Indole Derivatives in the Presence of Polyelectrolytes, 263P
Ishizu, K.
—; Fukutomi, T.: Preparation of Graft Copolymers Using a Monofunctional Polystyrene, 169L
—; Fukutomi, T.: Synthesis of Poly(styrene-tetrahydrofuran-2-methyl-2-oxazoline) Triblock and Graft Copolymers, 23C
—, See Fukutomi, T., 175L
—; Mitsutani, K.; Fukutomi, T.: Synthesis of Poly(*t*-Butyl Methacrylate) Macromonomer, 287L
—; Nunomura, M.; Fukutomi, T.: Kinetics of Crosslinking Reactions. 2. Reaction Rates of Intermolecular and Intramolecular Crosslinkings by Using a Soluble Microgel, 1163C
—; Ono, T.; Fukutomi, T.; Shiraki, K.: Syntheses of Poly(styrene-4-Vinylpyridine) Graft Copolymers from Polystyrene Macromonomer, 131L
Isobe, E. See Masuda, T., 1353C
Ito, M. See Kitano, T., 979C
—; Kanamoto, T.; Tanaka, K.: Effects of Initial Morphology and Molecular Weight on the Deformability of Poly(ethylene terephthalate), 2127P
Ito, S. See Ashikaga, K., 223L
Itoh, H.
—; Hanabusa, K.; Masuda, E.; Shirai, H.; Hojo, N.: Functional Metallo-macrocycle Derivatives and Their Polymers 19. Synthesis of Water Soluble Metallophthalocyanine Derivatives and Formaldehyde Condensation with Methylolurea, 413L
Itoh, Y.
—; Abe, K.; Senoh, S.: Polyelectrolytes Containing Dihydronicotinamide. III.

Fluorescence Quenching by Nicotinamide-Containing Polymers in Aqueous Solution, 2871C
—; Wakisaka, K.; Matsuda, Y.; Abe, K.; Senoh, S.: Polyelectrolytes Containing Dihydronicotinamide I. Electrostatic Effect on the Reduction in Aqueous Solution, 745C
—; Wakisaka, K.; Abe, K.; Senoh, S.: Polyelectrolyte Containing Dihydronicotinamide. II. Interaction of Polymer and Substrate, 1383C
Itoyama, K.
Structure and Properties of Poly(Ethylene Terephthalate) Crystallized by Prolonged Annealing in the Highly Oriented State, 331L
Ittel, S. D. See Klabunde, U., 1989C
Ivanchev, S. S.
—; Pavljuchenko, V. N.; Byrdina, N. A.: Elementary Reactions of the Emulsion Polymerization of Styrene with the Localization of Radical Formation Acts at the Interface, 47C
Ivashkevich, O. A.
—; Gaponik, P. N.; Bubel, O. N.: Estimation of Alfrey–Price *e* Value from Quantum Chemical Calculations Data, 407L
Iwai, H. See Ohno, H., 2737C
Iwakiri, K. See Tsujita, Y., 415P
Izumi, Y. See Nagura, M., 2567P

Jackson, W. J. Jr.
—; Morris, J. C.: Liquid Crystal Polymers. VIII. Liquid Crystalline Polyesters of Trans-4,4′-Stilbenedicarboxylic Acid and 1,3-Propanediol, 575C
Jagannathan, N. R.
—; Herring, F. G.: Assignment of Proton NMR Spectrum of Triglycidylether of Para-aminophenol (TGPAP), Using Two-Dimensional Techniques: SUPERCOSY and J-Resolved, 897C
James, W. J. See Surendran, G., 1481C, 2089C
Jang, J.-K. See Lee, D.-H., 1457C
Janout, V.
—; Čefelin, P.; Provotorova, N. P.; Tur, D. R.; Vinogradova, S. V.: The Preparation of Polyphosphazene with Oligo(oxyethylene) Branches, 3489C
Janowicz, A. H. See Klabunde, U., 1989C
Jelinski, L. W. See Hedrick, J. L., 2289C
Jeon, S. I. See Kim, W. G., 467C
Jhon, M. S. See Kim, W. G., 467C
Ji, A. See Lu, C. X., 3267C
Jin, J-I.
—; Choi, E-J.; Ryu, S-C.: Thermotropic Polyesters with Main Chain Isomeric Naphthylene, *trans*-1,4-Cyclohexylene, and 2,5-Pyridinediyl Units: The Importance of the Order of Ester Linkages in the Mesogenic Units, 241C
Johannesen, R. B. See Manders, W. F., 3469C
Johari, G. P. See Cavaille, J. Y., 1235P, 1847P; Mai, C., 1903P; Pathmanathan, K., 379P
Johnston, J. C.
—; Meador, M. A. B.; Alston, W. B.: A Mechanistic Study of Polyimide Formation from Diester-Diacids, 2175C
Jones, A. A. See Ratto, J. A., 1419P
Jones, F. N. See Chen, D.-S., 1109C
Jones, S. A.
—; Tirrell, D. A.: Model Copolymerization Reactions: Evidence Against Participation of a Donor-Acceptor Complex in Reactions of the *l*-Butyl Radical with *N*-Phenylmaleimide and Styrene, 3177C
Jonsson, H. See Percec, V., 1943C
Jourdan, C. See Cavaille, J. Y., 1235P, 1847P
Juengst, C. D.
—; Weber, W. P.: Preparation and Properties of Dimethyl Phosphonomethyl Methylsiloxane Dimethylsiloxane Copolymers, 1967C
Kaeriyama, K. See Nakao, Y., 293L
Kafrawy, A.
—; Shalaby, S. W.: A New Synthesis of 1,5-Dioxepan-2-One, 2629C
Kagiya, T. See Ohtani, B., 373L, 383L
Kaijou, A. See Abe, Y., 1671C
Kaino, T.
Preparation of Plastic Optical Fibers for Near-IR Region Transmission, 37C
Kajiyama, T. See Shinkai, S., 495L
Kakimoto, M.-A. See Oishi, Y., 2185C, 2493C, 3387C; Shimizu, M.-A., 2385C
—; Harada, S.; Oishi, Y.; Imai, Y.: Preparation and Properties of Fluorine-containing Polyarylates from Tetrafluoroisophthaloyl Chloride and Bisphenols, 2747C
Kakiuchi, H. See Tomoi, M., 77C, 2455C
Kalachandra, S.
—; Turner, D. T.: Depression of the Glass Transition Temperature of Poly(methyl methacrylate) by Plasticizers: Conformity with Free Volume Theory, 1971P
—; Turner, D. T.: Influence of a Plasticizer on Water Sorption by Polymethyl Methacrylate, 697P
Kalyanaraman, P. See Gaudiana, R. A., 1249C
Kamachi, M. See Sato, T., 637C
Kamat, P. V.
—; Todesco, R. V.: Photoelectrochemistry in Particulate Systems. 5. Visible Light-induced Polymerization of 1-Vinylpyrene in Semiconductor Suspensions, 1035C
Kamiya, H. See Kawakami, Y., 3191C
Kamogawa, H.
—; Takei, M.: *o*-Nitrovinylbenzaldehyde Polymers: Precursors of Photosensitive Acetals, 967C
Kanamoto, T. See Ito, M., 2127P
Kanetsuna, H. See Kyotani, M., 501P
Kang, E. T.
—; Neoh, K. G.; Tan, T. C.; Ong, Y. K.: Polymerization and Oxidation of Pyrrole by Organic Electron Acceptors, 2143C
Kanoh, S.
—; Kawaguchi, N.; Sumino, T.; Hongoh, Y.; Suda, H.: Asymmetric Polymerization of Triphenylmethyl Methacrylate by C_2-Chiral Catalysts, 1603C
Kanthwal, M. See Misra, B. N., 2117C
Karabanova, L. V. See Lipatov, Yu. S., 43P
Karasz, F. E. See Bánhegyi, G., 57P; O'Gara, J. F., 1519P; Silvestre, C., 2531P
Karayannidis, G. P.
—; Sideridou-Karayannidou, I.: Use of Aromatic Dialdehydes in the Preparation of Poly(*p*-benzoquinono) diimidazoles, 2335C
Kashiwabara, H. See Sakaguchi, M., 1431P
Kataoka, M. See Nagura, M., 2567P
Kato, M. See Matsuda, H., 1663C; Nakada, M., 3429C
Kato, S.-I. See Matsuda, H., 1663C
Katritzky, A. R.
—; Cato, S. J.; Heilmann, S. N.; Rasmussen, J. K.; Krepski, L. R.: Polymers Containing the [2H]-1,2,4-Triazoline-3-thione Ring, 311C
—; Tarr, R. D.; Heilmann, S. M.; Rasmussen, J. K.; Krepski, L. R.: Synthesis and Characterization of Poly([3H]-Thiazole-2-Thione)s, 3205C
Kawaguchi, N. See Kanoh, S., 1603C; Kitano, T., 979C
Kawahara, H. See Tada, H., 1745C, 3015C
Kawakami, Y.
—; Kamiya, H.; Toda, H.; Yamashita, Y.: Polystyrenes with Structurally Different Oligosiloxanes as *p*-Substituents for Oxygen Permeable Membrane Materials, 3191C
Kawasaki, M. See Tsunooka, M., 3173C
Keith, H. D.
—; Padden, F. J., Jr.: Influence of Reptation on Localized Diffusion in Crystallizing Polymers, 229P
—; Padden, F. J., Jr.: Interaction via Diffusion of

Polymer Crystals in Growing Spherulites, 2265P
—; Padden, F. J., Jr.: Spherulitic Morphology in Polyethylene and Isotactic Polystyrene: Influence of Diffusion of Segregated Species, 2371P
Keller, A. See Organ, S. J., 67L, 2409P
Keller, T. M.
Phthalonitrile-based Conductive Polymer, 2569C
Kennedy, J. P. See Faust, R., 1847C; Wilczek, L., 3255C
Keshavayya, J. See Achar, B. N., 443C
Ketchekian, A. S. See Enikolopian, N. S., 1203P
Khallala, T. See Ambrosino, S., 351L
Khor, E.
—; Chan, H. S. O.; Hor, T. S. A.; Lusty, J. R.: Additive Selection Criteria for Metal-Doped Polyimides, 471L
Kim, H. Y.
—; Chung, I. J.: Effects of Chain Length Distribution on Viscoelastic Properties of Entangled Linear Polymers: Blending Laws for Binary Blends, 2039P
Kim, J. See Han, C. D., 1741P
Kim, K.-J. See Hoyle, C. E., 2631C
Kim, M. W. See Peiffer, D. G., 1615P
Kim, S.-J.
—; Akiyama, F.; Matsuda, M.: Free Radical Copolymerization of Sulfur Dioxide with Phenylacetylene, 1641C
Kim, W. G.
—; Jeon, S. I.; Jhon, M. S.: Conformational Properties of Isotactic Poly(2-hydroxyethyl methacrylate) in the Mixed Water-Alcohol Solvents, 467C
Kim, W.-T. See Cho, I., 2791C
Kim, Y. W. See Abhiraman, A. S., 205P
King, R. B.
—; Borodinsky, L.; Greene, M. J.: Poly(iminomethylene) Copolymers, 2165C
—; Greene, M. J.: Studies on Poly(iminomethylenes), 907C
Kiniwa, H.
—; Doi, Y.; Nishikaji, T.; Ogata, N.: Poly(α-amino acid)-immobilized Polymer Adsorbents for Optical Resolution. IV. Elucidation of Chiral Recognition Mechanism of Poly(N^5-benzyl-L-glutamine)-immobilized Resin, 2953C
—; Nishikaji, T.; Ogata, N.: Poly(α-amino acid)-immobilized Polymer Adsorbents for Optical Resolution. I. Synthesis, Characterization, and Evaluation of Poly(L-glutamic acid) Derivatives-immobilized Polymer Adsorbents, 2689C
Kinoshita, T. See Tsujita, Y., 415P, 1041C
Kinpara, H. See Sakaguchi, M., 1431P
Kishi, R. See Osada, Y., 481L
Kishore, K.
—; Varghese Dharumaraj, G.; Rajalingam, P.: Crosslinking Reactions of 1,3,5-Tris(2-Methylaziridinyl-1-Methyl)Benzene (TRIMAM) with Carboxyl Terminated Polybutadiene, 1545C
Kitano, T.
—; Ishigaki, A.; Uematsu, G.-I.; Kawaguchi, S.; Ito, K.: Preparation of Poly(fumaric acid) from Poly(di-*t*-butyl fumarate) and Poly(di-trimethylsilyl fumarate), 979C
Kiyotsukuri, T.
—; Tsutsumi, N.; Ayama, K.; Nagata, M.: Preparation and Properties of Silicon Containing Polyamides, 1591C
Klabunde, U.
—; Mulhaupt, R.; Herskovitz, T.; Janowicz, A. H.; Calabrese, J.; Ittel, S. D.: Ethylene Homopolymerization with P,O-Chelated Nickel Catalysts, 1989C
Klein, P. G.
—; Woods, D. W.; Ward, I. M.: The Effect of Electron Irradiation on the Structure and Mechanical Properties of Highly Drawn Polyethylene Fibers, 1359P
Klendworth, D. D. See Freeman, J. W., 2063C
Klesper, E. See Frey, W., 1409C, 3143C
Klun, T. P.
—; Wendling, L. A.; Van Bogart, J. W. C.; Robbins, A.: Structure-Property Relationships of Ionene Polymers, 87C
Knight, R. L. See Chen, C. R., 127C
Kobayashi, F. See Takigami, S., 63C
—; Ohashi, T.; Furukawa, J.: Polyaddition of *p*-Benzenedithiol to *p*-Diethynylbenzene in Solid State Under UV Irradiation, 2077C
Kobayashi, N. See Nakada, M., 3429C
Kobayashi, T.
—; Morishima, Y.; Nozakura, S.-I.: Syntheses and Some Spectroscopic Properties of Polyanions with Pendant Merocyanine Dyes, 2839C
Koberstein, J. T. See Quan, X., 641P, 1381P
Kochi, M.
—; Uruji, T.; Iizuka, T.; Mita, I.; Yokota, R.: High Modulus and High-Strength Polybiphenyltetracarboximide Films, 441L
Koike, N. See Kubota, H., 273L; Ogiwara, Y., 273L
Kojima, T.
—; Hamada, M.; Miyahara, M.-A.; Hosaka, Y.: Solute–Solvent Interactions of Oligo(*m*-benzamide)s in *N*,*N*-dimethylacetamide, 1481P
—; Urata, Y.; Morikawa, T.: Polymer with Thermosensitive Opacity: Poly(2-hydroxyethylmethacrylate-co-diallyl isophthalate), 437L
Komatsu, T. See Ichimura, K., 1475C
Komiyama, M. See Hirai, H., 181L
Komoto, T. See Takenaka, M., 2165P
Konaka, T. See Leung, W. P., 2059P
Konno, M.
—; Shimizu, K.; Arai, K.; Saito, S.: Soapless Emulsion Polymerization of Methyl Methacrylate in Water in the Presence of Barium Sulfate, 223C
Kontou, E. See Spathis, G., 1285C
Koppes, W. M. See Adolph, H. G., 805C
Korba, G. A. See Strobel, M., 1295C
Koros, W. J. See Fleming, G. K., 2033P; Muruganandam, N., 1999P
Kowalski, D. J. See Bakalik, D. P., 433C
Kraessig, H.
Review of "Cellulose Chemistry and its Applications," T. P. Nevell and S. H. Zeronian, Eds., 87L
Kramer, E. J. See Berger, L. L., 1679P; Brown, H. R., 1765P
Krepski, L. R. See Katritzky, A. R., 311C, 3205C
Kricheldorf, H. R.
—; Conradi, A.: New Polymer Syntheses 16. LC-Copolyesters of 3-(4-Hydroxyphenyl) Propionic Acid and 4-Hydroxy Benzoic Acids, 489C
Krigbaum, W. R. See Watanabe, J., 19P, 173P, 803P; Muramatsu, H., 2303P
—; Preston, J.; Ciferri, A.; Shufan, Z.: Nematogenic Block Copolymers of Rigid and Flexible Aromatic Units. I. Synthesis and Characterization, 653C
—; Shufan, Z.; Preston, J.; Ciferri, A.; Conio, G.: Nematogenic Aromatic Block Copolymers of Rigid and Flexible Units. II. Phase Equilibria, 1043P
Krishnamurthy, V. N. See Scariah, K. J., 2675C
Kristol, D. S. See Lei, G. Y., 607C
Kropachev, V. A. See Łapienis, G., 1729C
Krul, L. P. See Prokopchuk, N. R., 503L
Krzyminiewski, R. See Andrzejewska, E., 3363C
Kubisa, P.
Secondary and Tertiary Oxonium Ions in the Polymerization of 1,3-Dioxolane Initiated with $HOSO_2CF_3$: ^{1}H-NMR Studies, 873C
Kubota, H.
—; Koike, N.; Ogiwara, Y.; Hata, Y.: Location of Methacrylic Acid-Grafted Chains Introduced into Polyolefin Films by Means of Photografting, 273L
Kubota, S.
—; Moriwaki, T.; Ando, T.; Fukami, A.: Preparation and Thermal Properties of

Polyquinazolones Containing *m*-Substituted Phenyl Groups on the Quinazolone Ring, 2241C
Kumanotani, J. See Oshima, R., 2343C
Kuntz, I.
—; Cheng, D. M.; Dekmezian, A. H.; Hsu, C. S.: Polymerization of Isobutylene by the Adamantane-Bromide-Diethylaluminum Chloride Catalyst System, 3127C
Kuo, J.-C. See Liu, J.-H., 2521C
Kuran, W. See Florjańczyk, Z., 343C
Kureševič, V. See Vuković, R., 327C
Kurita, A. See Hayase, S., 753C
Kurokawa, Y.
—; Haneda, K.: Preparation of Ultrafine Magnetic Particles by Using Finely Porous Membrane, 3691L
Kusefoglu, S. H. See Mathias, L. J., 451L
Kusy, R. P. See Greenberg, A. R., 435P
Kuzuya, M.
—; Nakanishi, M.; Yanagihara, Y.; Okuda, T.: Enhanced Radical Reactivity by Supplying a Physicomechanical Action on Unique Plasma-Polymerized Ultrathin Films, 339L
Kwak, J. C. T. See Yamashita, F., 1395P
Kwon, S.-K. See Choi, S.-K., 2021C
—; Choi, K.-Y.; Choi, S.-K.: Synthesis and Properties of Polyurethanes and Polyureas Containing 2,5-Thiophenylene Linkage, 1781C
Kyotani, M.
—; Yoshida, K.; Ogawara, K.; Kanetsuna, H.: Thermal Properties of Thermotropic Polyesters with Rigid Chains, 501P
Kyu, T. See Hu, S.-R., 71P; Ree, M., 105P
—; Hu, S.-R.; Stein, R. S.: Characterization and Properties of Polyethylene Blends II. Linear Low-Density with Conventional Low-Density Polyethylene, 89P

Lacoste, J.
—; Singh, R. P.; Boussand, J.; Arnaud, R.: TiO_2-, ZnO-, and CdS-Photocatalyzed Oxidation of Ethylene-Propylene Thermoplastic Elastomers, 2799C
Lake, G. J.
—; Yeoh, O. H.: Effect of Crack Tip Sharpness on the Strength of Vulcanized Rubbers, 1157P
Lan, M.-J.
—; Overberger, C. G.: Spectroscopic Examination of Linear Poly(ethylenimine) Containing Nucleic Acid Pendants as Polynucleotide Analogs, 1887C
—; Overberger, C. G.: Synthesis of Linear Poly(ethylenimine) Containing Nucleic Acid Pendants as Polynucleotide Analogs, 1909C
Langer, R. See Domb, A. J., 3373C
Łapienis, G.
—; Penczek, S.; Aleksiuk, G. P.; Kropachev, V. A.: Synthesis of Poly(alkylene Phosphate)s with *N*-Containing Bases in the Side Chains. II. 6-*N*-Oxoethyleneadenine on the Poly(trimethylene phosphate) Chain, 1729C
Latour, M.
—; Moreira, R. L.: Submillimeter Infrared Absorption and Chain Conformations of Poly(vinylidene fluoride) and Copolymers. I. Crystalline and Amorphous Contributions, 1913P
—; Moreira, R. L.: Submillimeter Infrared Absorption and Chain Conformations of Poly(vinylidene fluoride) and Copolymers. II. Phase Transition Analysis, 1717P
Lavallée, C.
—; Leborgne, A.; Spassky, N.; Prud'homme, R. E.: Synthesis and Polymerization of Racemic and Optically Active β-Substituted β-Propiolactones. II: β-Monosubstituted and β-Disubstituted Monomers and Polymers with Different Optical Purities, 1315C
Leal, L. G. See Dunlap, P. N., 2211P
Leaver, I. H. See Ghiggino, K. P., 1619C
Leborgne, A. See Lavallée, C., 1315C
Leclerc, M. See Petit, M. A., 423P
Lee, A. H. See Hara, M., 1407P
Lee, D.-H.
—; Jang, J.-K.; Ahn, T.-O.: Isoprene Polymerization with Cerium(III) Acetylacetonate-Diethylaluminum Chloride in Toluene: Effects of Water Concentration, 1457C
Lee, G. H. See Cheng, H. N., 2355P
Lee, J. L. See Crivello, J. V., 3293C
Lee, J.-Y.
—; Cho, I.: Ring-opening Polymerization of 2,3,5,6-Tetrasubstituted-3,4-Dihydro-2H-Pyrans and Their Copolymerization Behaviors. Syntheses of Alternating Head-to-Head Vinyl Copolymers and Their Properties, 3089C
Lee, M.-H. See Cho, I., 309L
Lee, M.-S.
—; Chen, S.-A.: The Enhancement of Polybutene-1 Crystallinity in Polybutene-1/Polypropylene Blends, 37L
Lee, S. See Harmon, J. P., 3215C
Lee, T.-S. See Chen, S.-A., 455L
Lee, Y.-D. See Tsai, H.-B., 1505C, 1709C, 2195C, 3405C
Legrand, D. G.
—; Olszewski, W. V.; Bendler, J. T.: Anelastic Response of Bisphenol-A Polycarbonate, 1149P
Lei, G. Y.
—; Angeli, S. R.; Kristol, D. S.; Snyder, W. H.: Preparation of New Blocked Diisocyanate for Dental Application, 607C
Lekchiri, A. See Castellano, A., 1419C
—; Morcellet, J.; Morcellet, M.: Spectroscopic Study of the Complexes of Poly(*N*-methacryloyl-L-asparagine) with Palladium (II), 2231C
Lenka, S.
—; Nayak, P. L.; Nayak, S. K.: Photopolymerization Initiated by Charge-Transfer Complex. X. Photopolymerization of Methyl Methacrylate with the Use of Isoquinoline–Sulphur Dioxide Charge-Transfer Complex, 703C
—; Nayak, P. L.: Polymerization of Acrylic Acid Initiated by a Hexavalent Chromium-Organic Sulfur Compounds Reducing Agent System, 1563C
Lenz, J.
Review of *European Textile Research: Competitiveness Through Innovation*, C. Blum and J. G. Wurm, Eds., 423L
Lenz, R. W. See Garozzo, D., 271C
Lerner, F.
—; Alon, M.: Fractionation of Partly Hydrolyzed Polyvinyl Acetate, 181C
Leung, W. M.
—; Axelson, D. E.; Van Dyke, J. D.: Thermal Degradation of Polyacrylamide and Poly(acrylamide-co-acrylate), 1825C
Leung, W. P. See Choy, C. L., 1779P
—; Choy, C. L.; Nagakawa, K.; Konaka, T.: Ultrasonic Measurements of the Elastic Moduli of Ultradrawn Polyoxymethylene, 2059P
Lew, R. See Balke, S. T., 313L
Li, B. Y. See Wang, C. H., 485P
Li, J. C. M. See Harmon, J. P., 3215C
Li, K.-L. See Ratto, J. A., 1419P
Lian, N. D. See Van De Mark, M. R., 327L
Liang, R-C.
—; Reiser, A.: On the Photoreactivity of Diacetylene Containing Thermoplastic Block Copolymers, 451C
Lillya, C. P. See Diab, M. A., 945C
Lim, Y. J. See Takagishi, T., 2585C
Lin, S.-R. See Liu, J.-H., 2521C
Lin, Y. C.
—; Beeson, J. J.; Berry, G. C.: Viscometry and Light Scattering on Moderately Concentrated Solutions of Poly(vinyl chloride), 1981P
Linkens, A. See Vanderschueren, J., 1537P
Lipatov, Yu. S.
—; Shilov, V. V.; Bogdanovich, V. A.;

Karabanova, L. V.; Sergeeva, L. M.: Microphase Structure of Interpenetrating Polymeric Networks Based on Polyurethane and Polyurethane Ionomer, 43P
Litt, M. H. See Ruan, J. Z., 285C, 299C
Liu, J.-H.
—; Lin, S.-R.; Kuo, J.-C.: Enantioface Differentiation by Chiral Polymers Having (+)-5,6-*exo*-Bornanediol Moieties. II. Asymmetric Reduction of Prochiral Ketones by Chiral Polymers Containing (+)-5,6-*exo*-Bornanediol Derivatives, 2521C
Liu, P.-Y. See Berry, G. C., 673P
Liu, Q.-L. See Wang, C. H., 485P
Livant, P. D. See Mathias, L. J., 2711C
Llorente, M. A. See Andrady, A. L., 195P, 1935P
Lloyd, D. R. See Tseng, H.-S., 325P
Lochmann, L. See Dotcheva, D., 3005C
Lotz, B.
—; Wittmann, J. C.: Polyethylene–Isotactic Polypropylene Epitaxy: Analysis of the Diffraction Patterns of Oriented Biphasic Blends, 1079P
Loufakis, K.
—; Wunderlich, B.: Heat Capacities and Entropies of Liquid Polyfluoroethylenes and Polychloroethylenes, 2345P
Lu, C. X. See Overberger, C. G., 1523C
—; Yang, Y.: New Synthetic Route to Alternating Copoly(Aromatic Ester-Aliphatic Amide)s, 2155C.
—; Yang, Y.; Xiao, C. D.; Ji, A.: Synthesis of Polyurethanes Containing Nucleic Acid Base Derivatives as Grafted Pendants and Their Precursor Amino Functionalized Polyurethane, 3267C
Lucchesini, F. See Bertini, V., 2665C
Lundberg, R. D. See Agarwal, P. K., 839P
Lusty, J. R. See Khor, E., 471L
Lyerla, J. R. See Gobbi, G. C., 61L
Lynch, J. C. See Factor, A., 3413C
Lyons, C. S. See Strobel, M., 1295C, 3343C

Maa, Y. F. See Sun, C. K. J., 1473P
MacKnight, W. J. See O'Gara, J. F., 1519P; Silvestre, C., 2531P; Tsujita, Y., 415P
Macosko, C. W. See Miller, D. R., 2441P
Madruga, E. L. See San Román, J., 203C
Maeda, Y.
—; Paul, D. R.: Effect of Antiplasticization on Gas Sorption and Transport. I. Polysulfone, 957P
—; Paul, D. R.: Effect of Antiplasticization on Gas Sorption and Transport. II. Poly(phenylene Oxide), 981P
—; Paul, D. R.: Effect of Antiplasticization on Gas Sorption and Transport. III. Free Volume Interpretation, 1005P
Magagnini, P. L. See Paci, M., 1595P
Mai, C.
—; Johari, G. P.: Dielectric Relaxation and Aging Effect in Interpenetrating Network Polymers of Poly(urethane)-Poly(methyl methacrylate), 1903P
Maissa, P. See Ambrosino, S., 351L
Maiti, M. M. See Sen, D., 551C
Maiti, S. See Sen, D., 551C
Maldar, N. N.
—; Guillermina Burillo, S.; Ogawa, T.; Marvel, C. S.: Thermal Polymerization of Isomeric Dodecadiendiyndiols, 111L
Mallakpour, S. E.
—; Butler, G. B.: Polymerization of *N*-Methylpyrrole with bis-Triazolinediones via Electrophilic Aromatic Substitution, 2781C
Mamedova, S. G.
—; Rasulov, N. Sh.; Rzaev, Z. M.: Alternating Copolymerization of Maleic Anhydride with Allyl Chloroacetate, 711C
Mamo, A. See Pappalardo, S., 1793C
Manabe, O. See Shinkai, S., 495L
Mandelkern, L. See Popli, R., 441P
Manders, W. F.
—; Bellama, J. M.; Johannesen, R. B.; Parks, E. J.; Brinckman, F. E.: Characterization of Organometallic Polymers by ^{13}C- and ^{119}Sn-NMR: Configurational/Compositional Triads in Poly(Tri-*n*-Butyltin Methacrylate/Methyl Methacrylate), 3469C
Manninen, P. R. See Dreyfuss, M. P., 99L
Maravigna, P. See Ballistreri, A., 1049C
Marchessault, R. H.
Review of "Cellulose Structure Modification and Hydrolysis," Raymond A. Young and Roger M. Rowell, Eds., 139L
Marinho, J. R. D. See Gomes, A. S., 237L
Mark, H.
Review of "Encyclopedia of Materials Science and Engineering," Michael B. Bever, Ed., 264L
Mark, J. E. See Fyvie, T. J., 2503C; Sun, C.-C., 1561P, 2073P
Markiewicz, A.
—; Fleming, R. J.: Thermoluminescence and Chain-fold Morphology in Low-density Polyethylene, 1885P
Martinotti, F. See Faucitano, A., 1517C
Maruoka, S. See Endo, T., 2925C
Marvel, C. S. See Maldar, N. N., 111L; Ogawa, T., 251C; Trumbo, D. L., 839C, 847C, 1027C
Masai, M. See Tsuruya, S., 995C
Masuda, E. See Ito, H., 413L
Masuda, T. See Niki, A., 1553C; Oano, Y., 1181C; Tajima, H., 2033C; Yoshimura, T., 2631C
—; Isobe, E.; Hamano, T.; Higashimura, T.: Polymerization of Silicon-containing Acetylenes. 5. Polymerization of 1-Silyl-1-propynes by $TaCl_5$-based Catalysts, 1353C
Mathias, L. J. See Hermes, R. E., 161L
—; Kusefoglu, S. H.: A New Nonhydrolyzable Ether Crosslinking Agent Containing Two Methacrylate Units Linked through the α-methyl Carbons, 451L
—; Livant, P. D.; Ahmed, S. U.: High Performance Polymers and Composites. IV. Copolymers Containing Benzoxazole Units, 2711C
—; Moore, D. R.; Smith, C. A.: Polymerization of *N*-(*p*-aminobenzoyl)caprolactam: Block and Alternating Copolymers of Aromatic and Aliphatic Polyamides, 2699C
Matsuda, H. See Nakada, M., 3429C
—; Nakanishi, H.; Kato, S.-I.; Kato, M.: Conductivity of Polydiacetylene with π-Conjugation between Polymer Backbone and Substituents, 1663C
Matsuda, M. See Kim, S.-J., 1641C
—; Funabashi, K.: Influence of Functional Sulfonic Acid Groups on Styrene–Divinylbenzene Copolymer Pyrolysis, 669C
Matsuda, Y. See Itoh, Y., 745C
Matsui, N. See Takagishi, T., 2511C
Matsumoto, A.
—; Terada, T.; Oiwa, M.: The Dependence of Cyclopolymerizability of Acrylic and Methacrylic Anhydrides on Various Conditions: New Interpretation of Temperature Dependency of Cyclization Constant in Radical Cyclopolymerization of Nonconjugated Dienes, 775C
Matsumura, K.
—; Hayamizu, K.; Nakane, T.; Yanagishita, H.; Yamamoto, O.: Angular Dependence of ^1H- and ^2H-NMR Spectra of H_2O and D_2O Absorbed in Cellulosed Acetate Film, 2149P
Matsumura, T. See Nishikubo, T., 3049C
Matusevich, Yu. I. See Prokopchuk, N. R., 503L
Matyjaszewski, K.
Theoretical Basis and Kinetic Sense of Covalent Propagation in Cationic Polymerization, 765C
McAlea, K. P.
—; Schultz, J. M.; Gardner, K. H.; Wignall, G. D.: Small- and Intermediate-Angle Neutron Scattering from Amorphous and Semicrystalline Polyethylene Terephthalate, 651P

McCarthy, K. J. See Burkhardt, C. W., 209L
McCormick, C. L.
—; Elliott, D. L.: Water-Soluble Copolymers. XXV. Ion-binding Studies of *N*-Substituted Acrylamide Copolymers Using Potentiometric and Spectroscopic Methods, 1329C
McDaniel, M. P. See Freeman, J. W., 2063C
McEwen, I. J. See Cowie, J. M. G., 1501P
McFaddin, D. C. See Clas, S.-D., 1057P, 3105C
McGarel, O. J.
—; Wool, R. P.: Craze Growth and Healing in Polystyrene, 2541P
McGowan, C. See Gaudiana, R. A., 1249C
McGrane, K. See Stolka, M., 823C
McGrath, J. E. See Hedrick, J. L., 2289C
McGregor, R. See Hamada, K., 1299P
McHugh, A. J.
—; Spevacek, J. A.: A Technique for Monitoring the Kinetics of Flow-Induced Crystallization, 1051L
—; Vrahopoulou, E. P.; Edwards, B. J.: Molecular Weight Fractionation in Tubular Flow-Induced Crystallization of Polyethylene, 953P
McKenna, G. B. See Crissman, J. M., 1667P
McLean, J. A. See Al-Salah, H. A., 2127C
McLeish, T. C. B.
Stability of the Interface Between Two Dynamic Phases in Capillary Flow of Linear Polymer Melts, 2253P
Meador, M. A. B. See Johnston, J. C., 2175C
Mehta, I. K. See Misra, B. N., 2117C
Merkel, M. P.
—; Dimonie, V. L.; El-Aasser, M. S.; Vanderhoff, J. W.: Morphology and Grafting Reactions in Core/Shell Latexes, 1219C
—; Dimonie, V. L.; El-Aasser, M. S.; Vanderhoff, J. W.: Process Parameters and Their Effect on Grafting Reactions in Core/Shell Latexes, 1755C
Michaud, P.
—; Camberlin, Y.: Polymerization and Copolymerization of an Isocyanate Blocking Agent. *N*-(1,1′-Dimethyl-3-Oxobutyl) Acrylamide Oxime. Mechanical and Thermal Properties, 1717C
Mijovic, J.
Review of *Polymer Wear and Its Control*, Lieng-Huang Lee, Ed., 401L
Miller, B. L.
—; Hershberger, J. W.: Preparation of a Highly Functionalized Polystyrene-bound Tin Hydride, 219L
Miller, D. R.
—; Macosko, C. W.: Molecular Weight Relations for Crosslinking of Chains with Length and Site Distribution, 2441P
Miller, R. D.
—; Sooriyakumaran, R.: The Synthesis and Characterization of the First Soluble, High Molecular Weight, Substituted Poly(diphenylsilane) Homopolymers, 321L
—; Sooriyakumaran, R.: Soluble Alkyl Substituted Polygermanes: Thermochromic Behavior, 111C
Minns, R. A. See Gaudiana, R. A., 1249C; Sinta, R., 11L
Mirabella, Jr., F. M.
Determination of the Crystalline and Noncrystalline Molecular Orientation in Oriented Polypropylene by Infrared Spectroscopy, 591P
—; Ford, E. A.: Characterization of Linear Low-Density Polyethylene: Cross-Fractionation According to Copolymer Composition and Molecular Weight, 777P
Misono, T. See Abe, Y., 1671C
Misra, B. N.
—; Mehta, I. K.; Kanthwal, M.; Panjloo, S.: Grafting onto Poly(vinyl Alcohol). II. Graft Copolymerization of Methyl Acrylate and Vinyl Acetate and Their Binary Mixture Using γ-Rays as Initiator, 2117C
Misra, M. See Mohanty, A. K., 2107C
Misra, T. N. See Ghosh, U., 215C
Mita, I. See Kochi, M., 441L
Mitsuishi, M. See Ishiwatari, T., 263P
Mitsutani, K. See Ishizu, K., 287L
Miyadzu, H. See Ohtani, B., 373L
Miyahara, M.-A. See Kojima, T., 1481P
Miyaji, H. See Takahashi, Y., 153L
—; Asahi, T.; Miyamoto, Y.; Asai, K.: Hydrostatic Compression of the Monoclinic Form of Polyethylene, 159P
Miyamoto, T. See Takahashi, S.-I., 987C
Miyamoto, Y. See Miyaji, H., 159P
Miyata, M. See Tsutsumi, H., 3079C
—; Noma, F.; Tsuzuki, T.; Takemoto, K.: Functional Monomers and Polymers. CLV Asymmetric Inclusion Polymerization of (E, E)-2,4-Hexadiene in Deoxycholic and Apocholic Acid Canals, 389L
Miyazaki, H. See Nakamura, Y., 127L
Mo, Z.
—; Wang, L.; Zhang, H.; Han, P.; Huang, B.: WAXS Studies on Block Copolymers of Ethylene and Propylene, 1829P
Mohanty, A. K.
—; Singh, B. C.; Misra, M.: Kinetics of Retarded Polymerization: Investigation of the Retardation of V^{5+}-Thiourea Initiated Polymerization of Methyl Acrylate by Phenol, 2107C
Mohanty, B.
—; Palit, S. K.; Biswas, M.: Effect of Pressure on the Free Radical Solution Polymerization of Acrylonitrile and Methylmethacrylate, 187L
Mohsin, M. A.
—; Treloar, L. R. G.: Photoelastic Properties of Polybutadiene Rubbers, 2113P
Monnerie, L. See Cavaille, J. Y., 1235P; Thirion, P., 1033P
Montaudo, G. See Ballistreri, A., 1049C, 2351C; Garozzo, D., 271C
—; Scamporrino, E.; Puglisi, C.; Vitalini, D.: Separation and Characterization of Cyclic Sulfides Formed in the Polycondensation of Dibromoalkanes with Aromatic Dithiols, 1653C
—; Scamporrino, E.; Puglisi, C.; Vitalini, D.: Thermal Decomposition Processes in Aliphatic Polysulphides Investigated by Mass Spectrometry, 475C
Moore, D. R. See Mathias, L. J., 2699C
Moore, R. A. F. See Salem, D. R., 567P
Morawetz, H.
Review of "Microdomains in Polymer Solutions," Paul Dubin, Ed., 83L
Review of *Radiation Chemistry-Principles and Applications*, Farhataziz and Michael A. J. Rodgers, Eds., 510L
Review of "Selected Papers of Turner Alfrey," Raymond F. Boyer and Herman F. Mark, Eds., 47L
Morcellet, J. See Castellano, A., 1419C; Leckchiri, A., 2231C
Morcellet, M. See Castellano, A., 1419C; Lekchiri, A., 2231C
Moreira, R. L. See Latour, M., 1717P, 1913P
Morel, E. See Bellenger, V., 1219P
Mori, K. See Nakamura, Y., 127L
—; Watanabe, A.; Nakamura, Y.: Formation of Monomer Film on Copper Plates and Its Polymerization, 1L
—; Watanabe, A.; Muroi, A.; Nakamura, Y.: Study of Functionalization of Metal Surfaces. III. Photopolymerization of Monomer Films on Metal Surfaces, 2893C
Morikawa, T. See Kojima, T., 437L
Morishima, Y. See Kobayashi, T., 2839C
Morita, M. See Ishiwatari, T., 263P
Moriwaki, T. See Kubota, S., 2241C
Morris, J. C. See Jackson, W. J., Jr., 575C
Moura-Ramos, J. J. See Attard, G. S., 1099P
Moussa, K. See Decker, C., 739C
Mühlbach, K.
—; Percec, V.: The Influence of Molecular Weight

on the Reactivity of a Vinylbenzyl Ether Macromonomer of Poly(2,6-dimethyl-1,4-phenylene oxide), 2605C
Mulhaupt, R. See Klabunde, U., 1989C
Muller, R.
—; Froelich, D.; Zang, Y. H.: Tensile Stress and Recoverable Strain Measurements on Polystyrene Melts. Interpretation of Results in Terms of Rubberlike Elasticity, 295P
Muñoz-Escalona, A. See Chirinos-Padrón, A. J., 2469C
Muñoz-Guerra, S. See Puiggalí, J., 513P, 1445C
Munro, H. S.
—; Till, C.: ESCA and Optical Emission Study of the Inductively Coupled RF Plasma Copolymerization of Naphthalene and Octafluoronaphthalene Mixtures, 1065C
Muramatsu, H.
—; Krigbaum, W. R.: Fiber Spinning from the Nematic Melt. II. Effect of Thermal History on Spinning of the Copolyester of Polyethylene Terephthalate and *p*-Oxybenzoate, 803P
—; Krigbaum, W. R.: Fiber Spinning from the Nematic Melt. IV. Effect of *P* Oxybenzoate Crystallinity on the Spinning and Fiber Properties of the Copolyester of Polyethylene Terephthalate and *p*-Oxybenzoate, 2303P
Muroga, Y. See Nagura, M., 2567P
Muroi, A. See Mori, K., 2893C
Murthy, M. R. See Rao, B. S., 1897P
Muruganandam, N.
—; Koros, W. J.; Paul, D. R.: Gas Sorption and Transport in Substituted Polycarbonates, 1999P
—; Paul, D. R.: Gas Sorption and Transport in Miscible Blends of Tetramethyl Bisphenol-A Polycarbonate and Polystyrene, 2315P

Nagai, K.
—; Ohishi, Y.: Polymerization of Surface-Active Monomers. II. Polymerization of Quarternary Alkyl Salts of Dimethylaminoethyl Methacrylate with a Different Alkyl Chain Length, 1C
Nagai, S. See Ueda, A., 3495C
Nagakawa, K. See Leung, W. P., 2059P
Nagao, Y. See Abe, Y., 1671C
Nagata, M. See Kiyotsukuri, T., 1591C
Nagura, M. See Tsukada, M., 1325P
—; Ueki, T.; Hiragi, Y.; Amemiya, Y.; Tagawa, H.; Kataoka, M.; Izumi, Y.; Muroga, Y.: Microsegregated Structure in the Regenerated Silk Fibroin Film from Bombyx mori, 2567P
Nakada, M.
—; Kobayashi, N.; Ohno, H.; Tsuchida, E.; Matsuda, H.; Nakanishi, H.; Kato, M.: Epitaxial Polymerization of 1,3-Butadiyne by Chemical Vapor Deposition, 3429C
Nakagawa, K. See Tsuruya, S., 995C
Nakagawa, Y. See Takahashi, Y., 153L
Nakamura, S. See Shinkai, S., 495L
Nakamura, Y. See Mori, K., 1L, 2893C; Takigami, S., 63C
—; Watanabe, A.; Mori, K.; Tamura, K.; Miyazaki, H.: Improvement in Low-Temperature Toughness of Poly(vinylchloride) by Cocrosslinking with Polyethylene, 127L
Nakane, T. See Matsumura, K., 2149P
Nakanishi, H. See Matsuda, H., 1663C; Nakada, M., 3429C
Nakanishi, M. See Kuzuya, M., 339L
Nakao, Y.
—; Imai, T.; Kaeriyama, K.: Layer-Selective Metallizing of Paper by Electroless Plating Using Surfactant-Stabilized Palladium Sols, 2931L
Nanayakkara, S. J.
—; Orchard, G. A. J.; Davies, G. R.; Ward, I. M.: Thermal Expansion of Poly(vinylidene fluoride), 1113P
Nanjan, M. J. See Rajendran, V., 829C
Narayan, R. See Biermann, C. J., 89L
Narkis, M. See Benguigui, L., 127P
Natansohn, A. See Simmons, A., 2221C
Nava, H. See Percec, V., 405C, 1943C; Tingerthal, J. M., 2043C
Navard, P. See Ernst, B., 79L
—; Zachariades, A. E.: Optical Properties of a Shear-deformed Thermotropic Cellulose Derivative, 1089P
Nayak, P. L. See Lenka, S., 703C, 1563C
Nayak, S. K. See Lenka, S., 703C
Nayak, U. V. See Rajan, C. R., 73L
Neculescu, C.
—; Clough, S. B.; Elayaperumal, P.; Salamone, J. C.; Watterson, A. C.: Thermal Analysis of Ampholytic Polymers, 201L
Neoh, K. G. See Kang, E. T., 2143C
Netopilik, M. See Dañhelka, J., 1801P
Nevius, M. R. See Dreyfuss, M. P., 99L
Ng, Y. K. See Choy, C. L., 1779P
Nguyen, T. H. See Ramharack, R., 93L
Niezette, J. See Vanderschueren, J., 1537P
Niki, A.
—; Masuda, T.; Higashimura, T.: Effects of Organometallic Cocatalysts on the Polymerization of Disubstituted Acetylenes by $TaCl_5$ and $NbCl_5$, 1553C
Nikolskii, V. C. See Enikolopian, N. S., 1203P
Nishi, T. See Gobbi, G. C., 61L
Nishijima, Y. See Ashikaga, K., 223L; Tsutsumi, N., 2139P
Nishikaji, T. See Kiniwa, H., 2689C, 2953C
Nishikubo, T.
—; Iizawa, T.; Takahashi, M.; Tokairin, A.: Syntheses and Crosslinking Reactions of Self-curable Copolymers Containing Pendant Cyclic Iminoethers and Carboxylic Acid Groups, 2931C
—; Saita, S.; Fujii, T.: New Thermo-crosslinking Reactions of Polymers Containing Pendant Epoxide Groups with Various Polyfunctional Active Esters, 1339C
—; Takehara, E.; Saita, S.; Matsumura, T.: Study of Photopolymers. XXX. Syntheses of New Di(meth)acrylate Oligomers by Addition Reactions of Epoxy Compounds with Active Esters, 3049C
Nishimoto, S.-I. See Ohtani, B., 373L, 383L
Nishio, Y. See Ichimura, K., 1579C
Noma, F. See Miyata, M., 389L
Norisuye, T. See Sato, T., 1P
Nozakura, S.-I. See Kobayashi, T., 2839C
Nunomura, M. See Ishizu, K., 1163C

Ober, C. K.
—; Hair, M. L.: The Effect of Temperature and Initiator Levels on the Dispersion Polymerization of Polystyrene, 1395C
O'Brien, J. P.
Review of "Handbook of Fiber Science and Technology: Volume III, High Technology Fibers, Part A," M. Lewin and J. Preston, Eds., 511L
Ochi, M.
—; Yoshizumi, M.; Shimbo, M.: Mechanical and Dielectric Relaxations of Epoxide Resins Containing the Spiro-ring Structure. II. Effect of the Introduction of Methoxy Branches on Low-temperature Relaxations of Epoxide Resins, 1817P
O'Gara, J. F.
—; Williams, D. J.; MacKnight, W. J.; Karasz, F. E.: Random Homogeneous Sodium Sulfonate Polysulfone Ionomers: Preparation, Characterization, and Blend Studies, 1519P
Ogata, N. See Kiniwa, H., 2689C, 2953C; Yahagi, I., 727C

Ogawa, T. See Maldar, N. N., 111L; Ohtani, B., 373L
—; Marvel, C. S.: Crosslinking of Polyaromatic Ether-Ketones with Biphenylene Derivatives, 251C
Ogawara, K. See Kyotani, M., 501P
Ogiwara, Y. See Kubota, H., 273L
Ohashi, T. See Kobayashi, E., 2077C
Ohishi, Y. See Nagai, K., 1C
Ohno, H. See Nakada, M., 3429C
—; Takeoka, S.; Iwai, H.; Tsuchida, E.: Polymerization of Liposomes Composed of Diene-containing Lipids by Radical Initiators. II. Polymerization of Monodiene-type Lipids as Liposomes, 2737C
Ohno, K. See Ohno, M., 1273C
Ohno, M.
—; Ohno, K.; Sohma, J.: Product Analyses and Crosslink Mechanism of Plasma-Polymerized Methyl Methacrylate, 1273C
Ohsaka, T.
—; Yoshimura, F.; Hirokawa, T.; Oyama, N.: An Electroactive Polymer Film Prepared by Electrooxidative Polymerization of *p,p'*-Biphenol, 395L
Ohshima, S. See Tsubokawa, N., 935C
Ohtani, B.
—; Adzuma, S.; Nishimoto, S.-I.; Kagiya, T.: Ultraviolet and Visible Light-induced Photochromic Action of Poly(vinyl Alcohol) Film Containing Colloidal and Suspended Semiconductor Materials, 383L
—; Miyadzu, H.; Nishimoto, S.-I.; Ogawa, T.; Kagiya, T.: Sensitized Photoreduction of Methyl Viologen to its Cation Radical in Polymer Matrices by Visible-light Irradiation, 373L
Oishi, Y. See Kakimoto, M.-A., 2747C
—; Kakimoto, M.-A.; Imai, Y.: Synthesis and Characterization of *N*-Phenylated Aromatic Polyureas from Dianilino Compounds and Aromatic Diisocyanates, 2185C
—; Kakimoto, M.-A.; Imai, Y.: Synthesis and Characterization of *N*-Phenylated Aromatic Polyamides from *N*-Silylated Dianilino Compounds and Aromatic Diacid Chlorides, 2493C
—; Padmanaban, M.; Kakimoto, M.-A.; Imai, Y.: Synthesis and Characterization of *N*-Phenylated Aromatic Polyureas from *N,N'*-Dichloroformyl-*p*-Dianilinobenzene and *N,N'*-Bistrimethylsilyl-Diamines, 3387C
Oiwa, M. See Matsumoto, A., 775C
Ojika, R. See Tsujita, Y., 1041C
Okamoto, Y.
—; Yashima, E.; Hatada, K.: Asymmetric Polymerization of Optically Active Phenyl-2-Pyridyl-o-Tolylmethyl Methacrylate and Remarkable Conformational Change of the Polymer, 297L
Okano, Y.
—; Masuda, T.; Higashimura, T.: Polymerization of *tert*-Butylacetylene Catalyzed by the Bromides of Molybdenum(III) and Tungsten(V), 1181C
Okieimen, E. F.
—; Rahman, A.; Oriakhi, C. O.: Graft Copolymerization of Acrylonitrile on Cellulosic Materials, 57L
Okuda, T. See Kuzuya, M., 339L
Olszewski, W. V. See Legrand, D. G., 1149P
Onabajo, A.
—; Dorfmüller, Th.; Fytas, G.: Ultrasonic and Hypersonic Dispersion in Polysiloxanes, 749P
Ong, Y. K. See Kang, E. T., 2143C
Onishi, Y. See Hayase, S., 753C
Ono, T. See Ishizu, K., 131L
Oohara, N. See Ichimura, K., 3063C
Orchard, G. A. J. See Nanayakkara, S. J., 1113P
Organ, S. J.
—; Keller, A.: Fast Growth Rates of Polyethylene Crystals Grown at High Temperatures: Concentration and Molecular Weight Dependence, 67L
—; Keller, A.: The Onset of Chain Folding in Ultralong *n*-Alkanes: An Electron Microscopic Study of Solution-grown Crystals, 2409P
Oriakhi, C. O. See Okieimen, E. F., 57L
Osada, Y.
—; Kishi, R.; Hasebe, M.: Anomalous Chemomechanical Characteristics of Electro-Activated Polyelectrolyte Gels, 481L
Oshima, R.
—; Kumanotani, J.: Conducting Polypeptide: Poly(L-Histidinium 7,7,8,8-Tetracyanoquinodimethanide), 2413C
Oster, G.
Review of *Advances in Polymer Science—Induced Circular Dichroism in Biopolymer-Dye Systems*, M. Hatano, S. Okamura, Ed., 465L
Ota, T. See Sato, T., 637C
Ouchi, T.
—; Yuyama, H.; Vogl, O.: Synthesis of Poly(ethylene Glycols)-Capped with 5-Fluorouracil Units through Ester Bonds and Their Antitimor Activities, 279L
Overberger, C. G. See Lan, M.-J., 1887C, 1909C; Tiba, O., 2941C, 3437C; Tomono, T., 2963C;
—; Chen, C. C.: Grafting of Optically Active Nucleic Acid Base as Derivatives onto Poly(vinylamine) as Polynucleotide Analogs, 389C
—; Chen, C. C.: Synthesis of Polynucleotide Analogs by Grafting Optically Active Nucleic Acid Base Derivatives Onto Polyethylenimine, 373C
—; Lu, C. X.: Synthesis of Copoly(vinylamine-vinylalcohol) Containing Two Kinds of Asymmetric Nucleic Acid Base Derivatives as Grafted Pendants, 1523C
—; Peng, L.: Potentiometric Titration Behavior of Poly(ethylene glycol methyl ether)-b-poly(ethylenimine), 2261C
Oyama, N. See Ohsaka, T., 395L

Pacansky, J.
—; England, C.; Waltman, R. J.: Complex Refractive Indexes for Polymers over the Infrared Spectral Region: Specular Reflection IR Spectra of Polymers, 901P
Paci, M.
—; Barone, C.; Magagnini, P. L.: Calorimetric Study of Blends of Poly(Butylene Terephthalate) and a Liquid Crystalline Polyester, 1595P
Padden, F. J., Jr. See Keith, H. D., 229P, 2265P, 2371P
Padmanaban, M. See Oishi, Y., 3387C
Pae, K. D.
—; Bhateja, S. K.; Gilbert, J. R.: Increase in Crystallinity in Poly(Vinylidene Fluoride) by Electron Beam Radiation, 717P
Pai, D. M. See Stolka, M., 823C
Pakkanen, T. A. See Vähäsarja, E., 3241C
Pakkanen, T. T. See Vähäsarja, E., 3241C
Palazzo, S. See Giammona, G., 2813C
Paley, M. S.
—; Harris, J. M.: Synthesis of the Aldehyde of Oligomeric Polycxyethylene, 2447C
Palit, S. K. See Mohanty, B., 187L
Palunas, P. See von Meerwall, E., 1439P
Pan, C.-Y.
—; Wu, Z.; Bailey, W. J.: Preparation and Polymerization of 2-Phenyl-4-Methylene-1,3-Dioxolane, 2431L
Panayotov, I. M. See Velichkova, R. S., 1569C, 3289C
Panjloo, S. See Misra, B. N., 2117C
Pao, P. S. See Grayson, M. A., 935P
Papaspyrides, C. D.
Solid-State Polyamidation of

Hexamethylenediammonium Adipate in the Presence of Acid Catalysts. I. Preparation of the Catalyst Containing Monomer, 363L
Papiere, E. See Zaghzi, N., 2393P
Papkov, V. S.
—; Svistunov, V. S.; Godovsky, Yu. K.; Zhdanov, A. A.: Kinetics of Mesophase Formation and Crystallization in Poly(diethylsiloxane), 1859P
Pappalardo, S.
—; Bottino, F.; Finocchiaro, P.; Mamo, A.: Novel Polyamides with Acyclic and Cyclic Bipyridinediyl Diamino Structures in the Polymer Backbone: Synthesis and Complexation with Transition Metals, 1793C
Pappas, S. P. See Hatada, K., 477L
Parazak, D. P. See Burkhardt, C. W., 209L
Pargada, L. See San Román, J., 203C
Park, J.-G. See Cho, I., 19L
Parker, J. A. See Achar, B. N., 443C
Parks, E. J. See Manders, W. F., 3469C
Patel, M.
—; Suthar, B.: Interpenetrating Polymer Networks from Castor Oil-based Polyurethanes and Poly(methyl methacrylate). V., 2251C
Pathmanathan, K.
—; Johari, G. P.: A Dielectric Study of Chain Motions in Poly(vinyl methyl ether), 379P
Patsiga, R. A. See Hedrick, J. L., 2289C
Paul, D. R. See Chiou, J. S., 1459P, 1699P; Maeda, Y., 957P, 981P, 1005P; Muruganandam, N., 1999P, 2315P
Review of *Handbook of Polyester Molding Compounds and Molding Technology*, Raymond W. Meyer, 463L
Paulaitis, M. E. See Wissinger, R. G., 2497P
Pavljuchenko, V. N. See Ivanchev, S. S., 47C
Pawlowski, W. P.
—; Gilbert, R. D.; Fornes, R. E.; Purrington, S. T.: The Thermotropic and Lyotropic Liquid-Crystalline Properties of Acetoacetoxypropyl Cellulose, 2293P
—; Sankar, S. S.; Gilbert, R. D.; Fornes, R. E.: Synthesis and Solid State ^{13}C-NMR Studies of Some Cellulose Derivatives, 3355C
Pearce, E. M. See Do, C. H., 2301C, 2409C; Whang, W. T., 171C
Review of *Mechanisms of Ionic Polymerization (Current Problems)*, B. L. Erusalimskii, 359L
Review of "New Commercial Polymers 2," Hans-George Elias and Friedrich Vohwinkel, 233L
Pearson, R. G.
—; Williams, E. L.: A Comparison of Heterogeneous and Homogeneous Kinetics in the Formation of a Polyurethane, 565C
Peat, I. R. See Clas, S.-D., 3105C; Schneider Willman, J. R., 857C
Peiffer, D. G. See Agarwal, P. K., 839P
—; Kim, M. W.; Schulz, D. N.: Associating Polymers in a Well-defined Extensional Flow Field: Influence of Solvent Quality and Polymer Concentration, 1615P
Pelter, M. W. See Taylor, R. T., 215L
Penczek, S. See Łapienis, G., 1729C
Peneva, S. K. See Schultz, J. M., 185P
Peng, L. See Oberberger, C. G., 2261C
Pepper, D. C. See Eromosele, I. C., 3499C
Percec, V. See Hahn, B., 783C; Hsu, C. S., 2425C, 2909C; Mühlbach, K., 2605C; Rodriguez-Parada, J. M., 2269C; Shaffer, T. D., 2755C; Tingerthal, J. M., 2043C
—; Nava, H.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. 25. Transformation of a Monotropic Mesophase into an Enantiotropic One by Increasing the Molecular Weight of the Polymer and by Copolymerization, 405C
—; Nava, H.; Jonsson, H.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. 24. The Influence of Molecular Weight on the Thermotropic Properties of a Random Copolyether Based on 1,5-Dibromopentane, 1,7-Dibromoheptane, and 4,4′-Dihydroxy-α-methylstilbene, 1943C
—; Tingerthal, J. M.: Synthesis of Aromatic Polyethers Containing 2,6(7)-Dihydroxy [1,3,5(6),7(8)-tetramethylanthracene] Units, 2577C
Pérez, E.
—; Vanderhart, D. L.: Morphological Partitioning of Chain Ends and Methyl Branches in Melt-crystallized Polyethylene by ^{13}C-NMR, 1637P
Perez, J. See Cavaille, J. Y., 1235P, 1847P
Peterlin, A.
Review of "Failure of Plastics," Witold Brostow and Roger Corneliussen, 266L
Petermann, J.
—; Rieck, U.: Morphologies and Mechanical Properties of Pet Films Crystallized under High Strain Rates, 279P
Petit, M. A.
—; Soum, A. H.; Leclerc, M.; Prud'homme, R. E.: Properties of Iodine Complexes of Monosubstituted Polyacetylenes, 423P
Phillips, P. J.
—; Rensch, G. J.; Taylor, K. D.: Crystallization Studies of Poly(ε-caprolactone). I. Morphology and Kinetics, 1725P
Picci, N. See Bertini, V., 2665C
Pichot, C. See Glukhikh, V., 1127C
Pietrasanta, Y. See Boutevin, B., 3025C
Pietrzak, J. See Andrzejewska, E., 3363C
Pijpers, A. J. See Froehling, P. E., 947P
Pitt, C. G.
—; Gu, Z.-W.; Ingram, P.; Hendren, R. W.: The Synthesis of Biodegradable Polymers With Functional Side Chains, 955C
Pitts, J. R. See Webb, J. D., 3395C
Platzer, N.
Review of "Advanced Thermoset Composites: Industrial and Commercial Applications," James M. Margolis, Ed., 48L
Review of *Capillary Liquid Chromatography*, B. G. Belen'kii, E. S. Gankina, and V. C. Mal'tsev, 463L
Review of "Computer Aided Design of Plasticating Screws—Programs in Fortran and Basic," Natti S. Rao, 139L
Review of *Elektrisch Leitende Kunststoffe*, Hans J. Mair and Siegmar Roth, 401L
Review of "Encyclopedia of Polymer Science and Engineering," Mark, Bikales, Overberger, and Menges, 88L
Review of "Encyclopedia of Polymer Science and Engineering, second edition, Volume 6," Mark, Bikales, Overberger, and Menges, 268L
Review of "Isospecific Polymerization of Olefins —with Heterogeneous Ziegler-Natta Catalysts," Y. V. Kissin, 50L
Review of "Oil Economists' Handbook-4th edition," Gilbert Jenkins, 267L
Review of "Olefin Metathesis and Ring-opening Polymerization of Cycloolefins," V. Dragutan, A. T. Balabar, and M. Dimonie, 84L
Review of "Polyvinyl Chloride Stabilization," Jerzy Wypych, 85L
Review of *Reaction Injection Molding Machinery and Processes*, F. Melvin Sweeney, 464L
Pocci, M. See Bertini, V., 2665C
Poehlein, G. W. See Chern, C.-S., 617C
Policastro, P. P.
—; Hernandez, P. K.: Synthesis of New Polydimethylsiloxane-Polyamide Copolymers from Phenylene-bis-5-Oxazolones and Aminopropyl-Terminated Polydimethylsiloxane Oligomers, 2819C
Pollock, L. See Chen, C. R., 127C
Ponrathnam, S. See Rajan, C. R., 73L
Popli, R.
—; Mandelkern, L.: Influence of Structural and Morphological Factors on the Mechanical Properties of the Polyethylenes, 441P
Porter, R. S. See Beckman, E., 1511P
Review of "Morphology of Polymers, B. Sedlacek, Ed., 267L
Review of *Polymer Products Design Materials and Processing*, David H. Morton-Jones and John W. Ellis, 359L

Pramanik, P. See Akhter, Md. A., 339P
Preston, J. See Krigbaum, W. R., 653C, 1043P
Prokopchuk, N. R.
—; Matusevich, Yu. I.; Krul, L. P.: Stabilized Polyethylenetherephthalate Strength, 503L
Provotorova, N. P. See Janout, V., 3489C
Prud'homme, R. E. See Lavallée, C., 1315C; Petit, M. A., 423P; Zhang, H., 723P
Puglisi, C. See Montaudo, G., 475C, 1653C
Puiggali, J.
—; Muñoz-Guerra, S.: Crystal Structure of Nylons 2/3/3 and 1,3, 513P
—; Munoz-Guerra, S.; Subirana, J. A.: Synthesis and Structural Data of Nylon 1,4, 1445C
Purrington, S. T. See Pawlowski, W. P., 2293P

Quan, X.
Investigation of the Short-Range Coherence Length in Polymer Composites Below the Conductive Percolation Threshold, 1557P
—; Gancarz, I.; Koberstein, J. T.; Wignall, G. D.: Observation of Single-Chain Scattering from Homopolymer Blended with a Triblock Copolymer, 641P
—; Koberstein, J. T.: Theoretical Aspects of Small-angle Neutron Scattering from Multiphase Polymers, 1381P
Quirk, R. P.
—; McFay, D.: Erratum to "Solvation of Polymeric Organolithium Compounds. Heats of Interaction and Tetrahydrofurans and *N, N, N, N*-Tetramethylethylenediamine (TMEDA) with Poly(butadienyl) Lithium," 743C

Radhakrishnan, K. See Rajan, C. R., 73L
Radic, D. See Diaz, F. R., 1445C, 1449C
Raghava, R. S.
Role of Matrix-Particle Interface Adhesion on Fracture Toughness of Dual Phase Epoxy-Polyethersulfone Blend, 1017P
Rahl, F. J. See Reimschuessel, H. K., 1871C
Rahman, A. See Okieimen, E. F., 57L
Rajalingam, P. See Kishore, K., 1545C
Rajan, C. R.
—; Srinivas, Y. S.; Ponrathnam, S.; Radhakrishnan, K.; Nayak, U. V.: Hydrophobic Effects in the Copolymerization of Methacrylic Acid with Acrylamide, 73L
Rajendran, V.
—; Nanjan, M. J.: Synthesis and Characterization of Certain Aromatic Azopolyamides, 829C
Rakvin, B. See Andreis, M., 1709P
Ramakrishnan, S.
—; Chien, J. C. W.: Phenyl Thiazyl Compounds: Synthesis and Electrical Conductivity, 1433C
Ramharack, R.
—; Nguyen, T. H.: Fluoropolymers of Very Low Surface Energies, 93L
Rao, B. S.
—; Murthy, M. R.: Electron Spin Resonance and UV Absorption of Irradiated Poly(vinyl alcohol), 1897P
Rao, K. V. C. See Scariah, K. J., 2675C
Rao, M. V. R. See Atreyi, M., 249L
Rasmussen, J. K. See Katritzky, A. R., 311C, 3205C
Rasulov, N. See Mamedova, S. G., 711C
Ratto, J. A.
—; Inglefield, P. T.; Rutowski, R. A.; Li, K.-L.; Jones, A. A.; Roy, A. K.: A Comparison of Spin Relaxation and Local Motion Between Symmetrically and Asymmetrically Ring-substituted Bisphenol Units in Dissolved Polycarbonates, 1419P
Ratto, J. J. See Dully, J. H., 1187C
Rebenfeld, L.
Review of "Applied Fibre Science, Volume 3," F. Happey, Ed., 49L
Reddy, T. A.
—; Srinivasan, M.: Preparation and Properties of Some Cardopolyamides Containing Phen-oxathiin-10,10-dioxide and Phenoxaphosphine Units, 2327C
—; Srinivasan, M.: Synthesis and Characterization of Polyesters Containing Heterocyclic Thiaxanthone Units, 2987C
Ree, M.
—; Kyu, T.; Stein, R. S.: Quantitative Small-Angle Light-Scattering Studies of the Melting and Crystallization of LLDPE/LDPE Blends, 105P
Reents, Jr., W. D.
Review of "Mass Spectroscopy, Second Edition," H. E. Dickworth, R. C. Barber, and V. S. Venkatasubramanian, 265L
Reimschuessel, H. K. See Do, C. H., 2301C, 2409C
—; Rahl, F. J.: Ethylene–Chlorotrifluoroethylene Copolymers. I. Synthesis and Evaluation of Compositions Resistant to Thermal Stress Cracking, 1871C
Reiner, A.
Review of "New Trends in the Photochemistry of Polymers," Norman S. Allen and Jan F. Rabek, Eds., 138L
Reiser, A. See Liang, R-C., 451C
Rensch, G. J. See Phillips, P. J., 1725P
Rho, M.-K. See Bánhegyi, G., 57P
Riande, E. See Guzman, J., 365C
—; Guzmán, J.; de la Campa, J. G.; de Abajo, J.: Conformational Characteristics of Aromatic Polyesters: Comparative Study of the Polarity of Poly(propyleneglycol terephthalate) and Poly(ethyleneglycol terephthalate), 2403P
Rieck, U. See Petermann, J., 279P
Robbins, A. F. See Klun, T. P., 87C
Robeson, L. M. See Harris, J. E., 311P
Rodriguez-Parada, J. M. See Hsu, C. S., 2425C
—; Percec, V.: Synthesis and Characterization of Liquid Crystalline Poly(*N*-acylethyleneimine)s, 2269C
Rogers, H. G. See Gaudiana, R. A., 1249C; Sinta, R., 11L
Rolla, P. A. See Carlini, C., 1253P
Roth, P. G.
—; Boerio, F. J.: Surface-enhanced Raman Scattering from Poly(4-vinyl pyridine), 1923P
Roviello, A. See Capasso, R., 2431P
Roy, A. K. See Ratto, J. A., 1419P
Roylance, D. K. See Buckley, L. I., 2179P
Ruan, J. Z.
—; Litt, M. H.: Electronic Properties of the Linear Ladder Polymer, Poly[4-(3-Pyridyl), 8-Methyl, 2,3-6,7-Quinolino] (PPMQ), 285C
—; Litt, M. H.: Synthesis and Characterization of Poly[3,5-(3-Pyridyl Methenyl)-2,6-Diaminotoluene] and Its Condensation Product, Poly[4-(3-Pyridyl), 8-Methyl, 2,3-6,7-Quinolino], 299C
Rudin, A. See Grinshpun, V., 437C
Rughooputh, S. D. D. V.
—; Hotta, S.; Heeger, A. J.; Wudl, F.: Chromism of Soluble Polythienylenes, 1071P
Russell, K. E. See Clas, S.-D., 1057P, 3105C
Russell, T. P. See Gobbi, G. C., 61L
—; Brown, H. R.; Grubb, D. T.: X-ray Studies on the Deformation of an Aromatic Polyimide, 1129P
Rutkowska, M. See Tannenbaum, R., 663P
Rutowski, R. A. See Ratto, J. A., 1419P
Ryu, S.-C. See Jin, J.-I., 241C
Rzaev, Z. M. See Mamedova, S. G., 711C

Sagu, M. L.
—; Bhattacharyya, K. K.: Radiation-induced Copolymerization of Trioxane: Reactivities of Some Cyclic Ether Comonomers, 3423C
Saha, S. K.
—; Chaudhuri, A. K.: Kinetic Studies of Nonaqueous Polymerization of Methyl Methacrylate Initiated by Ferric Laurate-*n*-Hexyl Amine System, 519C

Said, M. A. See Balik, C. M., 817P
Saita, S. See Nishikubo, T., 1339C, 3049C
Saito, H.
—; Inoue, T.: Chain Orientation and Intrinsic Anisotropy in Birefringence-free Polymer Blends, 1629P
Saito, N. See Hashimoto, T., 1073C
Saito, S. See Hasegawa, M., 3117C, 3231C; Konno, M., 223C
Saiz, E. See Andrady, A. L., 1935P
Theoretical Analysis of Conformational Energies, Unperturbed Dimensions, and Dipole Moments of Poly(dichlorophosphazene), 1565P
Sakaguchi, M.
—; Kinpara, H.; Hori, Y.; Shimada, S.; Kashiwabara, H.: Ionic Species Produced by Mechanical Fracture of Solid Polymer. III. Anions from Polytetrafluoroethylene, 1431P
Salamone, J. C. See Neculescu, C., 201L
Salem, D. R.
Shifts of X-ray Diffraction Reflections of Polycaproamide (Nylon 6) Owing to Small Crystal Size, 2561P
—; Moore, R. A. F.; Weigmann, H.-D.: Macromolecular Order in Spin-Oriented Nylon 6 (Polycaproamide) Fibers, 567P
Sankar, S. S. See Pawlowski, W. P., 3355C
San Román, J.
—; Madruga, E. L.; Pargada, L.: Synthesis and Microstructure of Polymers from *o*-Methacryloyloxybenzoic Acid, 203C
Santappa, M. See Devarajan, R., 3183C
Sanui, K. See Yahagi, I., 727C
Sasakawa, T. See Subramaniam, P., 1463C
Sasaki, S.
—; Hasuda, Y.: Polymers Derived from Bis(4-Hydroxyphthalimide)s, I Preparation and Properties of Bis(4-Hydroxyphthalimide)s, 377L
Sato, H. See Takenake, M., 2165P
Sato, K. See Takenake, M., 2165P
Sato, T.
—; Inui, S.; Tanaka, H.; Ota, T.; Kamachi, M.; Tanaka, K.: Kinetic and ESR Studies on the Radical Polymerization of Di-*n*-butyl Itaconate in Benzene, 637C
—; Norisuye, T.; Fujita, H.: Second and Third Virial Coefficients for Binary Polystyrene Mixtures in Benzene, 1P
Satoh, T. See Inubushi, S., 137C, 1363C
Sauer, T. H.
—; Wendorff, J. H.; Zimmermann, H. J.: Thermotropic Rigid-chain Copolymers: X-ray Investigations of the Structure, 2471P
Sawamoto, M. See Hashimoto, T., 1073C, 2827C
—; Takeuchi, E.; Hashimoto, T.; Higashimura, T.: Selective Vinyl Cationic Polymerization of Monomers with Two Cationically Polymerizable Groups. III. 2-Vinyloxyethyl Glycidyl Ether: An Epoxy-Functionalized Vinyl Ether, 2717C
Scammell-Bullock, M. V. See Clas, S.-D., 3105C
Scamporrino, E. See Montaudo, G., 475C, 1653C
Scaria, P. V. See Atreyi, M., 249L
Scariah, K. J.
—; Krishnamurthy, V. N.; Rao, K. V. C.; Srinivasan, M.: Synthesis and Properties of New Polybenzimidazoles and *N*-Phenyl Polybenzimidazoles with Flexibilizing Spacers on the Polymer Backbone, 2675C
Schiavone, R. J. See Tomono, T., 2963C
Schick, M. J.
Review of "Handbook of Lipid Research 4—The Physical Chemistry of Lipids," Donald M. Small, 861L
Schlecht, M. F.
Review of "Macromolecular Syntheses," J. A. Moore, Ed., 137L
Schmit, C. See Cohen-Addad, J. P., 487L
Schneider Willman, J. R.
—; Peat, I. R.: ^{13}C-NMR Study of Chlorinated Ethylene–Vinyl Acetate Copolymers, 857C
Schultz, J. See Zaghzi, N., 2393P
Schultz, J. M. See McAlea, K. P., 651P
—; Peneva, S. K.: RHEED Investigation of Thin Tin Films on Polypropylene, 185P
Schulz, D. N. See Peiffer, D. G., 1615P
Schulze, G. E. W.
—; Willers, R.: Chord Intercepts in the Two-Dimensional Cell Model, 1311P
Scully, A. D. See Ghiggino, K. P., 1619C
Šehović, H.
—; Sendijarević, A.; Sendijarević, V.; Frisch, K. C.: Studies in the Formation of Poly(oxazolidones). II. Selectivity of Catalysts and Kinetics in the Synthesis of 2-Oxazolidone from Butyl Isocyanate and Phenylglycidyl Ether, 2729C
Seki, I. See Ishiwatari, T., 263P
Sellen, D. B.
Laser Light Scattering Study of Polyacrylamide Gels, 699P
Semlyen, J. A. See Fyvie, T. J., 2503C
Semsarzadeh, M. A.
Interpenetrating Network of Metal Polymer Composites (INMPC) of Polycarbonate, 447L
Sen, D.
—; Maiti, M. M.; Maiti, S.: Structure Property Correlation in Crosslinkable Copolyimides, 551C
Sendijarević, A. See Šehović, H., 2729C
—; Sendijarević, V.; Frisch, K. C.: Studies in the Formation of Poly(oxazolidones) I. Kinetics and Mechanism of the Model Oxazolidone Formation from Phenyl Isocyanate and Phenylglycidyl Ether. Selectivity of Catalysts, 151C
Sendijarević, V. See Sendijarević, A., 151C; Šehović, H., 2729C
Senoh, S. See Itoh, Y., 745C, 1383C, 2871C
Serafini, T. T. See Garcia, D., 2275P
Sergeeva, L. M. See Lipatov, Yu. S., 43P
Seurin, M. J. See Ambrosino, S., 351L
Shaffer, O. L.
—; Dimonie, V. L.; El-Aasser, M. S.; Vanderhoff, J. W.: A Polymer Thin-film Technique to Study the Micromorphology of Core/Shell Latexes, 2595C
Shaffer, T. D.
—; Percec, V.: Functional Polymers and Sequential Copolymers by Phase Transfer Catalysis. XXVI. Synthesis and Characterization of Thermotropic Liquid Crystalline Polypodants, 2755C
Shah, V. M. See Stern, S. A., 1263P
Shalaby, S. W. See Kafrawy, A., 2629C
Shanahan, M. E. R. See Zaghzi, N., 2393P
Sharma, G. K. See Shukla, J. S., 595C
Shibano, M. See Takagishi, T., 2585C
Shilov, V. V. See Lipatov, Yu. S., 43P
Shimada, S. See Sakaguchi, M., 1431P
Shimamoto, K. See Shinkai, S., 495L
Shimbo, M. See Ochi, M., 1817P
Shimizu, K. See Konno, M., 223C
Shimizu, M.-A.
—; Kakimoto, M.-A.; Imai, Y.: Synthesis and Characterization of Fluorine-containing Aromatic Polyethers from Tetrafluoroisophthalonitrile and Bisphenols, 2385C
Shinkai, S.
—; Shimamoto, K.; Nakamura, S.; Manabe, O.; Kajiyama, T.: Thermocontrol of Electron Transport through Ternary Composite Membranes Composed of Polymer/Liquid Crystal/Electron Carriers, 495L
Shinohara, K. See Yamaguchi, H., 2281C
Shintani, N. See Abe, Y., 1671C
Shirai, H. See Hanabusa, K., 345L; Ito, H., 413L
Shirai, M.
—; Ishida, H.; Tanaka, M.: Syntheses and Cation Binding Properties of Polymers Bearing Benzodiglymes and Cinnamoyl Units, 145L

—; Ueda, A.; Tanaka, M.: Alkali Cation Binding of Polymers with Different Sized Crown Ethers and Photodimerizable Units, 1811C
Shiraki, K. See Fukutomi, T., 175L; Ishizu, K., 131L
Shufan, Z. See Krigbaum, W. R., 653C, 1043P
Shukla, J. S.
—; Sharma, G. K.: Graft Copolymerization of Methyl Methacrylate onto Wool Initiated by Ceric Ammonium Nitrate-Thioglycolic Acid Redox Couple in Presence of Air. IV, 595C
Sideridou-Karayannidou, I. See Karayannidis, G. P., 2335C
Silvestre, C.
—; Cimmino, S.; Karasz, F. E.; MacKnight, W. J.: Crystallization, Thermal Behavior, and Compatibility in Isotactic Polystyrene/Poly(*o*-chlorostyrene-co-*p*-chlorostyrene) Blends, 2531P
Silvestri, R. See Gobbi, G. C., 61L
Simionescu, B. C.
—; Ioan, S.; Simionescu, C. I.: Solution Properties of Ultrahigh Molecular Weight Polymers. VII. Conformational Characteristics of Poly(butyl methacrylate), 829P
Simionescu, C. I. See Simionescu, B. C., 829P
Simmons, A.
—; Natansohn, A.; Eisenberg, A.: NMR Studies of Ionomers. 3. Synthesis and Microstructure of Poly(ethyl acrylate-co-lithium acrylate), 2221C
Simon, F. E. See Brady, R. F., Jr., 231C
Singh, B. C. See Mohanty, A. K., 2107C
Singh, R. P. See Lacoste, J., 2799C
Sinsky, M. S. See Connell, J. W., 2531C
Sinta, R. See Gaudiana, R. A., 1249C
—; Minns, R. A.; Gaudiana, R. A.; Rogers, H. G.: Soluble, Amorphous, Para-linked Aromatic Polyesters, 11L
Siove, A. See Cansell, F., 675C
Sirigu, A. See Capasso, R., 2431P
Sitkowska, J. See Florjańczyk, Z., 343C
Sixou, P. See Ambrosino, S., 351L
Skeist, I.
Review of "Plywood and Adhesive Technology," Terry Sellers, Jr., 84L
Review of "Structural Adhesives: Chemistry and Technology," S. R. Hartshorn, Ed., 137L
Review of "Structural Adhesives: Chemistry and Technology," S. R. Hartshorn, Ed., 264L
Slutsker, L. I.
Morphological Heterogeneity of Polymer Fibers Which Do Not Reveal Small-Angle X-Ray Reflections, 525P
Smit, J. A. M. See Van Dijk, J. A. P. P., 149P
Smith, C. A. See Mathias, L. J., 2699C
Smith, P. D. See Freeman, J. W., 2063C
Snyder, W. H. See Lei, G. Y., 607C
Soares, B. G. See De Souza Gomes, A., 353C
—; De Souza Gomes, A.: Polymerization of Styrene in the Liquid Sulfur Dioxide-*m*-Chloroperbenzoic Acid System: The Effect of the Formation of the Mixed Anhydride, 1105C
Sohma, J. See Ohno, M., 1273C
Sone, Y. See Tsubokawa, N., 935C
Song, K.-H.
—; Urano, A.; Tsunooka, M.; Tanaka, M.: Crosslinking of 2,3-Epoxypropyl Methacrylate Copolymer Films by the Use of Photochemically Produced Pendent Amino Groups, 417L
Sonogashira, K. See Yamaguchi, H., 2281C
Sooriyakumaran, R. See Miller, R. D., 111C, 321L
Sormunen, P. See Vähäsarja, E., 3241C
Soum, A. H. See Petit, M. A., 423P
Spassky, N. See Lavallée, C., 1315C
Spathis, G.
—; Kontou, E.; Theocaris, P. S.: Structural Changes in Glassy Polymers Studied by Thermal Analysis and Dynamic Mechanical Tests, 1285C
Spevacek, J. A. See McHugh, A. J., 105L
Srinivas, Y. S. See Rajan, C. R., 73L
Srinivasan, G. See Chaudhari, S. N. K., 337C
Srinivasan, M. See Reddy, T. A., 2327C, 2987C; Scariah, K. J., 2675C; Subramaniam, P., 1463C;
Stein, R. S. See Hu, S.-R., 71P; Kyu, T., 89P; Ree, M., 105P
Stern, S. A.
—; Shah, V. M.; Hardy, B. J.: Structure-Permeability Relationships in Silicone Polymers, 1263P
Stolka, M.
—; Yuh, H.-J.; McGrane, K.; Pai, D. M.: Hole Transport in Organic Polymers with Silicon Backbone (Polysilylenes), 823C
Strobel, M.
—; Corn, S.; Lyons, C. S.; Korba, G. A.: Plasma Fluorination of Polyolefins, 1295C
—; Thomas, P. A.; Lyons, C. S.: Plasma Fluorination of Polystyrene, 3343C
Styrikovitch, N. M. See Enikolopian, N. S., 1203P
Subrahmanyam, H. N.
—; Subramanyam, S. V.: Thermal Expansion of Irradiated Polytetrafluoroethylene, 1549P
Subramaniam, P.
—; Sasakawa, T.; Ikeda, T.; Tazuke, S.; Srinivasan, M.: Synthesis and Electrical Conductivity of Polymers Containing *trans*-1,2-Bis(9-Carbazolyl) Cyclobutane Units, 1463C
Subramanyam, S. V. See Subrahmanyam, H. N., 1549P
Suda, H. See Kanoh, S., 1603C
Suga, K. See Endo, T., 3039C
Sumino, T. See Kanoh, S., 1603C
Sun, C.-C.
—; Mark, J. E.: In-Situ Generation of Reinforcement in Polyisobutylene Networks, 1561P
—; Mark, J. E.: The Effect of Network Chain-length Distribution, Specifically Bimodality, on Strain-induced Crystallization, 2073P
Sun, C. K. J.
—; Maa, Y. F.; Chen, S. H.: Translational Diffusion of Relatively Short Polystyrene Chains in Cyclohexane. II. An Interpretation of Hydrodynamic Radius with Freely Jointed Chain Model, 1473P
Surendran, G.
—; Gazicki, M.; James, W. J.; Yasuda, H.: Polymerization of *Para*-xylylene Derivatives (Parylene Polymerization). IV. Effects of the Sublimation Rate of Di-*p*-xylylene on the Morphology and Crystallinity of Parylene N Deposited at Different Temperatures, 1481C
—; Gazicki, M.; James, W. J.; Yasuda, H.: Polymerization of *Para*-xylylene Derivatives. V. Effects of the Sublimation Rate of Di-*p*-xylylene on the Crystallinity of Parylene C Deposited at Different Temperatures, 2089C
Surgi, M. R.
—; Hodgeson, J. A.: The Measurement of Ozone Permeability in Silicone Polycarbonate Copolymers Using 10,10'-Dimethyl-9,9'-Biacridylidene as an Optical Probe, 2207C
Suthar, B. See Patel, M., 2251C
Suwanda, D. See Balke, S. T., 313L
Suzuki, K. See Inagaki, N., 1633C
Suzuki, S. See Hayase, S., 753C
Suzuki, T. See Aoki, H., 369P
Svistunov, V. S. See Papkov, V. S., 1859P

Tada, H.
—; Fujino, K.; Kawahara, H.: Ion Conductivity of Poly(ethylene oxide)-based Polyurethane Networks Containing Alkali Metal Salts, 3015C
—; Yano, Y.-I.; Fujino, K.; Kawahara, H.: Relationship between Ion Conductivity and Morphology of Complexes Formed from

Poly(ethylene Oxide) and Potassium Thiocyanate, 1745C
Tagawa, H. See Nagura, M., 2567P
Tagle, L. H. See Diaz, F. R., 1445C, 1449C
Tajima, H.
—; Masuda, T.; Higashimura, T.: Polymerization of Silylacetylenes by W and Mo Catalysts, 2033C
Tajima, I.
—; Yamamoto, M.: Characterization of Plasma Polymers from Tetramethylsilane, Octamethylcyclotetrasiloxane, and Methyltrimethoxysilane, 1737C
Takagishi, T.
—; Matsui, N.: Effects of Added Metal Ions on the Interaction between Polyvinylpyrrolidone and Azo Dyes Carrying Hydroxyl Groups, 2511C
—; Shibano, M.; Lim, Y. J.: Binding of Methyl Orange and Its Homologs by Powdered Nylon 612: Peculiar Temperature Dependence on the Binding, 2585C
Takahashi, M. See Nishikubo, T., 2931C
Takahashi, S.-I.
—; Fujimoto, T.; Miyamoto, T.; Inagaki, H.: Relationship between Distribution of Substituents and Water Solubility of O-Methyl Cellulose, 987C
Takahashi, Y.
—; Nakagawa, Y.; Miyaji, H.; Asai, K.: Direct Evidence for Ferroelectric Switching in Poly(vinylidene Fluoride) and Poly(vinylidene Fluoride-trifluoroethylene) Crystals, 153L
Takai, M.
—; Fukuda, K.; Hayashi, J.: ^{13}C NMR Study of Cellulose Triacetate in the Solid State, 121L
Takehara, E. See Nishikubo, T., 3049C
Takei, M. See Kamogawa, H., 967C
Takemoto, K. See Miyata, M., 389L; Tsutsumi, H., 3079C
Takenaka, M.
—; Yamanobe, T.; Komoto, T.; Ando, I.; Sato, H.; Sato, K.: Proton NMR Relaxation and Molecular Motion of Long-chain Cyclic Paraffins in the Solid State, 2165P
Takeoka, S. See Ohno, H., 2737C
Takeuchi, E. See Sawamoto, M., 2717C
Takeuchi, K. See Hirai, H., 181L
Takigami, S.
—; Kobayashi, F.; Nakamura, Y.: Reverse Osmosis and Fine Structure of Decrystallized Acrylic Acid Grafted Nylon 6 Membranes, 63C
Takizawa, A. See Tsujita, Y., 415P, 1041C
Tamura, K. See Nakamura, Y., 127L
Tan, L. See Haken, J. K., 1451C
Tan, L.-S.
—; Arnold, F. E.: Benzocyclobutene in Polymer Synthesis. II. Solid State Diels–Alder Polymerization Utilizing an *in situ* Generated Diene and an Alkyne, 3159C
Tan, T. C. See Kang, E. T., 2143C
Tanaka, H. See Sato, T., 637C
Tanaka, K. See Ito, M., 2127P; Sato, T., 637C
Tanaka, M. See Shirai, M., 145L, 1811C; Song, K.-H., 417L; Tsunooka, M., 3173C
Tannenbaum, R.
—; Flenniken, C. L.; Goldberg, E. P.: The Solid-State Decomposition and Oxidation of Dicobaltoctacarbonyl in a Polymer Matrix, 1341P
—; Rutkowska, M.; Eisenberg, A.: Ionometric Blends. V. FTIR Studies of Ionic Interactions in Polyurethane-Styrene Blends, 663P
Tano, Y. See Inagaki, N., 1197C
Tanzer, J. D. See Crist, B., 545P
Tarr, R. D. See Katritzky, A. R., 3205C
Taylor, K. D. See Phillips, P. J., 1725P
Taylor, L. D. See Gaudiana, R. A., 1249C
Taylor, L. T. See Boggess, R. K., 685C
Taylor, R. C.
Review of "Structure and Bonding, Vol. 62-CLUSTERS," F. A. Cotton, G. Gliemann, G. Schmid, R. A. Walton and H. Yersin, 49L
Taylor, R. T.
—; Pelter, M. W.: The Reaction of Chlorofluoropolymers with Sulfur Nucleophiles, 215L
Tazuke, S. See Inubushi, S., 137C, 1363C; Subramaniam, P., 1463C
Tekely, P.
—; Vignon, M. R.: Proton T_1 and T_2 Relaxation Times of Wood Components Using ^{13}C CP/MAS NMR, 257L
Ten Bosch, A. See Ambrosino, S., 351L
Terada, T. See Matsumoto, A., 775C
Teshirogi, T.
Aliphatic Polyimides from Phenylene Bis(Succinic Anhydride) and Bis(glutaric anhydride), 31C
Tesoro, G.
Review of "Combustion of Polymer Materials," R. M. Aseeva and G. E. Zaikov, 83L
Theocaris, P. S. See Spathis, G., 1285C
Thirion, P.
—; Monnerie, L.: Response of Polyisoprene and Polybutadiene Vulcanisates to Double-Step Retractions: Analysis by a Disengagement Process of Pendant Chains, 1033P
Thomas, E. L. See Cohen, Y., 1607P
Thomas, P. A. See Strobel, M., 3343C
Tiba, O.
—; Overberger, C. G.: Polymerization and Conformational Studies of Poly(*trans*-3-ethyl-D and L-proline), 2941C
—; Overberger, C. G.: Synthesis, Separation, and Resolution of *cis*- and *trans*-3-Ethylproline, 3437C
Till, C. See Munro, H. S., 1065C
Tingerthal, J. M. See Percec, V., 2577C
—; Nava, H.; Percec, V.: Synthesis and Characterization of ABA Triblock Copolymers Containing Poly(2,6-dimethyl-1,4-phenylene oxide) as A Blocks and Tetramethyl Bisphenol-A Polysulfone as B Blocks, 2043C
Tirrell, D. A. See Jones, S. A., 3177C
Toda, H. See Kawakami, Y., 3191C
Todesco, R. V. See Kamat, P. V., 1035C
Tokairin, A. See Nishikubo, T., 2931C
Tolkatchev, V. A. See Bagryansky, V. A., 581C
Tombari, E. See Carlini, C., 1253P
Tomoi, M.
—; Arita, Y.; Kakiuchi, H.: Polymer-Supported Bases. 7. Nucleophilic Acyl Rearrangements Catalyzed by Polymer-Supported Aminopyridine or Imidazole Bases, 2455C
—; Goto, M.; Kakiuchi, H.: Polymer-supported Bases. 5. Acetylation of Linalool with Acetic Anhydride Using Dialkylaminopyridines Attached by Spacer Chains to Polystyrene Resins, 77C
Tomono, T.
—; Schiavone, R. J.; Overberger, C. G.: Synthesis and Esterolytic Reactions of Linear and Cross-linked Asymmetric Imidazole-containing Polymers, 2963C
Toncheva, V. D. See Velichkova, R. S., 3283C
Tonelli, A. E.
—; Bowmer, T. N.: C—Cl Stretching Vibrations in Ethylene-Vinyl Chloride Copolymers, 1153P
Treloar, L. R. G. See Mohsin, M. A., 2113P
Trumbo, D. L.
—; Abbey, K. J.; Carlson, G. M.: Synthesis and Copolymerization of 2,2-Dimethyl-4-Methylene Glutaric Anhydride, 229L
—; Marvel, C. S.: Polymerization Using Palladium (II) Salts. III. Polymerization of 4-Bromo-4′-Ethynyl Biphenyl, 839C
—; Marvel, C. S.: Synthesis of Acetylene-Terminated Polymers Using Supported Palladium (II) Catalysts, 847C
—; Marvel, C. S.: Polymerization of Phenylacetylene Using Palladium (II) Catalysts, 1027C

Tsai, H.-B.
—; Lee, Y.-D.: Polyarylates(I): Investigation of the Interfacial Polycondensation Reaction by UV, 1505C
—; Lee, Y.-D.: Polyarylates. II. The Molecular Weight Distribution Measured by GPC, 1709C
—; Lee, Y.-D.: Polyarylates. III. Kinetic Studies of Interfacial Polycondensation, 2195C
—; Lee, Y.-D.: Polyarylates. IV. Synthesis of Block Copolymers Via Two-Step Interfacial Polycondensation, 3405C
Tsai, H.-H. See Hager, B. L., 387P
Tsay, F.-D.
—; Gupta, A.: Studies of Magnetic Resonance Phenomena in Polymers. II. Molecular Motions in Poly(methyl methacrylate) as Studied by Spin-Probe and Spin-Label Methods, 855P
Tseng, H.-S.
—; Lloyd, D. R.; Ward, T. C.: Interaction Parameters of Polystyrene-Polyisoprene-Toluene Systems at 45°C from Gel Permeation Chromatography, 325P
Tsubokawa, N.
Cationic Grafting from Carbon Black. VII. Grafting of Polyacetals by Cationic Ring-opening Polymerization of Trioxane and 1,3-Dioxalane Initiated by $CO^+ClO_4^-$ Groups on Carbon Black, 1979C
—; Ohshima, S.; Sone, Y.; Endo, T.: Cationic Ring-Opening Transfer Polymerization of Spiro Ortho Esters Initiated by Carbon Black, 935C
Tsuchida, E. See Nakada, M., 3429C; Ohno, H., 2737C
Tsujita, Y.
—; Iwakiri, K.; Kinoshita, T.; Takizawa, A.; MacKnight, W. J.: Miscibility and Volume Changes of Mixing in the Polystyrene/Poly(2-chlorostyrene) Blend System, 415P
—; Ojika, R.; Tsuzuki, K.; Takizawa, A.; Kinoshita, T.: Circular Dichroism of Copoly(γ-Stearyl-L-Glutamate-γ-Methyl-L-Glutamate), 1041C
Tsukada, M.
—; Nagura, M.; Ishikawa, H.: Structural Changes in Poly(L-Alanine) Induced by Heat Treatment, 1325P
Tsunooka, M. See Song, K.-H., 417L
—; Kawasaki, M.; Cha, Y.-S.; Tanaka, M.: Preparation of the Polymer Bearing Pendant Quinonoid Groups by UV Irradiation and Its Photocrosslinking, 3173C
Tsuruya, S.
—; Nakagawa, K.; Masai, M.: Catalysis of Copper(II) Chelate-Amine Complexes in the Oxidative Coupling of 2,6-Dialkylphenols, 995C
Tsutsumi, H. See Hanabusa, K., 345L
—; Miyata, M.; Takemoto, K.: Functional Monomers and Polymers. CXLVII. Inclusion Compounds of Poly(1,3-butadiyne) in Deoxycholic Acid and Apocholic Acid Canals: Synthesis and Characterization, 3079C
Tsutsumi, N. See Kiyotsukuri, T., 1591C
—; Yamamoto, M.; Nishijima, Y.: Proton NMR Relaxation and Molecular Motion of Long-chain Cyclic Paraffins of Long Chain Lengths in the Solid States, 2139P
Tsuzuki, K. See Tsujita, Y., 1041C
Tsuzuki, T. See Miyata, M., 389L
Tsvetanov, Ch. See Dotcheva, D., 3005C
Tucker, P. A. See Bober, H. L., 2025C
Tur, D. R. See Janout, V., 3489C
Turner, D. T. See Kalachandra, S., 697P, 1971P
Turro, N. J. See Arora, K. S., 243P, 259C

Ueda, A. See Shirai, M., 1811C
—; Nagai, S.: Block Copolymers Derived from Azobiscyanopentanoic Acid. V. Block Copolymerization Initiated with a Polyethylene Glycol Containing Scissile Azo Linkages in Its Main Chain, 3495C
Ueki, T. See Nagura, M., 2567P
Uematsu, G.-I. See Kitano, T., 979C
Urano, A. See Song, K.-H., 417L
Urata, Y. See Kojima, T., 437L
Uruji, T. See Kochi, M., 441L
Ute, K. See Hatada, K., 477L

Vähäsarja, E.
—; Pakkanen, T. T.; Pakkanen, T. A.; Iiskola, E.; Sormunen, P.: Modification of Olefin Polymerization Catalysts. I. Mechanism of the Interaction between $AlEt_3$ and Silyl Ethers, 3241C
Valero, M. See Vázquez, M. B., 719C, 1309C
Van Bogart, J. W. C. See Klun, T. P., 87C
Van De Mark, M. R.
—; Lian, N. D.; Brandon, M.; Eckstein, E. C.: The Interaction of Calcium with HEMA/MAA Copolymers, 327L
Vanderhart, D. L. See Pérez, E., 1637P
Vanderhoff, J. W. See Merkel, M. P., 1219C, 1755C; Shaffer, O. L., 2595C
Vanderschueren, J.
—; Linkens, A.; Niezette, J.: Effect of Doping on Thermoluminescence in Polymers. II. Polycarbonate Doped with Triphenyl Methane and Xanthene Dyes, 1537P
Van Dijk, J. A. P. P.
—; Varkevisser, F. A.; Smit, J. A. M.: A Study of Aqueous Solutions of Dextrans by Gel Permeation Chromatography Using a Multiple Detection System, 149P
Van Dyke, J. D. See Leung, W. M., 1825C
Varghese Dharumaraj, G. See Kishore, K., 1545C
Varkevisser, F. A. See Van Dijk, J. A. P. P., 149P
Varma, S. C. See Bevington, J. C., 1085C
Vázquez, M. B.
—; Goñi, I.; Gurruchaga, M.; Valero, M.; Guzmán, G. M.: Graft Polymerization of Acrylic Monomers onto Starch Fractions. IV. Effect of Reaction Time on the Grafting of Butyl Acrylate onto Amylose, 719C
—; Goni, I.; Gurruchaga, M.; Valero, M.; Guzmán, G. M.: Study of the Ceric Ion Behavior on the Initiation of Butyl Acrylate Polymerization onto Amylose, 1309C
Veksli, Z. See Andreis, M., 1709P
Velichkova, R. S.
—; Doicheva, J. B.; Panayotov, I. M.: Interaction of Triphenylmethyl Salts with Vinyl Ethers, 1569C
—; Gancheva, V. B.: Polymerization of Cyclic Acetals. I. Polymerization of 1,3,6-Trioxacyclooctane and Copolymerization with *p*-Methoxystyrene, 2561C
—; Toncheva, V. D.; Panayotov, I. M.: Macromonomers from Vinyl and Cyclic Monomers Prepared by Initiation with Stable Carbenium Salts, 3283C
Venkatraman, S. See Chan, C.-M., 1655P
Verdu, J. See Audouin-Jirackova, L., 1205C; Bellenger, V., 1219P
Vignon, M. R. See Tekely, P., 257L
Vinogradova, S. V. See Janout, V., 3489C
Vitalini, D. See Montaudo, G., 475C, 1653C
Vogl, O. See Ouchi, T., 279L
Volksen, W.
—; Cotts, P.; Yoon, D. Y.: Molecular Weight Dependence of Mechanical Properties of Poly(*p,p'*-oxydiphenylene pyromellitimide) Films, 2487P
von Meerwall, E.
—; Palunas, P.: The Effects of Polydispersity, Entanglements, and Crosslinks on Pulsed-gradient NMR Diffusion Experiments in Polymer Melts, 1439P

Vrahopoulou, E. P. See McHugh, A. J., 953P
Vuković, R.
—; Kurešević, V.; Fleš, D.: Alternating Copolymerization of β-Methylstyrene and Maleic Anhydride, 327C

Wada, M. See Hayase, S., 753C
Wada, Y. See Ashikaga, K., 223L
Wagener, K. B. See Abhiraman, A. S., 205P
Wakelyn, N. T. See Hergenrother, P. M., 1093C
Variation of Unit Cell Parameters of Poly(Arylene Ether Ether Ketone) Film with Annealing Temperature, 25L
Wakisaka, K. See Itoh, Y., 745C, 1383C
Waldbauer, R. O. See Connell, J. W., 2531C
Waltman, R. J. See Pacansky, J., 901P
Wang, C. H.
—; Liu, Q.-L.; Li, B. Y.: Brillouin Scattering of Oriented Films of Poly(vinylidene fluoride) and Poly(vinylidene fluoride)-Poly(methyl methacrylate) Blends, 485P
Wang, C.-H. See Dunlap, P. N., 2211P
Wang, L. See Mo, Z., 1829P
Wang, Z.
—; Yan, D.: Nonsteady-state Kinetics for Anionic Polymerization of Polar Monomer Initiated Instantaneously by Electron Transfer, 1491P
Ward, I. M. See Klein, P. G., 1359P; Nanayakkara, S. J., 1113P
Ward, T. C. See Tseng, H.-S., 325P
Watanabe, A. See Mori, K., 1L, 127L, 2893C; Nakamura, Y., 127L
Watanabe, J.
—; Ikeda, K.; Krigbaum, W. R.: Mesogenic Random Copolymers. II. Copolymers with One Flexible and Two Rigid Segments, 19P
—; Krigbaum, W. R.: Films Solidified from a Lyotropic Mesophase Which Retain the Cholesteric Structure, 173P
Watanabe, M. See Endo, T., 3039C; Yahagi, I., 727C
Watterson, A. C. See Neculescu, C., 201L
Webb, J. D.
—; Czanderna, A. W.; Pitts, J. R.: Copper Carboxylate Formation in the Thermal Oxidative Degradation of Atactic Polypropylene on Copper Oxide Films, 3395C
Weber, W. P. See Juengst, C. D., 1967C
Weigmann, H.-D. See Salem, D. R., 567P
Weir, N. A.
Photodegradation of Poly(vinylacetophenone). II. Short-Wave Photolysis, 191C
—; Whiting, K.: Studies of Poly(*ortho*-Acylstyrenes). I. Syntheses and Characterization, 3459C
Wendling, L. A. See Klun, T. P., 87C
Wendorff, J. H. See Sauer, T. H., 2471P
Whang, K.-M. See Cho, I., 19L
Whang, W. T.
—; Pearce, E. M.: Effects of Linking Groups in Fluorinated Aromatic Polyamides, 171C
White, J. E.
Synthesis of a New Thermally-Curable Elastomer via Regioselective Chlorination of a Polyimidosulfide, 1191C
Whiting, K. See Weir, N. A., 3459C
Wignall, G. D. See McAlea, K. P., 651P; Quan, X., 641P
Wilczek, L.
—; Kennedy, J. P.: Electrophilic Substitution of Organosilicon Compounds. II. Synthesis of Allyl-Terminated Polyisobutylenes by Quantitative Allylation of *tert*-Chloro-Polyisobutylenes with Allyltrimethylsilane, 3255C
Wiley, R. H.
Pyridine/Acetic Anhydride Initiated Polymerization of Some Heterocyclic Acids, 735C
Wilkinson, M. C. See Chainey, M., 505C
Willers, R. See Schulze, G. E. W., 1311P
Williams, D. J. See O'Gara, J. F., 1519P
Williams, E. L. See Pearson, R. G., 565C
Williams, G. See Attard, G. S., 1099P
Wilson, D. R. See Freeman, J. W., 2063C
Wissinger, R. G.
—; Paulaitis, M. E.: Swelling and Sorption in Polymer–CO_2 Mixtures at Elevated Pressures, 2497P
Wittman, J. C. See Lotz, B., 1079P
Wnek, G. E. See Buckley, L. I., 2179P
Wodarczyk, F. J. See Dully, J. H., 1187C
Wolf, B. A. See Cantow, M. J. R., 603P
Wolf, C. J. See Grayson, M. A., 31P, 935P
Woods, D. W. See Klein, P. G., 1359P
Wool, R. P. See McGarel, O. J., 2541P
Wu, J. See Hara, M., 1407P
Wu, S.
Entanglement between Dissimilar Chains in Compatible Polymer Blends: Poly(methyl Methacrylate) and Poly(vinylidene Fluoride), 557P
—; Entanglement, Friction, and Free Volume Between Dissimilar Chains in Compatible Polymer Blends, 2511P
Wu, Z. See Pan, C.-Y., 243L
Wudl, F. See Rughooputh, S. D. D. V., 1071P
Wunderlich, B. See Loufakis, K., 2345P

Xiao, C. D. See Lu, C. X., 3267C
Xiao, H. X. See Al-Salah, H. A., 2127C

Yacubowicz, J. See Benguigui, L., 127P
Yahagi, I.
—; Watanabe, M.; Sanui, K.; Ogata, N.: Preparation and Polarizing Microscopic Study of Poly(alkyl Acrylate-*g*-Polybenzamide)s, 727C
Yahiaoui, A. See Batich, C., 3479C
Yamaguchi, H.
—; Shinohara, K.; Sonogashira, K.; Yamaguchi, K.: Preparation and Characterization of Macroporous Polystyrene Resins Containing Ethynyl Groups and Transition Metal Acetylide Complexes, 2281C
Yamaguchi, K. See Yamaguchi, H., 2281C
Yamamoto, M. See Ashikaga, K., 223L,; Tajima, I., 1737C; Tsutsumi, N., 2139P
Yamamoto, O. See Matsumura, K., 2149P
Yamanobe, T. See Takenaka, M., 2165P
Yamashita, F.
—; Kwak, J. C. T.: Heat Capacity Measurements in Carboxylic Polyelectrolyte Solutions, 1395P
Yamashita, Y. See Kawakami, Y., 3191C
Yan, D. See Wang, Z., 1491P
Yanagihara, Y. See Kuzuya, M., 339L
Yanagishita, H. See Matsumura, K., 2149P
Yang, Y. See Lu, C. X., 2155C, 3267C
Yano, Y.-I. See Taka, H., 1745C
Yashima, E. See Okamoto, Y., 297L
Yasuda, H. See Surendran, G., 1481C, 2089C
Yeoh, O. H. See Lake, G. J., 1157P
Yi, M.-H. See Choi, S.-K., 2021C
Yokota, R. See Kochi, M., 441L
Yokozawa, T. See Endo, T., 2925C, 3039C
Yoon, D. Y. See Volksen, W., 2487P
Yoshida, K. See Kyotani, M., 501P
Yoshida, S. See Ishiwatari, T., 263P
Yoshimura, F. See Ohsaka, T., 395L
Yoshimura, T.
—; Masuda, T.; Higashimura, T.; Ishihara, T.: Errata: Polymerization of 1-(Pentafluorophenyl)-1-alkynes by Ta and Nb Catalysts, 2631C
Yoshizumi, M. See Ochi, M., 1817P
Youssef, B. See Boutevin, B., 3025C
Yuh, H.-J. See Stolka, M., 823C
Yuyama, H. See Ouchi, T., 279L

Zachariades, A. E. See Navard, P., 1089P
Zaghzi, N.
—; Carre, A.; Shanahan, M. E. R.; Papirer, E.;

Schultz, J.: A Study of Spontaneous Rubber/Metal Adhesion. I. The Rolling Cylinder Test, 2393P
Zamora, F. See Del Carmen Gonzalez, M., 4311L
Zang, Y. H. See Muller, R., 295P
Zeigler, J. M. See Harrah, L. A., 205L
Zhang, H. See Mo, Z., 1829P
—; Prud'homme, R. E.: Determination of the Thermodynamic Polymer–Polymer Interaction Parameter of Miscible Blends Prepared from Two Crystalline Polymers, 723P
Zhdanov, A. A. See Papkov, V. S., 1859P
Zimmermann, H. J. See Sauer, T. H., 2471P
Ziółkowski, A. See Florjańczyk, Z., 343C
Zlatkevich, L.
Influence of Experimental Conditions on Chemiluminescence from Polypropylene and ABS during Oxidation, 2207P
Żuk, A. See Andrzejewska, E., 3363C

Subject Index to Volume 25

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 25, 1987. The Edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

ABA triblock copolymers, 2043C
Acenaphthylene, polymerization, 15C
Acetals, photosensitive, 967C
Acetylenes, polymerization, 1181C
—, silicon-containing, 1353C
Acrylamide, 3479C
—, inverse emulsion polymerization, 1127C
Acrylic acid, 2369C
—, polymerization of, 1563C
Acrylic acid grafted nylon 6 membranes, 63C
Acrylic networks, 739C
Acrylonitrile, free radical solution polymerization, 1871L
Active esters, 3049C
—, polyfunctional, 1339C
Adamantane bromide-diethylaluminum chloride catalyst system, 3127C
Adhesion of rubber to steel, 2393P
Aggregation of polythienylenes, chromism in, 1071P
Aldehyde of oligomeric polyoxyethylene, 2447C
$AlEt_3$, 3241C
Alfrey–Price e value, 4071L
Aliphatic polyimides, 31C
Aliphatic polysulfides, thermal decomposition processes, 475C
Aliphatic tetracarboxylic dianhydride, 31C
Alkali cation binding, 1811C
n-Alkanes, ultra-long, electron microscopy of crystals of, 2409P
Alkyl amines, 4171L
Allylation, of *tert*-chloro-polyisobutylenes, 3255C
Allyltrimethylsilane, 3255C
N-(*p*-aminobenzoyl)caprolactam, 2699C
Aminopyridine, 2455C
Ampholytic polymers, thermal analysis, 2011L
Amylose, 1309C
—, graft polymerization, 719C
Anhydride(s), 2175C
—, cyclopolymerizability, 775C
Anionic polymerization, 231C, 2719C, 3005C
—, of polar monomer, non-steady state kinetics for, 1491P
Anionomers, polyurethane, 2127C
Apocholic acid canals, 3079C
Apparent reorientational activation energy of water molecules, 2149P
Aprotic polar solvents, 2543C
Aqueous solution, 2871C
Arbuzov reaction, 1967C
Argon laser photoresist, 1579C
Aromatic and aliphatic polyamides, 2699C
—, thermal decomposition, 1049C
Aromatic azopolyamides, synthesis, 829C
Aromatic block copolymers, 653C
Aromatic diacid chlorides, 2493C
Aromatic dialdehydes, 2335C
Aromatic diisocyanates, 2185C
Aromatic dipropynones, 2395C
Aromatic dithiols, 2395C
Aromatic polyamides, 653C, 1093C
Aromatization energy, 2791C
(L)-Aspartic acids, protected, 1409C
Asymmetric polymerization, 1603C
H-atom abstraction, 581C
Azide polymers, 1197C
Azo dyes, 2511C
Azobiscyanopentanoic acid, 3495C

Benzaldehyde derivative, 2447C
p-Benzenedithiol (BDT), 2077C
Benzocyclobutene, 3159C
Benzoxazole units, 2711C
Binding, 2585C
Biodegradable polymers, synthesis, 955C
Bioenergetic systems, 4951L
Biphenylene compounds, as crosslinking agents, 251C
Bipyridinediyl diamino structures, 1793C
Birefringence in flow of polyelectrolyte solutions, 2211P
Birefringence-free blends of miscible birefringent polymers, 1629P
Bis-aminimides, 1363C
—, thermal decomposition behavior of, 1363C
Bis(4-bromoacetyl phenyl)methane, 2020C
Trans-1,2-Bis(9-Carbazolyl)cyclobutane (DCZB), 1463C
4,4′-Bis(3,4-dicyanophenoxy)biphenyl, 2569C
Bisphenol A, 1505C
Bisphenol-A polycarbonate, anelastic response of, 1148P
—, supercritical CO_2-induced crystallization of, 1511P
Bisphenol-A polycarbonate and PMMA, miscibility of, 1459P
Bisphenolate, transfer rate of, 2195C
Bisphenols, 2385C, 2747C
Bis-triazolinedione, 2781C
N,*N*′-bistrimethylsilyl-diamines, 3387C
Blends, birefringence-free, chain anisotropy in, 1629P
—, entanglement, friction and free volume in, 2511P
—, ionomeric polyurethane-styrene, FTIR studies of, 663P
—, theory of neutron scattering from, 1381P
Blends of crystalline polymers, miscible, interaction parameter in, 723P
Blends of epoxy-polyethersulfone, compatibility in, 1017P
Blends of homopolymer with triblock copolymer, chain conformation in, 641P
Blends of PMMA and poly(vinylidene fluoride), chain entanglement in, 557P
Blends of polyamide and polyether, RuO_4 staining agent for TEM of, 947P
Blends of poly(aryl ether ketone), isomorphic behavior of, 311P
Blends of poly(butylene terephthalate) with liquid crystalline polyester, DSC of, 1595P
Blends of polycarbonate and PMMA, miscibility of, 1459P
Blends of polyethylene, characterization and properties of, 71P, 89P
—, small angle light scattering, characterization of, 109P
Blends of polyethylene and isotactic polypropylene, epitaxy of, 1079P
Blends of polystyrene and polycarbonate, gas sorption and transport in, 2315P
Blends of polystyrene/poly(2-chlorostyrene), miscibility and volume changes of mixing in, 415P
Blends of polystyrene with chlorostyrene copolymer, compatibility in, 2531P
Blends of polysulfone ionomers, phase behavior of, 1519P
Blends of poly(vinylidene fluoride) and PMMA, Brillouin scattering of, 485P
Blends of poly(vinyl-methyl ether) with polystyrene, dynamic mechanical behavior of, 1847P
Blends of styrene-4 vinylpyridine copolymers with transition metal neutralized ionomers, 839P
Blends viscoelasticity related to chain length distribution in, 2039P
Block copolymerization, 2371L, 3495C
Block copolymers, polyamide-polyether, RuO_4 staining agent for TEM of, 947P
—, synthesis of, 3405C

Block cotelomers, 3025C
Blocked diisocyanate, 607C
(+)-5,6-*exo*-bornanediol, 2521C
Brillouin scattering of poly(vinylidene fluoride) and blends with PMMA, 485P
Brillouin spectroscopy of oriented polyethylene, 791P
Bromides, 2631C
1,3-butadiyne, 3429C
tert-Butylacetylene, 2631C
Butylacrylate polymerization, 1309C
N-Butyl acrylate, polymerization kinetics, 1253P
Butyl isocyanate (BIC), 2729C, 3499C
Di-*n*-butyl itaconate (DBI), polymerization, 637C
l-Butyl radical, 3177C

Calcium, interaction with HEMA/MAA copolymers, 327L
Calorimetry, 2005C
Caprolactam, elimination of, 2699C
Carbenium salts, 3283C
Carbocationic polymerization, 1847C
Carboxylic acid, 2813C
Carboxylic acid groups, 2931C
Cardopolyamides, 2327C
Castor oil-based polyurethanes, 2251C
Catalysts, 2455C
—, TaC_5-based, 1353C
—, W and Mo, 2033C
Cation-radical salts, 1463C
Cationic copolymerization, 1811C
Cationic grafting, from carbon black, 1979C
Cationic mechanism, 353C
Cationic polyelectrolytes, 209L
Cationic polymerization, 765C, 2717C
Cellulose, acetoacetylated, liquid-crystalline properties of, 2293P
—, thermotropic trifluoroacetoxypropyl derivative, optical properties of, 1089P
Cellulose acetate/phosphorus pentoxide, crosslinking, 89L
Cellulose derivatives, 3355C
Cellulose triacetate, solid state, 121L
Cellulose tricarbanilate, solution properties of, 1801P
Ceric ion behavior, 1309C
Ceric ion method, and block copolymerization, 237L
Chain alignment in high-pressure extrusion of PET, 2331P
Chain branching in linear LDPE, 777P
Chain conformation and crystallinity of PET, 651P
Chain conformation in crystallizable polymers, 545P
Chain conformation in homopolymer–triblock copolymer blends, 641P
Chain conformations of vinylidene fluoride—trifluoroethylene copolymers, 1717P
Chain dimensions of polystyrene in moderately concentrated solutions, 387P
Chain dynamics of single copolymer in solution with like chains, 1839P
Chain ends and branches, morphological partitioning of, 1637P
Chain entanglement in compatible blends of PMMA and poly(vinylidene fluoride), 557P
Chain-folding in LDPE, thermoluminescence study of, 1885P
Chain folding in ultra-long *n*-alkanes, 2409P
Chain interactions in blends of dissimilar polymers, 2511P
Chain length distribution and strain-induced crystallization in networks, 2073P
Chain length distribution and viscoelasticity of blends, 2039P
Chain motions in poly(vinyl methyl ether), 379P
Chain orientation in birefrigence-free blends, 1629P
Chain scission in irradiated drawn PE, 1359P
Chemical vapor deposition, 3429C
Chemiluminescence, 1205C
—, of hydrocarbon polymers, 1205C
Chemiluminescence in oxidation of polypropylene and ABS, 2207P
C_2-chiral catalysts, 1603C
Chiral polymers, 2521C
Chiral recognition, 2689C
Chiral recognition mechanism, 2953C
Chlorinated polymers, 857C
Chlorofluoropolymers, 215L
Chloromethyltrimethylsilane (CMTMS), 1197C
Circular dichroism spectroscopy, 3437C
Cobalt Carbonyl, $CO_2(CO)_8$, solid state decomposition in polymeric matrix, 1341P
Comonomers, cyclic ether, 3423C
Compatibility of dissimilar chains in polymer blends, 2511P
Compatibility in ternary systems of rods, coils and solvent, theory of, 739P
Complexation of alkylviologens with indole derivatives, polyelectrolyte effect on, 263P
Fe^{2+}-complexed poly(*N*-propylpyrrole-sulfonate), 2239P
Composites of carbon black—crosslinked polyethylene, dielectric properties of, 127P
Composites of conductive particles in insulating matrix, 1557P
Composites of polystyrene and $CO_2(CO)_8$, decomposition of, 1341P
Compressibility of crystalline polyethylene, 159P
Conductive polymers, synthesis, 5L
Conductive polypyrrole films, preparation and properties of, 2179P
Conformation of polyelectrolytes in extensional flow, 2211P
Conformational energy, calculations for polydichlorophosphazene, 1565P
Copoly(aromatic ester-aliphatic amide)s, 2155C
LC-copolyesters, 489C
Copolyimides, crosslinkable, 551C
Copolymer of PET with *p*-oxybenzoate, spinning and fiber properties of, 2303P
Copolymer: poly(ethylene terephthalate) and *p*-oxybenzoate, fiber spinning from nematic melt of, 803P
—, segmented polyester-polyether, fiber formation of, 205P
Copolymerization, 2561C
—, radical, 1641C
—, of sulfur dioxide, 1641C
Copolymerization reactions, 3177C
Copolymers, ABA triblock, 2043C
—, ABS, chemiluminescence in oxidation of, 2207P
—, aromatic block, mesophase behavior of, 1043P
—, ethylene-propylene blocks, x-ray scattering from, 1829P
—, ethylene-vinyl chloride, C—Cl stretching vibrations in, 1153P
—, mesogenic polyesters with one flexible and two rigid segments, 19P
—, new, 2711C
—, propylene with ethylene or butylene, NMR characterization of, 2355P
—, styrene-isoprene-styrene triblocks, rheological criterion for order-disorder transition in, 1741P
—, *N*-substituted acrylamide, 1329C
—, theory of neutron scattering from pure blocks, and blends with homopolymers, 1381P
—, thermotropic rigid chain copolyester, structure of, 2471P
—, vinylidene fluoride—trifluoroethylene, phase transition in, 1717P
—, water-soluble, 1329C
Copolymers of ethylene—1-alkene, dynamic mechanical properties of, 1057P
HEMA/MAA copolymers, interaction with calcium, 327L
Copolymers of vinylidene fluoride—trifluoroethylene, far-infrared spectroscopy of, 1913P
Copolysiloxanes, 2425C
Copoly(γ-stearyl-L-glutamate–γ-methyl-L-glutamate), circular dichroism, 1041C
Copoly(vinylamine-vinylalcohol), synthesis of, 1523C

Copper carboxylate formation, 3395C
Copper (II) chelate-amine complexes, 995C
Copper plates, formation of monomer film, 1L
Copper-Schiff based complex, 3039C
Core/shell latexes, 1755C 2595C, 1219C
—, grafting reactions in, 1755C
Corresponding states principles and polymer properties, 1949P
Cotton fabric, effects on, 2025C
Coulombic interactions, 2261C
Covalent propagation, 765C
Crack growth in glassy polymers, model for, 353P
Crack propagation in vulcanized rubbers, 1157P
Craze fibril deformation under fatigue in polystyrene, 1765P
Craze growth and healing in polystyrene, 2541P
Craze growth in polystyrene, 1679P
Creep compliance in PMMA, reduced variables treatment of, 1667P
Creep and creep rupture in PMMA, 1667P
Crosslinkable copolyimides, structure property correlation, 551C
Crosslinked poly(2,6-dimethyl-1,4-phenylene oxide), 2503C
Crosslinking, 89L
Crosslinking of chains, molecular weight relations for, 2441P
Crosslinking and crystallization kinetics of poly(arylene ether ketones), 1655P
Crosslinking mechanism, of plasma-polymerized methyl methacrylate (PPMMA), 1273C
Crown ethers, 1811C
Crystallinity and fiber spinning of PET—*p*-oxybenzoate copolyester, 2303P
Crystallinity in miscible blends of poly(aryl ether ketone), 311P
Crystallinity and orientation in nylon 6 fibers, 567P
Crystallinity of poly(vinylidene fluoride), increased by irradiation, 717P
Crystallite thickness, 3105C
Crystallization in blends of polystyrene with chlorostyrene copolymer, 2531P
Crystallization of bisphenol A polycarbonate induced by supercritical CO_2, 1511P
Crystallization kinetics of poly(ε-caprolactone), 1725P
Crystallizing polymers, diffusion and reptation in, 229P
Cure of styrene-terminated polysulfone reactive oligomers, 1581P
Cyclic acetals, 2561C
Cyclic poly(dimethylsiloxane), 2503C
Cyclic sulfides, separation and characterization of, 1653C
Cyclohexadienone ring, 2791C
Cyclohexene oxide, photopolymerization, 753C

Decomplexation, 2479C
Defluorination, 2643C
Deformation of aromatic polyimide, x-ray study of, 1129P
Deformation of glassy polymers, activation energy for, 137P
Deformation of LDPE, effect of MWD on, 1203P
Deformation of PET, effects of morphology and molecular weight on, 2127P
Degradation, 2469C
Dental adhesion, 607C
Deoxycholic acid canals, 3079C
Deuterated poly(arylene ether sulfones), 2289C
Dextrans, multiple detectors in GPC of aqueous solutions of, 149P
Diabasic acids, 2020C
Dianilino compounds, 2185C
Dibromoalkanes, polycondensation of, 1653C
o-dichlorobenzene, 2469C
N,N'-dichloroformyl-*p*-dianilinobenzene, 3387C
Dielectric measurement of kinetics of radical polymerization, 1253P
Dielectric properties of aligned and non-aligned liquid crystalline polymer, 1099P
Dielectric properties of $CaCO_3$-filled segmented polyurethanes, 57P
Dielectric properties of crosslinked polyethylene —carbon black composites, 127P
Dielectric properties of poly(*N*-benzyldiphenylaminomethane), 339P
Dielectric properties of thermooxidized poly(vinyl formal), 369P
Dielectric relaxation and aging in interpenetrating networks, 1903P
Dielectric study of polarity of poly(glycol terephthalates), 2403P
Dielectric study of poly(glycol terephthalates), 2403P
Dielectric study of poly(vinyl methyl ether), 379P
Diester-diacids, 2175C
p-Diethynylbenzene (DEB), 2077C
Differential scanning calorimetry (DSC) of blends of PBT and liquid crystalline polyester, 1595P
Differential scanning calorimetry (DSC) of blends of polycarbonate and PMMA, 1459P
Differential scanning calorimetry (DSC) of miscible blends of Saran and poly(caprolactone), 723P
Diffusion coefficient, polydispersity effects in SANS, study of, 2283P
Diffusion coefficients of polystyrene in cyclohexane, 1473P
Diffusion in concentrated polymer solutions, 2085P
Diffusion in crystallization of spherulites, 2265P
Diffusion in crystallizing polymers, influence of reptation on, 229P
Diffusion in polymer melts, pulsed-gradient NMR study of, 1439P
Diffusion in polymer-polymer mixtures, 2027P
Diffusion of gas in thermotropic liquid crystalline polyester, 1699P
Diffusion of gases in silicone polymers, 1263P
Diffusion of methylene chloride in PEEK, 935P
Diffusion of water in poly(aryl-ether-ether-ketone), 31P
Dihydrazines-aromatic, 2531C
Dihydronicotinamide, 1383C, 2871C
—, in aqueous solution, 745C
3,3'-dihydroxydiphenyl ether, 3413C
2,6(7)-Dihydroxy[1,3,5(6),7(8)-tetramethylanthracene] units, 2577C
Dilatometry of polystyrene/poly(2-chlorostyrene) blends, 415P
10,10'-dimethyl-9,9'-biacridylidene, 2207C
N-(1,1'-dimethyl-3-oxobutyl) acrylamide oxime, 1717C
Dimethyl phosphonomethyl methylsiloxane dimethylsiloxane copolymers, 1967C
1,5-dioxepan-2-one, 2629C
Dipolar splitting, 2149P
Dipropynones-aromatic, 2531C
Distribution of reactive chain sites in crosslinking, 2441P
Distyryl structure, 2925C
Dithiocarbamate salts, 3205C
DL-lysine, optical resolution, 19L
DMDMMG, copolymerization, 229L
Drawing of copolyester fibers in melt spinning, 803P
Dye binding, 249L
Dynamic mechanical behavior of atactic polystyrene, 1235P
Dynamic mechanical properties of blends of poly(vinyl-methyl ether) and polystyrene, 1847P
Dynamic mechanical properties of copolymers of ethylene with 1-alkenes, 1057P
Dynamic mechanical properties of epoxy-polyethersulfone blends, 1017P
Dynamic mechanical tests, 1285C

Elastic moduli, 2059P
Elastomers, 1191C, 2799C
—, ethylene-propylene thermoplastic, 2799C
—, spontaneous adhesion to steel, rolling cylinder test for, 2393P

Election diffraction of polyethylene-isotactic polypropylene blends, 1079P
Election spin resonance (ESR) of PMMA, 855P
Electrical conduction in composites of conducting spheres in insulating polymer matrix, 1557P
Electrical properties of iodine complexes of monosubstituted polyacetylenes, 423P
Electroactive polymer film, 395L
Electrochemical polymerization, 395L
Electron acceptors, organic, 2143C
Electron beam radiation of poly(vinylidene fluoride), crystallinity increased by, 717P
Electron diffraction from high temperature polystyrene crazes, 1679P
Electron diffraction of tin films on polypropylene, 185P
Electron-donor acceptance, 3177C
Electron microscopy of crystals of ultra-long *n*-alkanes, 2409P
Electron microscopy of regenerated silk fibroin, 2567P
Electron microscopy of semicrystalline polymers with ruthenium tetroxide staining agent, 947P
Electron spin resonance (ESR), 127C
—, anionic probes in water-containing nylon 6, 1299P
Electronic paramagnetic resonance (EPR), 285C
Electrophilic aromatic substitution, 2781C
Electropolymerization, 395L
Emulsifier-polymer complex formation, 29L
Emulsion polymerization, 29L, 617C
Enantioface differentiation, 2521C
Enantiomeric substrates, 2963C
Encapsulation of powder, 3117C
Entrapment-cyclic, 2503C
Entropy of isotropization in mesogenic copolyesters, 19P
Epitaxy of polyethylene-isotactic polypropylene blends, 1079P
Epoxide, 137C
—, polymerization of, 1363C
Epoxide-amine networks, glass transition of, 1219P
Epoxide resins, spiro-ring, methoxy branches and relaxations of, 1817P
Epoxides, photo-initiated crosslinking, 417L
Epoxy compounds, 3049C
Epoxy resins, proton NMR experiments, 897C
ESCA, 1803C
ESR studies, 3363C
Ester linkages, 241C
Esterification reactions, 1409C
Esterolytic reactions, 2963C
Esters, active, 3049C
Ether crosslinking agent, 451L
Ethylene, 3105C
Ethylene-chlorotrifluoroethylene copolymers, 1871C
Ethylene homopolymerization, 1989C
Ethylene polymerization, 2063C
Ethylene–propylene copolymerization, 675C
Ethylene-propylene-diene terpolymers, 1713C
cis-3-ethylproline, 3437C
trans-3-ethylproline, 3437C
Ethynyl groups, 2281C
Excluded volume of polystyrene in cyclopentane, 673P
Extensional rheometry of polystyrene melts, 295P
Extrusion of PET, flow visualization during, 619P
Extrusion of PET from pseudo-hyperbolic die, 2331P
E,Z assignments, 478L

Ferroelectric switching, 153L
Fiber formation from thermoplastic segmented polyester-polyether, 205P
Fiber spinning from nematic melt of copolyester, 2303P
Fibrilar morphology, 455L
Fibrils, simulation of scattering pattern of, 1607P
Fibroin, regenerated, fine structure of, 2567P
Filled polymers: polyurethane—$CaCO_3$, relaxations of, 57P
Films, copper oxide, 3395C
—, highly wettable, 1633C
Films solidified from lyotropic mesophase, 173P
Filtration of polystyrene solutions through small pores, 765P
Flexibilizing spacers, 2675C
Flocculation of minerals, 2665C
Flow birefringence study of extrusion of PET, 619P
Flow-induced crystallization, 105L
Fluid dynamics in capillary flow of polymer melts, 2253P
Fluorescence of merocyanine in PVA films, red shift of, 495P
Fluorescence quenching, 2871C
Fluorescence spectroscopy, 2631C
Fluorescence studies of interpolymer interactions, 243P
Fluorinated aromatic compounds, 1235C
Fluorinated aromatic polyamides, 171C
Fluorinated telogens, 3025C
Fluorination, plasma, 3343C
Fluorine-containing aromatic polyethers, 2385C
Fluoropolymer surfaces, 2643C
Fluoropolymers, very low surface energies, 93L
5-Fluorouracil (5FU), antitumor activity, 279L
Fourier transform infrared spectrometry, 2005C
Fraction of noncrystalline taut tie molecules, 2059P
Fractionation by molecular weight, in flow-induced crystallization, 953P
Fracture mechanisms in glassy polymers, scaling analysis of, 353P
Fracture of polyethylene, morphology of, 883P
Fracture-produced anion from PTFE, 1431P
Free volume incompatible blends of dissimilar chains, 2511P
Free volume interpretation of plasticizer effects on gas sorption and transport, 1005P
Free volume theory and depression of T_g in PMMA by plasticizers, 1971P
Functional sulfonic acid groups, 669C

Gamma radiation, 3423C
Gas chromatography, 2005C
Gas-induced polymer dilation, 2033P
Gel content measurement, 2631C
Gel permeating chromatography (GPC) of aqueous dextrans with multiple detectors, 149P
Gel permeating chromatography (GPC) of polystyrene-polyisoprene-toluene systems, 325P
Gel permeation chromatograph (GPC), 1709C
Gel permeation chromatography (GPC) of cellulose tricarbanilate, 1801P
Gelation kinetics, 487L
Gibbs–DiMarzio theory for polyisobutylene, 435P
Glass transition of amine crosslinked epoxies, 1219P
Glass transition depression in PMMA by plasticizers, free volume theory of, 1971P
Glass transition prediction from principle of corresponding states, 1949P
Glass transition and CO_2 solubility in polystyrene, 2497P
Glassy polycarbonate, optical and mechanical relaxation of, 1148P
Glassy polymers, crystallization of, 1511P
—, diffusion of penetrant in, 611P
—, fracture mechanisms in, 353P
—, prediction of yield stress in, 137P
—, sorption and swelling with CO_2, 2497P
—, structural changes of, 1285C
(L)-Glutamic acids, protected, 1409C
Gorham's method, 2089C
GPC, 3183C
Graft copolymer(s), 131L, 431L, 727C
—, preparation, 169L
Graft copolymerization, 23C, 1109C
Graft polymerization, 719C, 3479C
Grafted pendants, 3267C
Grafted poly(methyl methacrylate), 595C

Grafting, 2117C
Grafting reactions, 1219C

α-haloketones, 3205C
Head-addition, 1085C
Head-to-head vinyl halide copolymers, 99L
Healing in partially cross-linked polyamides, 1331P
Heat capacity and degree of neutralization in aqueous carboxylic polyelectrolytes, 1395P
Helical conformation, 2343C
Heterocyclic acids, 735C
Heterocyclic thiaxanthone units, 2987C
Heterocycloalkane mesogens, 2425C
Hexakis(arylisocyano) derivatives of chromium (o), 3325C
High electrical conductivity, 2343C
High mileage catalysts, 919C
High molecular weight polyethylene, 2469C
Hole transport, 823C
Hole transport of doped polycarbonate film, 2139P
Homogeneous random copolymers, 3105C
HPLC techniques, 1523C
Hydrocarbon polymers, 1205C
Hydrodynamic radii of polystyrene chains in cyclohexane, 1473P
Hydrogen, 2881C
Hydrogen plasma, 2643C
Hydrogenation, 2139C
α C—H hydrogen transfer process, 2351C
Hydrophilic chain, 3025C
Hydroxyl groups, 2511C
Hydroxypropylcellulose solutions, die-swell, 79L
Hypersonic dispersion in polysiloxanes, 749P

Imidazole, 2455C
Imidazole-containing polymers, 2963C
Imidization, 2005C, 2479C
Incremental monomer addition technique (IMA), 1847C
Ce^{4+}-induced initiation, 3479C
Infrared reflectance study of poly(pyromellitimide) films, 901P
Infrared spector of $CO_2(CO)_8$ in polystyrene film, 1341P
Infrared spectra of ethylene-vinyl chloride copolymers, 1153P
Infrared spectra of ion-implanted PET, 817P
Infrared spectra of ionomeric polyurethane-styrene blends, 663P
Infrared spectra of PMR-15 polyimides, 2275P
Infrared spectra of poly(L-alanine), 1325P
Infrared spectrophotometry, 1205C
Infrared spectroscopy, 1197C
—, submillimeter, of vinylidene fluoride—trifluoroethylene, 1913P
—, submillimeter, of vinylidene fluoride—trifluoroethylene copolymers, 1717P
Infrared spectroscopy of oriented polypropylene, 591P
Inorganic powder, 3117C
Interaction parameter in miscible blends of crystalline polymers, 723P
Interaction parameters of polystyrene-polyisoprene-toluene systems, 325P
Interfacial polycondensation, 1505C, 2195C
—, kinetic studies of, 2195C
Interpenetrating network of metal polymer composites (INMPC), 447L
Intramolecular crosslinking, 1163C
Intrinsic viscosity of cellulose tricarbanilate in THF and acetone, 1801P
Intrinsic viscosity of polystyrene in cyclopentane, 673P
Intrinsic viscosity of polystyrene ionomers, 2095P
Inverse emulsion polymerization, 1127C
Iodine doping, 1663C
Ion bombardment, 1295C
Ion conductivity, 1745C, 3015C
Ion exchange resins, 669C
Ion implantation of oxygen into PET films, 817P

Ionene polymers, structure–property relationships, 87C
Ionenes, synthesis, 87C
Ionomers, 2221C
—, counterion effects on solution properties of, 1407P
—, counterion and solvent effects on dilute solution viscosity of, 2095P
Iron acetate, 2369C
Isobutylene, 3127C
—, living polymerization of, 1847C
Isocyanate blocking agent, 1717C
Isocyanate groups, 478L
Isomeric dodecadiendiyndiols, thermal polymerization, 111L
Isoprene polymerization, 1457C
Isotactic poly(2-hydroxyethyl methacrylate) (PHEMA), 467C
Isotactic polypropylene, 1517C
Isotacticity, of polymers, 1315C

Kinetics of anionic polymerization of polar monomer, 1491P
Kinetics of mesophase transition in poly(diethylsiloxane), 1859P
Kinetics of photoinitiated radical polymerization, dielectric study of, 1253P
Kinetics of polymerization, 1563C
Kinetics of solvent penetration in glassy polymers, 611P

Laser Raman phonon spectoscopic technique, 215C
Latex particles, 617C
Lewis acids, 181L
Lewis base(s), 2847C, 2881C
Ligand, 1419C
Ligand/metal ratio, 1419C
Light scattering, 3183C
—, small angle, in melting and crystallization of LLDPE/LDPE blends, 109P
Light scattering from binary polystyrene mixtures in benzene, 1P
Light scattering from moderately concentrated polystyrene solutions, 387P
Light scattering from moderately concentrated solutions of PVC, 1981P
Light scattering from polyacrylamide gels, 699P
Light scattering from solutions of cellulose tricarbanilate, 1801P
Light scatter from solutions of ionomers, counterion effects on, 1407P
Light scattering from solutions of polystyrene in cyclopentane, 673P
Light scattering from solutions of ultrahigh molecular weight poly(butyl methacrylate), 829P
Linalool, 77C
Linear poly(ethylenimine), 1887C
—, synthesis of, 1909C
Linking groups, 171C
Lipids, diene-containing, 2737C
Lipids, monodiene-type, 2737C
Liposomes, 2737C
Liquid crystal polymers, 575C
Liquid-crystalline acetoacetoxypropyl cellulose, 2293P
Liquid crystalline cellulose derivative, optical microscopy of, 1089P
Liquid crystalline copolyester, fiber spinning affected by thermal history of, 803P
Liquid crystalline copolyesters containing dihydroxy-substituted biphenyl and napthalene residues, 19P
Liquid crystalline copolymers of rigid and flexible aromatic units, 1043P
Liquid crystalline poly(*N*-acylethyleneimine)s, 2269C
Liquid crystalline poly(diethylsiloxane), kinetics of transitions in, 1859P
Liquid crystalline polyester, gas transport in, 1699P

Liquid crystalline polyesters, 575C
Liquid crystalline polyesters with rigid chains, thermal properties of, 501P
Liquid crystalline polymer, dielectric properties of, 1099P
Liquid crystalline polymers, 2425C
—, molecular orientation in, 2431P
Liquid crystalline solid films, 173P

Macromolecular interactions, 61L
Macromonomers, 169L, 287L, 3283C
Macroperoxyradicals, motion of, 1517C
Macroporous polystyrene resins, 2281C
Magnesium chloride, 2847C, 2881C
Main chain cleavage, 3293C
Maleic anhydride (MA), alternating copolymerization, 711C
Mass spectrometry, 475C
Mechanical behavior of highly oriented PET films, 279P
Mechanical properties, 1717C
Mechanical properties of irradiated highly drawn PE, 1359P
Mechanical properties of polyethylenes, influence of structure and morphology on, 441P
Mechanical properties of poly(*p,p'*-oxydiphenylene pyromellitimide) films, 2487P
Mechanical properties of polystyryl-pyridine resins, 2189P
Mechanics of tearing of vulcanized rubbers, 1157P
Melt flow, stability of interface between dynamic phases in, 2253P
Melt polycondensation method, 1591C
Melt transitions in thermotropic polyesters with rigid chains, 501P
Melting points, 3105C
Membrane filtration of dilute polystyrene, effect of polymer configuration on, 765P
Membrane materials, oxygen permeable, 3191C
Merocyanine dyes, pendant, 2839C
Mesogens, benzyl ether, 2909C
Mesomorphic aromatic block copolymers of rigid and flexible units, 1043P
Mesomorphic cellulosic polymers, 351L
Mesomorphic polyester blend with PBT, thermal properties of, 1595P
Mesomorphism, enantiogropic smectic, 2909C
Metal acetylide complexes, 2281C
Metal catalyst, transition, 2323C
Metal-doped polyimides, 471L
Metal ions, 2511C
Metal surfaces, functionalization of, 2893C
Metallo-macrocycle derivatives, 413L
Metallophthalocyanines (MPc), 413L
Methacrylic acid, copolymerization, 73L
—, copolymerization and hydrophobic effects, 73L
Methacrylic acid-grafted chains, 273L
o-Methacryloyloxybenzoic acid, polymerization, 203C
p-Methoxystyrene, 2561C
Methyl acrylate, 2107C
—, degradation of, 1697C
—, graft copolymerization of, 2117C
1,3,5-Tris(2-methylaziridinyl-1-methyl)benzene (TRIMAM), 1545C
O-Methyl cellulose (MC), solubility behavior, 987C
Methyl methacrylate, 3231C, 3469C
Methyl methacrylate (MMA), graft copolymerization, 595C
—, nonaqueous polymerization, 519C
—, photo polymerization, 703C
—, soapless emulsion polymerization, 223C
N-methylpyrrole, 2781C
β-Methylstyrene, copolymerization, 327C
N-Methyl substitution, 2351C
Methylene chloride, 2577C
Methylmethacrylate, free radical solution polymerization, 187L
Methyl orange and homologs, 2585C
Methyltrimethoxysilane, 1737C
Methyl viologen, photoreduction, 373L
Microgels, 1163C
Miscibility of blends of polysulfone ionomers, 1519P
Miscibility and isomorphism of blends, 311P
Mixed anhydride, 1105C
Mixing of coils and rods with flexible side chains, theory of, 739P
Mixtures of compatible polymers, mutual diffusion coefficients in, 2027P
Modified Ziegler–Nata catalysts, 343C
Moisture sensitivity, reduction of, 1235C
Molecular conformations of poly(L-alanine), induced by heat treatment, 1325P
Molecular interactions of semidilute associating-type polymers in extensional flow fields, 1615P
Molecular motion in crosslinked polystyrene, ESR study of, 1709P
Molecular motion in dissolved polycarbonates, 1419P
Molecular motions in PMMA rom ESR, 855P
Molecular orientation in the crystalline regions, 2059P
Molecular orientation in nematic polymer liquids, 2431P
Molecular orientation in polypropylene, 591P
Molecular semiconductors, 5L
Molecular weight, 2605C
—, influence of, 1943C
—, influence on thermal transitions, 405C
Molecular weight distribution and high-temperature deformation of LDPE, 1203P
Molecular weight distribution of linear LDPE, 777P
Molecular weight distribution of soluble fractions from polymerizations beyond the gel point, 1191P
Molybdenum (III), 2631C
Mono-aminimide compounds, thermal decomposition behavior, 137C
Monodispersity, 1395C
Monomer films, 2893C
Monomers, functional, 389L
—, vinyl cationic polymerization, 1073C
—, vinyl and cyclic, 3283C
Monomolecular termination mechanism, 1517C
Morphology, 1219C
Morphology and deformability of PET, 2127P
Morphology of crystal growth, two-dimensional cell model for, 1311P
Morphology of highly oriented PET films, 279P
Morphology of poly(*ε*-caprolactone), 1725P
Morphology of segmented polyester-polyether copolymer in fiber processing, 205P
Morpology in static fatigue fracture of HDPE, 883P
Mössbauer spectroscopy, 2239P
Multistage swelling process, 1395C
MY720/DDS epoxy thin films, cured, 1235C

NaCN, 3499C
Near-IR region transmission, 37C
Networks, chain length distribution and strain-induced crystallization in, 2073P
—, crosslinking sites and distribution of lengths in, 2441P
—, epoxide-amine, glass transition of, 1219P
—, in-situ generation of reinforcement in, 1561P
—, interpenetrating polyurethane, microphase structure of, 43P
—, interpenetrating, of polyurethane-poly(methyl methacrylate), dielectric loss in, 1903P
—, light scattering, study of polyacrylamide, 699P
—, polystyrene, molecular motion in, 1709P
—, theory of polymerization in, 1191P
Networks of polybutadiene, mechanical and stress-optical properties of, 2113P
Networks of poly(oxypropylene), stress optical properties of, 1935P
Networks of poly(oxypropylene), stress-strain and swelling of, 195P
Neutron scattering, 2289C
Neutron scattering from amorphous and semicrystalline PET, 651P

Neutron scattering from homopolymer—triblock copolymer blend, 641P
Neutron scattering of model crystallizable polymer, 545P
Neutron scattering from multiphase polymers, theory of, 1381P
Neutron scattering study of polydispersity effect on self-diffusion, 2283P
New chiral peptide analog, 161L
Nickel catalysts, O-chelated, 1989C
Nickel (II) catalyst system, 2165C
^{13}C-NMR, 3469C
^{119}Sn-NMR, 3469C
NMR investigations, 2289C
^{1}H- and ^{2}H-NMR spectra of H_2O and D_2O absorbed in cellulose acetate films, 2149P
^{1}H-NMR spectroscopy, 3355C
NMR studies, 2221C
^{13}C-NMR studies, 3355C
NMR time scale, 2149P
Nonaqueous polymerization, 519C
Nonconjugated dienes, radical cyclopolymerization, 775C
Norrish type II mechanism, 2301C
Nuclear magnetic relaxation studies, interaction of poly(riboadenylic acid) with Cu^{2+}, 883C
Nuclear magnetic resonance (NMR) of long-chain cyclic paraffins in solid state, 2165P
Nuclear magnetic resonance (NMR) in melt crystallized polyethylene, 1637P
Nuclear magnetic resonance, NMR, of polycarbonates in solution, 1419P
Nuclear magnetic resonance (NMR) of propylene copolymers, 2355P
Nuclear magnetic resonance (NMR), pulsed-gradient study of diffusion in polymer melts by, 1439P
Nucleic acid base derivatives, 3267C
—, asymmetric, 1523C
Nucleic acid pendants, 1887C, 1909C
Nucleophilic acyl rearrangements, 2455C
Nylon(s), 2301C, 2409C
Nylons 1,3 and 2/3/3, crystal structure of, 513P
Nylon 1,4, 1445C
—, synthesis and structural data of, 1445C
Nylon 6 membranes, 63C
Nylon 6, mobility of anionic spin-probes affected by water in, 1299P
—, spin-oriented fibers of, 567P
—, x-ray diffraction and crystal size of, 2561P
Nylon 612-powdered, 2585C

Octamethylcyclotetrasiloxane, 1737C
Olefin polymerization, 1011C, 1881C, 2847C
Olefin(decene-*1*) polymerization, 919C
Olefins, 3127C
Oligo(adipoyl-5-peroxy-2,5-dimethyl *n*-hexyl peroxide), 3349C
Oligomeric species, 1481C
Oligomers, 1109C
Oligo(oxyethylene) branches, 3489C
Oligoperoxide, new, 3349C
Oligosiloxanes, 3191C
Optical resolution, 2689C, 2953C
Order-disorder transition in block copolymers, rheological criterion for, 1741P
Organic electron acceptors, 2143C
Organic polymers, hole transport, 823C
Organic semiconductors, 443C
Organic solids, photochemical reactions, 215C
Organochromium catalysts, 2063C
Organosilicon compounds, 3255C
Osmometry, 3183C
Oxidation, 2799C
—, radiation-induced, 1713C
9-*N*-oxoethylene, 1729C
Ozone, 2207C
Ozone permeability, 2207C

Palladium (II), 2231C
Palladium (II) catalysts, use in polymerization, 847C
Palladium (II) salt catalyst system, 1027C
Palladium (II) salts, use in polymerization, 839C
Palladium sols, and electroless plating, 293L
Paper, layer-selective metallizing, 293L
Para-linked aromatic polyesters, 11L
Paraffins, long-chain cyclic crystalline, NMR study of, 2165P
Para-xylene derivatives, 2089C
Parylene C, 2089C
Parylene N, 1481C
Pendant cyclic iminoethers, 2931C
Pendant epoxide groups, 1339C
Pentadienyl ligands, closed and open, 2063C
1-(Pentafluorophenyl)-1-alkynes, 2631C
Perfluorinated chain, 3025C
Perfluoroalkylethylenes, 1871C
Perfluoroether fluids, pressure and temperature dependence of viscosities of, 603P
Permeability of gases in blends of PS and polycarbonate, 2315P
Permeability and structure of silicone polymers, 1263P
Permeation of gas in plasticized polymers, free volume interpretation of, 1005P
Permeation of gas in plasticized poly(phenylene oxide), 981P
Permeation of gas in plasticized polysulfone, 957P
Permeation of gas in substituted polycarbonates, 1999P
Peroxyradicals, molecular dynamic of, 1517C
Phase equilibria of coils and rods with flexible side chains, 739P
Phase transfer catalysis, 405C, 783C, 1943C, 2755C
Phenol, 2107C
Phenoxaphosphine units, 2327C
Phenoxathiin-10,10-dioxide, 2327C
Phenylacetylene, 1641C
—, degradation of, 1697C
—, polymerization, 1027C
Phenylacetylene (VDC/PA) copolymers, degradation of, 1681C
N-phenylated aromatic polyamides, 2493C
N-phenylated aromatic polyureas, 2185C
p-Phenylenediacrylate group, 1579C
Phenylethynyl phthalimide system, 3159C
Phenyl groups, 2241C
Phenyl isocyanate-alcohol systems, 2543C
Phenyl-2-pyridyl-o-tolylmethyl methacrylate, asymmetric polymerization, 297L
Phenylglycidyl ether, 2729C
N-phenylmaleimide, 3177C
2-Phenyl-4-methylene-1,3-dioxolane, polymerization, 243L
N-phenyl polybenzimidazoles, 2675C
Phenyl thiazyl compounds, 1433C
—, synthesis and electrical conductivity of, 1433C
1-Phenyl-2-trimethylsilylacetylene, 2323C
Photo- and photooxidative degradation, 2301C
Photoconductivity of doped polycarbonate film, 2139P
Photoconductivity of poly(*N*-benzyldiphenylaminomethane), 339P
Photo-induced alternating copolymerization, 181L
Photocrosslinking, 3173C
Photodegradation, 2631C
Photodimerizable units, 1811C
Photoelectrochemistry, 1035C
Photografting, 273L
Photoluminescence, 205L
Photolysis, 3293C
Photooxidation, of polymers, 3311C
Photophysical properties of pyrene substituted poly(acrylic acid) in interpolymer interactions, 243P
Photophysics, 1619C
Photopolymerization, 753C
—, initiated by charge-transfer complex, 703C
—, of monomer films, 2893C
Photopolymers, 223L, 3049C
Photoreduction, 373L
Photosensitive polymers, 1579C
Photosensitive poly(methacrylates), 3063C
Photosensitive poly(vinyl alcohol), 1475C
Phthalonitrile, 2569C

Plasma copolymerization, 1065C
Plasma-driven ultrathin films, 339L
Plasma fluorination, 1295C, 3343C
—, of polyolefins, 1295C
Plasma polymerization, 1187C
Plasma-polymerization from ethylene oxide, 1633C
Plasma-polymerized methyl methacrylate (PPMMA), 1273C
Plasma polymers, 1197C, 1803C
Plastic optical fibers (POFs), 37C
Plasticizers, depression of T_g in PMMA by, 1971P
PMMA disks, crosslinked, 3215C
PMMA, effect of cold work on, 3215C
PMMA, mechanical deformation in, 3215C
PMMA, methanol transport in, 3215C
PPMQ, characterization, 299C
PPMQ, electronic properties, 285C
PPMQ, synthesis, 299C
Polar crystals, 153L
Polar vinyl monomers, 181L, 3005C
Polyacetals, grafting of, 1979C
Polyacetylene, monosubstituted, iodine complexes of, 423P
Poly(acrylamide-co-acrylate), thermal degradation of, 1825C
Polyacrylamide gels, light scattering, study of, 699P
Polyacrylamide, reaction with formaldehyde and sodium bisulfite, 433C
Polyacrylamide, thermal degradation of, 1825C
Poly(acrylic acid), pyrene substituted, photophysical study of interpolymer interactions with, 243P
Poly(L-alanine), heat-induced structural changes in, 1325P
Poly(β-alanine), synthesis, 345L
Poly(alkylene phosphates), synthesis of, 1729C
Polyamic acid, 2479C
Polyamide precursor, 2479C
Polyamides, 2351C
—, aromatic and aliphatic, 2699C
—, cross-linked, chemical healing in, 1331P
—, crystal structures of nylons 1,3 and 2/3/3, 513P
Poly(α-amino acid)-immobilized polymer adsorbents, 2689C, 2953C
Polyanhydrides, 3373C
Polyanilines, 455L
Polyanions, spectroscopic properties of, 2839C
Polyaromatic ether-ketones, crosslinking, 251C
Polyarylates, 1709C, 2195C, 3405C
—, fluorine-containing, 2747C
Poly(aryl-ether-ether-ketone), solubility and diffusion of water in, 31P
Poly(aryl-ether-ether-ketone), PEEK, sorption of methylene chloride, 935P
Poly(arylene ether ether ketone) (PEEK), unit cell parameters, 25L
Poly(arylene ether ketones), crystallization kinetics of, 1655P
Polyaspartates, 1041C
Poly(*m*-benzamide) oligomers, solute-solvent interactions of, 1481P
Polybenzimidazoles, 2675C
Poly(*p*-benzoquinono)diimidazoles, 2335C
Poly(*N*-benzyldiphenylaminomethane), electrical and optoelectronic properties of, 339P
Poly(γ-benzyl L-glutamate), solid cholesteric films of, 173P
Poly(N^5-benzyl-L-glutamine)-immobilized resin, 2953C
Polybiphenyltetracarboximide films, 441L
Poly(bisphenol A carbonate), doped, hole mobility in, 2139P
Polyblends, crystallization characteristic, 37L
Polybutadiene, carboxyl terminated, 1545C
—, NMR study of diffusion in, 1439P
Polybutadiene rubbers, photoelastic properties of, 2113P
Polybutadiene vulcanisates, viscoelasticity of, 1033P
Polybutadienes, hydrogenated and deuterated, neutron scattering of, 545P
Poly(*t*-butyl methacrylate) macromonomer, 287L
Poly(butyl methacrylate), ultrahigh molecular weight, solution properties of, 829P
Poly(ϵ-caprolactone), crystallization kinetics and morphology of, 1725P
Polycarbonate(s), 3413C
—, effect of doping on thermoluminescence in, 1537P
—, gas sorption and transport in, 1999P
—, NMR of solutions of, 1419P
—, swelling and sorption of CO_2 in, 2497P
—, thermal conductivity of, 1779P
Polycarboxylic acid solutions, effect of neutralization on heat capacity of, 1395P
Polychloroethylene, liquid, heat capacity and entropy of, 2345P
Polycondensation, fluoride ion-induced, 2020C
—, interfacial, 3405C
Polydiacetylene, conductivity of, 1663C
Polydichlorophosphazene, conformational energies of, 1565P
Poly(diethylsiloxane), kinetics of mesophase and crystal formation in, 1859P
Poly(2,6-dimethyl-1,4-phenylene oxide), 2043C, 2605C
Polydimethylsiloxane oligomers, aminopropyl-terminated, 2819C
Polyelectrolyte(s), 745C, 1383C, 2871C
—, association constants for alkylviologen–indole complexes influenced by, 263P
—, containing dihydronicotinamide, 1383C
—, flow-induced conformational changes in solutions of, 2211P
Polyelectrolyte gels, 481L
Poly(enonsulfides), 2395C
Polyester, gas transport in, 1699P
Polyesterification, 533C
Polyesters, 2987C
Polyethers-aromatic, 2577C
Poly(ethyl acrylate-co-lithium acrylate), 2221C
Polyethylene, 487L
—, acoustic mode structure of, 791P
—, crosslinkable, 1177C
—, highly drawn, effect of irradiation on properties of, 1359P
—, linear low density, characterization of, 777P
—, molecular weight distribution and high-temperature deformation of, 1203P
—, molecular weight fractionation in flow-induced crystallization of, 953P
—, morphology in static fatigue fracture of, 883P
—, morphological partitioning of chain ends in, 1637P
—, spherulitic morphology in, 2371P
—, thermoluminescence and chain folds in, 1885P
—, x-ray diffraction of compressed monoclinic crystal of, 159P
Polyethylene blends, characterization and properties of, 71P, 89P
—, small angle light scattering, characterization of, 109P
Polyethylene crystals, growth rates, 67L
Poly(ethylene glycol methyl ether)-b-poly(ethylenimine), 2261C
Poly(ethylene oxide), 1745C
Poly(ethylene oxide)-based polyurethane networks, 3015C
Polyethylene single crystals, 2139C
Polyethylenes, structure, morphology and mechanical properties of, 441P
Polyethylene terephthalate (PET), 503L
—, effects of morphology and molecular weight on deformability of, 2127P
—, films, highly oriented, 279P
—, high energy implantation of oxygen into films of, 817P
—, melts, velocity profile in extrusion of, 619P
—, neutron scattering from, 651P
—, prolonged annealing, 331L
—, properties of extrudate from pseudo-hyperbolic die, 2331P
—, solid-state polymerization (SSP), 533C
—, thermal conductivity of, 1779P

Poly(ethylene terephthalate-co-*p*-oxybenzoate), mass spectrometric characterization, 271C
Polyfluorethylene, liquid, heat capacity and entropy of, 2345P
Polyformals, synthesis, 805C
Poly(fumaric acid) preparation, 979C
Polyfunctional active esters, 1339C
Polygermanes, 111C
Poly(L-glutamic acid) derivatives, 2689C
Poly(glycol terephthalates), conformational energies from dielectric study of, 2403P
Poly(L-histidinium 7,7,8,8-tetracyanoquinodimethanide), 2343C
α,β-Poly(*N*-hydroxyethyl)-DL-aspartamide, 2813C
Polyimide fibers, 441L
Polyimide films, modified, 685C
Polyimide formation, 2175C
Polyimide precursor, 2005C, 2479C
Polyimide, thermal conductivity of, 1779P
Polyimides, 685C
—, aromatic, x-ray study on deformation of, 1129P
—, photosensitive, 3293C
—, soluble, 377L
—, FTIR studies of, 2275P
Poly(iminomethylene) copolymers, 2165C
Poly(iminomethylenes), 907C
Polyisobutylene, allyl-terminated, 3255C
—, in-situ generation of reinforcement in, 1561P
—, theory of glass transition–molecular weight relationship, 435P
Polyisoprene, interaction parameters in polystyrene-toluene solutions of, 325P
Polyisoprene vulcanisates, viscoelasticity of, 1033P
Polymer backbone, 1793C, 2675C
Polymer bearing quinonoid group, 3173C
Polymer blend compatibility, 61L
Polymer crystal surfaces, 2139C
Polymer fibers, 525P
Polymer networks, 2251C
Polymer substrates, 1619C
Polymer-supported bases, 77C, 2455C
Polymer syntheses, 489C, 3159C
Polymeric catenanes, 2503C
Polymeric composites, 369L
Polymeric drugs, 279L
Polymerization, 2561C, 2631C
—, anionic, 3499C
—, epitaxial, 3429C
—, soapless emulsion, 3231C
Polymerization beyond the gel point, 1191P
Polymerization catalysts, olefin, 3241C
Polymerization of *n*-butyl acrylate, 1253P
Polymers, 2531C
—, biodegradable, 955C
—, chlorination, 857C
—, functional, 389L
—, nicotinamide-containing, 2871C
—, optically active, 1315C
—, organometallic, 3469C
Poly(methyl methacrylate) (PMMA), 17C, 2251C
—, H-atom abstraction, 581C
—, creep and creep rupture in, 1667P
—, depression of T_g by plasticizers in, 1971P
—, ESR spectra, 127C
—, magnetic resonance study of, 855P
—, plasticized, water sorption by, 697P
—, swelling and sorption of CO_2 in, 2497P
Poly(ε-*N*-methacryloyl-L-lysine), interaction with copper (II), 1419C
Poly(*N*-methacryloyl-L-asparagine), 2231C
Poly(methyl aryloxymethacrylates), 3183C
Poly(4-methyl-1,3-dioxolane) (PMDO), acidolysis, 945C
Poly(γ-methyl L-glutamate), solid cholesteric films of, 173P
Poly(α-methylstyrene-b-styrene), 353C
Polymorphs, α and β, 1481C
Polynucleotide analogs, 373C, 389C, 1887C, 1909C
Polynucleotides, new model polymers of, 1523C
Polyolefin films, 273L
Polyolefins, 1295C
—, plasma fluorination of, 1295C
Poly-L-ornithine (PLO), 249L
Poly(*ortho*-acylstyrenes), 3459C
Poly(oxazolidones), 2729C
—, formation, 151C
Poly(*p,p'*-oxydiphenylene pyromellitimide), molecular weight dependence of mechanical properties in films of, 2487P
Poly(oxypropylene), elasticity of model networks of, 195P
—, stress optical properties of networks of, 1935P
Poly(*m*-phenylene) oligomers, solute-solvent interactions of, 1481P
Poly(phenylene oxide), antiplasticization and gas sorption in, 981P
Poly(phenyl methyl silane) (PMS), photoluminescence growth, 205L
Polyphosphazene, 3489C
Polypodants, thermotropic liquid crystalline, 2755C
Polypropylene, atactic, 3395C
—, chemiluminescence in oxidation of, 2207P
—, degradation, 313L
—, films of tin on, 185P
—, homo- and copolymers, NMR study of, 2355P
—, IR study of molecular orientation in, 591P
Polypyrazoles, 2531C
Poly(pyromellitimide), IR reflectance of films of, 901P
Polypyrrole films, mechanical properties of, 2179P
Polyquinazolones, 2241C
Poly-Schiff bases, 1463C
Polysilanes, 321L
Polysiloxane, ultrasonic and hypersonic dispersion in, 749P
Polysiloxanes, 1671C, 2425C
—, liquid crystalline, 2909C
Polystyrene(s), 1395C, 3191C
—, atactic, dynamic mechanical behavior of, 1235P
—, binary mixtures in benzene, virial coefficients for, 1P
—, craze growth and healing in, 2541P
—, crosslinked, ESR study of molecular motion in, 1709P
—, in cyclopentane, dilute solution properties between upper and lower critical temperatures, 673P
—, deformation of craze fibrils during fatigue in, 1765P
—, dispersion polymerization of, 1395C
—, extensional rheometry of melts of, 295P
—, interaction parameters in polyisoprene-toluene solutions of, 325P
—, light scattering from moderately concentrated solutions of, 387P
—, low-angle electron diffraction from crazes in, 1679P
—, plasma fluorination of, 3343C
—, spherulitic morphology in, 2371P
—, swelling and sorption of CO_2 in, 2497P
Polystyrene-bound tin hydride, preparation, 219L
Polystyrene in mixtures of diethyl ether and nitromethane, 1501P
Polystyrene ionomers, dilute solution viscosity of, 2095P
Polystyrene ionomers, solvent and concentration effects in extensional flow of, 1615P
Polystyrene rejection by porous membranes, configurational effects on, 765P
Polystyrene resins, macroporous, 2281C
Polystyryl-pyridine resins, structure and nonelastic mechanical properties in, 2189P
Polysulfides, aromatic-aliphatic, 1653C
Polysulfone, antiplasticization and gas sorption in, 957P
Polysulfone ionomers, preparation, characterization and blend studies of, 1519P
Polysulfone reactive oligomers, styrene-terminated, 1581P
Poly(tetrachloro-*p*-phenyleneselenide) synthesis, 1449C
Polystyrene in mixtures of diethyl ether and nitromethane, 1501P
Polystyrene ionomers, dilute solution viscosity of, 2095P

Polystyrene ionomers, solvent and concentration effects in extensional flow of, 1615P
Polystyrene rejection by porous membranes, configurational effects on, 765P
Polystyrene resins, macroporous, 2281C
Polystyryl-pyridine resins, structure and nonelastic mechanical properties in, 2189P
Polysulfides, aromatic-aliphatic, 1653C
Polysulfone, antiplasticization and gas sorption in, 957P
Polysulfone ionomers, preparation, characterization and blend studies of, 1519P
Polysulfone reactive oligomers, styrene-terminated, 1581P
Poly(tetrachloro-*p*-phenylenelenide) synthesis, 1449C
Polytetrafluoroethylene, ionic species from fracture of, 1431P
Polytetrafluoroethylene–iron oxide composite, 2369C
Polytetrafluoroethylene, irradiated, thermal expansion of, 1549P
Poly([3H]-thiazole-2-thione)s, 3205C
Polythienylenes, chromism of solutions of, 1071P
Poly(*trans*-3-ethyl-D and L-proline), 2941C
Poly(tri-*n*-butyltin methacrylate), 3469C
Poly(trimethylene phosphate) chain, 1729C
Polyureas, 1781C
—, containing 2,5-thiophenylene linkage, 1781C
—, *N*-phenylated aromatic, 3387C
Polyurethane anionomers, 2127C
—, structure properties of, 2127C
Polyurethane interpenetrating networks, microphase separation in, 43P
Polyurethane ionomer networks, microphase separation in, 43P
Polyurethanes, 565C, 1781C, 1613C
—, castor oil-based, 2251C
—, containing nucleic acid base derivatives, 3267C
Polyvinyl acetate, fractionation, 181C
Poly(vinyl acetate) (PVAc) macromonomer, 175L
Poly(vinylacetophenone) (PVAP), photodegradation, 191C
Poly(vinyl alcohol), 2117C
—, dye fluorescence in matrix of, 495P
—, irradiated, ESR and UV absorption study of, 1897P
Poly(vinyl alcohol) (PVA) film, photochromic action, 383L
Poly(vinyl chloride) (PVC), cocrosslinking with polyethylene, 127L
—, viscometry and light scattering of moderately concentrated solutions of, 1981P
Poly(vinyl formal), thermooxidized, dielectric properties of, 369P
Poly(vinylidene chloride), effect of internal unsaturation on, 1681C
—, stability of, 1681C
Poly(vinylidene fluoride), Brillouin scattering of oriented films of, 485P
—, crystallinity increased by irradiation of, 717P
—, thermal conductivity of, 1779P
—, thermal expansion of, 1113P
Polyvinylidene fluoride films, 783C
Poly(vinyl methyl ether), dielectric study of, 379P
Poly(4-vinyl pyridine), surface-enhanced Raman scattering from, 1923P
Polyvinylpyrrolidone, 2511C
Potassium thiocyanate, 1745C
Potentiometric methods, 1329C
Potentiometric titration behavior, 2261C
Potentiometry, 3143C
Primary amine hydrogens, 731C
Process parameters, 1755C
Prochiral ketones, 2521C
β-Propiolactones, 1315C
Propylene polymerization, 2847C
N-propylene-sulfonate (PPS), 2239P
N-protected methallyl-(L)-histidinate, 3143C
Pyrene fluorescence, quenching, 259C
Pyrolysis gas chromatography-mass spectrometry, 1451C
Pyrolysis mass spectrometry, 1049C
Pyrolyzed polymer, 2569C
Pyrrole, 2143C

Quinazolone ring, 2241C

Racemic compounds, 19L
Radical formation acts, 47C
Radical initiators, 2737C
Radical polymerization, 175L
—, dielectric measurements of kinetics of, 1253P
Radicals induced by fracture of PTFE, 1431P
Radicals in irradiated PVA, ESR and UV spectra of, 1897P
Raman scattering, surface-enhanced from poly(4-vinyl pyridine), 1923P
γ-rays, 2117C
Reductive amination, 2447C
Refractive index of polymers for specular reflection IR analysis, 901P
Relaxation of segmented polyurethane—$CaCO_3$ composites, 57P
Relaxations of spiro-ring epoxide resins, 1817P
Retardation times of Rouse solids and fluids, 2203P
Retarded polymerization, 2107C
Rheology of associating-type polymers in semidilute solution, 1615P
Rhodium(I) catalyst, 2139C
Rigid-rod polyamides, 1249C
—, solubility in, 1249C
Ring opening, 2699C
Ring-opening polymerization, 309L, 3039C, 3089C,
Ring-opening transfer polymerization, 935C
Rubber adhesion to metal surfaces, test for, 2393P
Rubber, vulcanized, crack propagation in, 1157P
Rubbery polymers, model for viscoelasticity of, 1033P

Saran copolymers, effect of internal unsaturation on stability of, 1697C
SEC column performance, 437C
Second virial coefficient, 1P, 673P, 829P
Secondary amine hydrogens, 731C
Secondary oxonium ions, 873C
Seeded emulsion polymerization, 2595C
Self-curable co-polymers, 2931C
Semiconductor materials, 383L
Semiconductor suspensions, 1035C
Shipley electroless plating process, 293L
Short-wave photolysis, 191C
Silicic acid, 1671C
—, partially silylated, 1671C
Silicon, containing polyamides, 1591C
—, preparation and properties of, 1591C
Silicone polycarbonate copolymers, 2207C
Silicone polymer membranes, structure and permeability in, 1263P
Silylacetylenes, 2033C
—, polymerization of, 2033C
N-silylated dianilino compounds, 2493C
Silyl ether(s), 753C, 3241C
1-Silyl-1-propynes, 1353C
Small-angle x-ray reflections (SAXRs), 525P
Soapless emulsion polymerization, 3117C
Sodium azide, 1197C
Sodium carboxy methyl cellulose (SCMC), NMR studies, 337C
Solid-state polyamidations (SSPs), 363L
Solvation of polystyrene in diethyl ether–nitromethane co-solvents, 1501P
Solvent interactions with oligomers of *m*-benzamides and *m*-phenylenes, 1481P
Sorption and swelling in polymer—CO_2 mixtures at high pressures, 2497P
Sorption and transport of gas in substituted polycarbonates, 1999P
Sorption of gas in blends of polystyrene and tetramethyl bisphenol-A polycarbonate, 2315P

Sorption of gas in polysulfone, effect of diluents on, 957P
Sorption of gas in poly(phenylene oxide), effect of diluents on, 981P
Sorption of gas in plasticized polymers, free volume interpretation of, 1005P
Sorption of gases in polymers, 2033P
Sorption of methylene chloride in poly(aryl-ether-ether-ketone), 935P
Sorption of penetrant in glassy polymers, 611P
Sorption of water in plasticized PMMA, 697P
Sorption of water in poly(aryl-ether-ether-ketone), 31P
Specific volume–temperature relations in polystyrene/poly(2-chlorostyrene) blends, 415P
Spectroscopic examination, 1887C
Spectroscopic methods, 1329C
FT-IR spectroscopy, 1803C, 2301C, 2409C
IR spectroscopy, 1235C, 1545C, 3355C
Spherulites, diffusion in crystallization of, 2265P
Spherulitic growth, two-dimensional cell model for, 1311P
Spherulitic morphology in polyethylene and isotactic polystyrene, 2371P
Spinnability, 1671C
Spiroorthocarbonate, 2925C
Spiro ortho esters (SOE), ring-opening transfer polymerization, 935C
Stabilization, 2469C
Statistical mechanics: application of Gibbs–DiMarzio theory to polyisobutylene, 435P
—, single copolymer chain dynamics in solution of like chains, 1839P
Strain-induced crystallization in networks effect of bimodal chain length distribution on, 2073P
Stress-optical coefficient of polybutadiene rubbers, 2113P
Stress optical properties of poly(oxypropylene) networks, 1935P
Stress relaxation of bisphenol-A polycarbonate, 1148P
Stress-strain properties of poly(oxypropylene) networks, 195P
Styrene, 3177C
—, emulsion polymerization, 47C, 505C
—, epoxy-functionalized, 2827C
—, polymerization, 1105C
Styrylpyridinium group, 1475C
Styrylpyridinium and styrylquinolinium groups, 3063C
m-substituted phenyl groups, 2241C
p-substituents, 3191C
Sulfonate groups, 1803C
Sulfur dioxide, copolymerization of, 1641C
Sulfur nucleophiles, 215L
Surface-active monomers, 1C
Surfactant-free systems, 505C
Swelling of model networks of poly(oxypropylene), 195P
Syndiotactic poly(methallylalcohol), 3143C
Syndiotactic poly(2-methallyl alcohol), 1409C
Synthesis, 2629C

Ta and Nb catalysts, 2631C
Telogens, fluorinated, 3025C
Tertiary oxonium ions, 873C
Tetrafluoroisophthalonitrile, 2385C
Tetrafluoroisophthaloyl chloride, 2747C
Tetrahydrofuran-3-methyltetrahydrofuran, bulk cationic copolymerization, 365C
Tetramethylsilane, 1737C
Thermal analysis, 1285C
Thermal conductivity of polymer films, flash radiometry technique for, 1779P
Thermal decomposition, 2351C
Thermal degradation, 1451C, 1825C
Thermal expansion behavior of poly(vinylidene fluoride), 1113P
Thermal expansion of irradiated PTFE, 1549P
Thermal properties, 1717C
Thermal stress cracking, 1871C
Thermo-crosslinking reactions, 1339C
Thermodynamic functions of liquid polyfluoroethylene and polychloroethylene, 2345P
Thermogravimetric analysis, 2005C
Thermoluminescence in doped polycarbonate, 1537P
Thermoluminescence in LDPE, 1885P
Thermooxidation of poly(vinyl formal), dielectric properties affected by, 369P
Thermoplastic block copolymers, 451C
Thermosensitive opacity, 437L
Thermotropic polyesters, mesomorphic properties, 241C
Thermotropic properties, 1943C
Thermotropic rigid chain copolymer, 2471P
Thiaxanthone rings, 2987C
Thin films, preparation, 1187C
Thin-film technique, 2595C
Thiocyanate, ammonia/ammonium, 2025C
Thiophenol, 3039C
Third virial coefficient, 1P
Tin films on oriented polypropylene, 185P
Titanium dioxide, 3231C
Titanium minerals, 2665C
Toluene, 2543C
Trans-membrane electron transport, 495L
Transition metal catalysts, 15C, 2323C
Transition metal salts, 1769C
Transition metals, 1793C
[2H]-1,2,4-triazoline-3-thione ring, 311C
Triblock copolymerizations, 23C
1,3,5-trithiane, 3363C
1,3,6-Trioxacyclooctane, 2561C
Trioxane, 3423C
—, cationic ring-opening polymerization of, 1979C
Triphenylmethyl methacrylate (TrMA), 1603C
Triphenylmethyl salts, 1569C
Tungsten (V), 2613C

UV absorber, sulfonated 2-hydroxyphenylbenzotriazole, 1619C
UV irradiation, 2077C, 3173C, 3293C, 3363C
UV light irradiation, 2893C
Ultradrawn polyoxymethylene, 2059P
Ultrafine magnetic particles, preparation, 369L
Ultrasonic attenuation and velocity in polysiloxanes, 749P
Ultrasonic measurements, 2059P
Ultraviolet spectra of iodine complexes of monosubstituted polyacetylenes, 423P
Unsaturated polymers, 99L
Urethane reactions, 2543C

Vibrational mode structure of polyethylene, 791P
Vinyl acetate, 2117C, 2369C
N-vinylcarbazole (NVC), polymerization of, 1769C
Vinyl cationic polymerization, 2827C
Vinyl chloride, polymerization, 343C
Vinyl copolymers, 3089C
Vinylcyclopropane derivatives, 3039C
Vinyl ether, epoxy-functionalized, 2717C
Vinyl ethers, 1569C
Vinyl monomers (DBI), 637C, 1085C, 3325C, 3349C
—, graft copolymerization, 57L
—, polymerization, 739C
Vinyl polymers, bearing crown ethers, 145L
—, binding properties, 145L
Vinylbenzyl ether macromonomer, 2605C
Vinylidene chloride, degradation of, 1681C, 1697C
Vinylphenyl glycidyl ether, 2827C
Viscoelastic properties of blends containing complexes based on coordination chemistry, 839P
Viscoelastic properties of Rouse solid and fluid, 2203P
Viscoelasticity of blends effect of chain length distribution on, 2039P

Viscoelasticity of PMMA–poly(vinylidene fluoride) blends, 557P
Viscoelasticity of polyisoprene and polybutadiene vulcanisates, 1033P
Viscoelasticity of polystyrene melts, 295P,
Viscometric flows for encapsulated FENE dumbbell, 2085P
Viscometry, 2469C, 2479C
Viscometry of moderately concentrated solutions of PVC, 1981P
Viscosities of perfluoroethers, temperature and pressure dependence of, 603P
Viscosity of solutions of ionomers, counterion effects on, 1407P

Water concentration, effects of, 1457C
Water solubility, 3143C
Water treatment, 209L
Wood components, T_1 and T_2 relaxation times, 257L

X-ray diffraction of aromatic polyimide under deformation, 1129P
X-ray diffraction of block copolymers of ethylene and propylene, 1829P
X-ray diffraction of compressed monoclinic polyethylene, 159P
X-ray diffraction of nylon 6, effect of small crystal size on, 2561P
X-ray diffraction of nylons 1,3 and 2/3/3, 513P
X-ray diffraction of oriented fibrils, modeling of, 1607P
X-ray diffraction of poly(L-alanine), 1325P
X-ray diffraction of regenerated silk fibroin, 2567P
X-ray diffraction of spin-oriented nylon 6 fibers, 567P
X-ray diffraction of thermotropic rigid chain copolyester, 2471P
Di-*p*-xylylene, sublimation rate of, 2089C

Yield stress of amorphous polymers, prediction of, 137P
Young's modulus, 2059P

Ziegler–Natta catalysis, 1011C
Zigler–Natta macromolecular complexes, 675C